

2021

# Prescription Drug Guide

## **Humana Medicare Employer Plan Formulary**

List of covered drugs

PLEASE READ: THIS DOCUMENT CONTAINS INFORMATION  
ABOUT THE DRUGS WE COVER IN THIS PLAN.

23

This formulary was updated on 10/21/2020. For more recent information or other questions, please contact Humana Medicare Employer Plan at the number on the back of your membership card or, for TTY users, 711, Monday through Friday, from 8 a.m. - 9 p.m. Eastern Time. The automated phone system may answer your call on Saturdays, Sundays, and some public holidays. Please leave your name and telephone number, and we'll call you back by the end of the next business day, or visit **Humana.com**.

**Humana**<sup>®</sup>



# Welcome to Humana Medicare Employer Plan!

**Note to existing members:** This formulary has changed since last year. Please review this document to make sure that it still contains the drugs you take. When this drug list (formulary) refers to "we," "us," or "our," it means Humana. When it refers to "plan" or "our plan," it means the Humana Medicare Employer Plan. This document includes a list of the drugs (formulary) for our plan which is current as of January 1, 2021. For an updated formulary, please contact us. Our contact information, along with the date we last updated the formulary, appears on the front and back cover pages. You must generally use network pharmacies to use your prescription drug benefit. Benefits, formulary, pharmacy network, and/or copayments/coinsurance may change on January 1 of each year, and from time to time during the year.

## What is the Humana Medicare Employer formulary?

A formulary is the entire list of covered drugs or medicines selected by the Humana Medicare Employer Plan. The terms formulary and Drug List may be used interchangeably throughout communications regarding changes to your pharmacy benefits. The Humana Medicare Employer Plan worked with a team of doctors and pharmacists to make a formulary that represents the prescription drugs we think you need for a quality treatment program. The Humana Medicare Employer Plan will generally cover the drugs listed in the formulary as long as the drug is medically necessary, the prescription is filled at a Humana Medicare Employer Plan network pharmacy, and other plan rules are followed. For more information on how to fill your medicines, please review your Evidence of Coverage.

If you're thinking about enrolling in a Humana Medicare Employer Plan and need help or information, call the Group Medicare Customer Care number listed in your enrollment materials. If you're a current member, call the number listed in your Annual Notice of Change (ANOC) or Evidence of Coverage (EOC), or call the number on the back of your Humana member identification card Monday through Friday, from 8 a.m. - 9 p.m. Eastern Time. The automated phone system may answer your call on Saturdays, Sundays, and some public holidays. Please leave your name and telephone number, and we'll call you back by the end of the next business day.

## Can the formulary change?

Most changes in drug coverage happen on January 1, but we may add or remove drugs on the Drug List during the year, move them to different cost sharing tiers, or add new restrictions. We must follow Medicare rules in making these changes.

**Changes that can affect you this year:** In the below cases, you will be affected by coverage changes during the year:

- **New generic drugs.** We may immediately remove a brand name drug on our Drug List if we are replacing it with a new generic drug that will appear on the same or lower cost sharing tier and with the same or fewer restrictions. Also, when adding the new generic drug, we may decide to keep the brand name drug on our Drug List, but immediately move it to a different cost sharing tier or add new restrictions. If you are currently taking that brand name drug, we may not tell you in advance before we make that change, but we will later provide you with information about the specific change(s) we have made.
  - If we make such a change, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled "How do I request an exception to the Formulary?"
- **Drugs removed from the market.** If the Food and Drug Administration deems a drug on our formulary to be unsafe or the drug's manufacturer removes the drug from the market, we will immediately remove the drug from our formulary and provide notice to members who take the drug.
- **Other changes.** We may make other changes that affect members currently taking a drug. For instance, we may add a generic drug that is not new to market to replace a brand name drug currently on the formulary or add new restrictions to the brand name drug or move it to a different cost sharing tier or both. Or we may make changes based on new clinical guidelines. If we remove drugs from our formulary, or add prior authorization, quantity limits and/or step therapy restrictions on a drug or move a drug to a higher cost sharing tier, we must

notify affected members of the change at least 30 days before the change becomes effective, or at the time the member requests a refill of the drug, at which time the member will receive a 30-day supply of the drug.

We'll notify members who are affected by the following changes to the formulary:

- When a drug is removed from the formulary
- When prior authorization, quantity limits, or step-therapy restrictions are added to a drug or made more restrictive
- When a drug is moved to a higher cost sharing tier

If we make these other changes, you or your prescriber can ask us to make an exception and continue to cover the brand name drug for you. The notice we provide you will also include information on how to request an exception, and you can also find information in the section below entitled "How do I request an exception to the Formulary?"

**Changes that will not affect you if you are currently taking the drug.** Generally, if you are taking a drug on our 2021 formulary that was covered at the beginning of the year, we will not discontinue or reduce coverage of the drug during the 2021 coverage year except as described above. This means these drugs will remain available at the same cost sharing and with no new restrictions for those members taking them for the remainder of the coverage year. You will not get direct notice this year about changes that do not affect you. However, on January 1 of the next year, such changes would affect you, and it is important to check the Drug List for the new benefit year for any changes to drugs.

### **What if you're affected by a Drug List change?**

We'll notify you by mail at least 30 days before one of these changes happens or we will provide a 30-day refill of the affected medicine with notice of the change.

The enclosed formulary is current as of January 1, 2021. We'll update the printed formularies each month and they'll be available on [Humana.com/medicaredruglist](https://Humana.com/medicaredruglist).

To get updated information about the drugs that Humana covers, please visit [Humana.com/medicaredruglist](https://Humana.com/medicaredruglist). The Drug List Search tool lets you search for your drug by name or drug type.

### **How do I use the formulary?**

There are two ways to find your drug in the formulary:

#### **Medical condition**

The formulary starts on page 10. We've put the drugs into groups depending on the type of medical conditions that they're used to treat. For example, drugs that treat a heart condition are listed under the category "Cardiovascular Agents." If you know what medical condition your drug is used for, look for the category name in the list that begins on page 10. Then look under the category name for your drug. The formulary also lists the Tier and Utilization Management Requirements for each drug (see page 5 for more information on Utilization Management Requirements).

#### **Alphabetical listing**

If you're not sure about your drug's group, you should look for your drug in the Index that begins on page 180. The Index is an alphabetical list of all of the drugs included in this document. Both brand-name drugs and generic drugs are listed. Look in the Index to search for your drug. Next to each drug, you'll see the page number where you can find coverage information. Turn to the page listed in the Index and find the name of the drug in the first column of the list.

Prescription drugs are grouped into one of four tiers.

The Humana Medicare Employer Plan covers both brand-name drugs and generic drugs. A generic drug is approved by the FDA as having the same active ingredient as the brand-name drug. Generally, generic drugs cost less than brand-name drugs.

- **Tier 1 - Generic or Preferred Generic:** Generic or brand drugs that are available at the lowest cost share for the plan
- **Tier 2 - Preferred Brand:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 1 Generic or Preferred Generic, and at a lower cost to you than Tier 3 Non-Preferred Drug
- **Tier 3 - Non-Preferred Drug:** Generic or brand drugs that the plan offers at a higher cost to you than Tier 2 Preferred Brand drug
- **Tier 4 - Specialty Tier:** Some injectables and other high-cost drugs

### **How much will I pay for covered drugs?**

The Humana Medicare Employer Plan pays part of the costs for your covered drugs and you pay part of the costs, too.

### **The amount of money you pay depends on:**

- Which tier your drug is on
- Whether you fill your prescription at a network pharmacy
- Your current drug payment stage - please read your Evidence of Coverage (EOC) for more information

**If you qualified for extra help with your drug costs, your costs may be different from those described above. Please refer to your Evidence of Coverage (EOC) or call Group Medicare Customer Care to find out what your costs are.**

### **Are there any restrictions on my coverage?**

Some covered drugs may have additional requirements or limits on coverage. These are called Utilization Management Requirements. These requirements and limits may include:

- **Prior Authorization (PA):** The Humana Medicare Employer Plan requires you to get prior authorization for certain drugs to be covered under your plan. This means that you'll need to get approval from the Humana Medicare Employer Plan before you fill your prescriptions. If you don't get approval, the Humana Medicare Employer Plan may not cover the drug.
- **Quantity Limits (QL):** For some drugs, the Humana Medicare Employer Plan limits the amount of the drug that is covered. The Humana Medicare Employer Plan might limit how many refills you can get or how much of a drug you can get each time you fill your prescription. For example, if it's normally considered safe to take only one pill per day for a certain drug, we may limit coverage for your prescription to no more than one pill per day. Some drugs are limited to a 30-day supply regardless of tier placement.
- **Step Therapy (ST):** In some cases, the Humana Medicare Employer Plan requires that you first try certain drugs to treat your medical condition before coverage is available for another drug for that condition. For example, if Drug A and Drug B both treat your medical condition, the Humana Medicare Employer Plan may not cover Drug B unless you try Drug A first. If Drug A does not work for you, the Humana Medicare Employer Plan will then cover Drug B.
- **Part B versus Part D (B vs D):** Some drugs may be covered under Medicare Part B or Part D depending upon the circumstances. Information may need to be submitted to the Humana Medicare Employer Plan that describes the use and the place where you receive and take the drug so a determination can be made.

For drugs that need prior authorization or step therapy, or drugs that fall outside of quantity limits, your health care provider can fax information about your condition and need for those drugs to the Humana Medicare Employer Plan at **1-877-486-2621**. Representatives are available Monday - Friday, 8 a.m. - 8 p.m.

You can find out if your drug has any additional requirements or limits by looking in the formulary that begins on page 10.

You can also visit **Humana.com/medicaredruglist** to get more information about the restrictions applied to specific covered drugs.

You can ask the Humana Medicare Employer Plan to make an exception to these restrictions or limits. See the section "**How do I request an exception to the formulary?**" on page 6 for information about how to request an exception.

### **What if my drug isn't on the formulary?**

If your drug isn't included in this list of covered drugs, visit **Humana.com/medicaredruglist** to see if your plan covers your drug. You can also call Group Medicare Customer Care and ask if your drug is covered.

If the Humana Medicare Employer Plan doesn't cover your drug, you have two options:

- You can ask Group Medicare Customer Care for a list of similar drugs that the Humana Medicare Employer Plan covers. Show the list to your doctor and ask him or her to prescribe a similar drug that is covered by the Humana Medicare Employer Plan.
- You can ask the Humana Medicare Employer Plan to make an exception and cover your drug. See below for information about how to request an exception.

Talk to your health care provider to decide if you should switch to another drug that is covered or if you should request a formulary exception so that it can be considered for coverage.

### **How do I request an exception to the formulary?**

You can ask the Humana Medicare Employer Plan to make an exception to the coverage rules. There are several types of exceptions that you can ask to be made.

- **Formulary exception:** You can request that your drug be covered if it's not on the formulary. If approved, this drug will be covered at a pre-determined cost sharing level, and you would not be able to ask us to provide the drug at a lower cost sharing level.
- **Utilization restriction exception:** You can request coverage restrictions or limits not be applied to your drug. For example, if your drug has a quantity limit, you can ask for the limit not to be applied and to cover more doses of the drug.
- **Tier exception:** You can request a higher level of coverage for your drug. For example, if your drug is usually considered a non-preferred drug, you can request it to be covered as a preferred drug instead. This would lower how much money you must pay for your drug. Please remember a higher level of coverage cannot be requested for the drug if approval was granted to cover a drug that was not on the formulary.

Generally, the Humana Medicare Employer Plan will only approve your request for an exception if the alternative drugs included on the plan's formulary, the lower cost sharing drug, or other restrictions wouldn't be as effective in treating your health condition and/or would cause adverse medical effects.

You should contact us to ask for an initial coverage decision for a formulary, tier, or utilization restriction exception.

**When you ask for an exception, you should submit a statement from your health care provider that supports your request. This is called a supporting statement.**

Generally, we must make the decision within 72 hours of receiving your health care provider's supporting statement. You can request a fast, or expedited, exception if you or your health care provider thinks your health would seriously suffer if you wait as long as 72 hours for a decision. If your request to expedite is granted, we must give you a decision no later than 24 hours after we get your health care provider's supporting statement.

### **Will my plan cover my drugs if they are not on the formulary?**

You may take drugs that your plan doesn't cover. Or, you may talk to your provider about taking a different drug that your plan covers, but that drug might have a Utilization Management Requirement, such as a Prior Authorization or Step Therapy, that keeps you from getting the drug right away. In certain cases, we may cover as much as a 30-day supply of your drug during the first 90 days you're a member of the plan.

Here is what we'll do for each of your current Part D drugs that aren't on the formulary, or if you have limited ability to get your drugs:

- We'll temporarily cover a 30-day supply of your drug unless you have a prescription written for fewer days (in which case we will allow multiple fills to provide up to a total of 30 days of a drug) when you go to a pharmacy.
- There will be no coverage for the drugs after your first 30-day supply, even if you've been a member of the plan for less than 90 days, unless a formulary exception has been approved.

If you're a resident of a long-term care facility and you take Part D drugs that aren't on the formulary, we'll cover a 31-day supply unless you have a prescription written for fewer days (in which case we will allow multiple fills to provide up to a total of 31 days of a drug) during the first 90 days you're a member of our plan. We'll cover a 31-day emergency supply of your drug unless you have a prescription for fewer days (in which we will allow multiple fills to provide up to a total of 31 days of a drug) while you request a formulary exception if:

- You need a drug that's not on the formulary *or*
- You have limited ability to get your drugs *and*
- You're past the first 90 days of membership in the plan

Throughout the plan year, your treatment setting (the place where you receive and take your medicine) may change. These changes include:

- Members who are discharged from a hospital or skilled-nursing facility to a home setting
- Members who are admitted to a hospital or skilled-nursing facility from a home setting
- Members who transfer from one skilled-nursing facility to another and use a different pharmacy
- Members who end their skilled-nursing facility Medicare Part A stay (where payments include all pharmacy charges) and who now need to use their Part D plan benefit
- Members who give up Hospice Status and go back to standard Medicare Part A and B coverage
- Members discharged from chronic psychiatric hospitals with highly individualized drug regimens

For these changes in treatment settings, the Humana Medicare Employer Plan will cover as much as a 31-day temporary supply of a Part D-covered drug when you fill your prescription at a pharmacy. If you change treatment settings multiple times within the same month, you may have to request an exception or prior authorization and receive approval for continued coverage of your drug. The Humana Medicare Employer Plan will review requests for continuation of therapy on a case-by-case basis understanding when you're on a stabilized drug regimen that, if changed, is known to have risks.

### **Transition extension**

The Humana Medicare Employer Plan will consider on a case-by-case basis an extension of the transition period if your exception request or appeal hasn't been processed by the end of your initial transition period. We'll continue to provide necessary drugs to you if your transition period is extended.

A Transition Policy is available on Humana's Medicare website, **Humana.com**, in the same area where the Prescription Drug Guides are displayed.

### **Humana Pharmacy® makes it easy to manage your prescriptions with mail delivery solutions**

You may be able to fill your medicines through Humana Pharmacy – Humana's mail-delivery pharmacy. You can have your maintenance medicines, specialty medicines, or supplies mailed to a place that's most convenient for you. You should get your new prescription by mail in 7 – 10 days after Humana Pharmacy has received your prescription and all the necessary information. Refills should arrive within 5 – 7 days. To get started or learn more, visit [hprxweb.com](http://hprxweb.com). You can also call Humana Pharmacy at 1-855-899-3134 (TTY: 711) Monday – Friday, 8 a.m. to 11 p.m., and Saturday, 8 a.m. to 6:30 p.m., Eastern time.

Other pharmacies are available in our network.

## For More Information

For more detailed information about your Humana Medicare Employer Plan prescription drug coverage, please read your Evidence of Coverage (EOC) and other plan materials.

If you have questions about Humana, please visit our website at **Humana.com/medicaredruglist**. The Drug List Search tool lets you search for your drug by name or drug type.

If you have general questions about Medicare prescription drug coverage, please call Medicare at **1-800-MEDICARE (1-800-633-4227)** 24 hours a day, seven days a week. TTY users should call **1-877-486-2048**. You can also visit **www.medicare.gov**.

# Humana Medicare Employer Plan Formulary

The formulary that begins on the next page provides coverage information about the drugs covered by the Humana Medicare Employer Plan. If you have trouble finding your drug in the list, turn to the Index that begins on page 180.

Your Humana Medicare Employer plan has additional coverage of some drugs. These drugs aren't normally covered under Medicare Part D and aren't subject to the Medicare appeals process. These drugs are listed separately on page 177.

## How to read your formulary

The first column of the chart lists categories of medical conditions in alphabetical order. The drug names are then listed in alphabetical order within each category. Brand-name drugs are CAPITALIZED and generic drugs are listed in lower-case italics. Next to the drug name you may see an indicator to tell you about additional coverage information for that drug. You might see the following indicators:

**DL** - Dispensing Limit; Drugs that may be limited to a 30 day supply, regardless of tier placement.

**MO** - Drugs that are typically available through mail-order. Please contact your mail-order pharmacy to make sure your drug is available.

The second column lists the tier of the drug. See page 5 for more details on the drug tiers in your plan.

The third column shows the Utilization Management Requirements for the drug. The Humana Medicare Employer Plan may have special requirements for covering that drug. If the column is blank, then there are no utilization requirements for that drug. The supply for each drug is based on benefits and whether your health care provider prescribes a supply for 30, 60, or 90 days. The amount of any quantity limits will also be in this column (Example: "QL - 30 for 30 days" means you can only get 30 doses every 30 days). See page 5 for more information about these requirements.

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Analgesics</b>		
ABSTRAL 100 MCG, 200 MCG, 300 MCG, 400 MCG, 600 MCG, 800 MCG TAB SUBLINGUAL <b>DL</b>	4	PA,QL (128 per 30 days)
acetamin-caf-dihydrocodein 325 <b>DL</b>	1	QL (300 per 30 days)
acetamn-caf-dihydrcodein 320.5 <b>DL</b>	1	QL (300 per 30 days)
acetamin-codein 300-30 mg/12.5; acetaminop-codeine 120-12 mg/5 <b>DL</b>	1	QL (2700 per 30 days)
acetaminophen-cod #2 tablet <b>DL</b>	1	QL (390 per 30 days)
acetaminophen-cod #3 tablet <b>DL</b>	1	QL (360 per 30 days)
acetaminophen-cod #4 tablet <b>DL</b>	1	QL (180 per 30 days)
ACTIQ 1,200 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG LOZENGE ON A HANDLE <b>DL</b>	4	PA,QL (120 per 30 days)
ALLZITAL 25 MG-325 MG TABLET <b>DL</b>	4	QL (360 per 30 days)
ANAPROX DS 550 MG TABLET <b>MO</b>	3	
ARTHROTEC 50 MG-200 MCG TABLET,FILM-COATED <b>MO</b>	3	PA
ARTHROTEC 75 75 MG-200 MCG TABLET,FILM-COATED <b>MO</b>	3	PA
ARYMO ER 15 MG, 30 MG, 60 MG TABLET,CRUSH RESISTANT, EXTENDED RELEASE <b>DL</b>	4	ST,QL (90 per 30 days)
ascomp with codeine 30 mg-50 mg-325 mg-40 mg capsule <b>DL</b>	1	QL (360 per 30 days)
BELBUCA 150 MCG, 300 MCG, 450 MCG, 600 MCG, 75 MCG, 750 MCG, 900 MCG BUCCAL FILM <b>DL</b>	3	QL (60 per 30 days)
bupap 50 mg-300 mg tablet <b>MO</b>	1	QL (180 per 30 days)
BUPRENEX 0.3 MG/ML INJECTION SOLUTION <b>DL</b>	4	QL (240 per 30 days)
buprenorphine 10 mcg/hr patch; buprenorphine 15 mcg/hr patch; buprenorphine 20 mcg/hr patch; buprenorphine 5 mcg/hr patch; buprenorphine 7.5 mcg/hr patch <b>DL</b>	1	QL (4 per 28 days)
buprenorphine 0.3 mg/ml crpjct <b>DL</b>	1	QL (240 per 30 days)
butalbital compound with codeine 30 mg-50 mg-325 mg-40 mg capsule <b>DL</b>	1	QL (360 per 30 days)
butalb-acetaminoph-caff-codein <b>DL</b>	1	QL (180 per 30 days)
butalb-caff-acetaminoph-codein <b>DL</b>	1	QL (360 per 30 days)
butalbital-acetaminophn 25-325 <b>DL</b>	4	QL (360 per 30 days)
butalbital-acetaminophn 50-300 <b>DL</b>	4	QL (180 per 30 days)
butalbital-acetaminophn 50-300; butalbital-acetaminophn 50-325 <b>MO</b>	1	QL (180 per 30 days)
butalb-acetamin-caff 50-300-40; butalb-acetamin-caff 50-325-40 <b>MO</b>	1	QL (180 per 30 days)
butalb-acetamin-caff 50-325-40 <b>MO</b>	1	QL (180 per 30 days)
butalb-aspirin-caff 50-325-40 <b>MO</b>	1	QL (180 per 30 days)
butalbital-asa-caffeine cap <b>MO</b>	1	QL (180 per 30 days)
butorphanol 1 mg/ml vial <b>DL</b>	1	QL (960 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
butorphanol 10 mg/ml spray <b>DL</b>	1	QL (5 per 28 days)
butorphanol 2 mg/ml vial <b>DL</b>	1	QL (480 per 30 days)
BUTTRANS 10 MCG/HOUR, 15 MCG/HOUR, 20 MCG/HOUR, 5 MCG/HOUR, 7.5 MCG/HOUR TRANSDERMAL PATCH <b>DL</b>	3	PA,QL (4 per 28 days)
CALDOLOR 800 MG/200 ML (4 MG/ML) INTRAVENOUS PIGGYBACK <b>MO</b>	3	B vs D
CALDOLOR 800 MG/8 ML (100 MG/ML) INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
CAMBIA 50 MG ORAL POWDER PACKET <b>DL</b>	4	ST,QL (9 per 30 days)
CELEBREX 100 MG, 200 MG, 400 MG, 50 MG CAPSULE <b>MO</b>	3	PA,QL (60 per 30 days)
celecoxib 100 mg, 200 mg, 400 mg, 50 mg capsule <b>MO</b>	1	QL (60 per 30 days)
codeine sulfate 15 mg, 30 mg tablet <b>DL</b>	1	QL (360 per 30 days)
codeine sulfate 60 mg tablet <b>DL</b>	1	QL (180 per 30 days)
asa-butalb-caff-cod #3 capsule <b>DL</b>	1	QL (360 per 30 days)
CONZIP 100 MG, 200 MG, 300 MG CAPSULE, EXTENDED RELEASE; CONZIP 100 MG, 200 MG, 300 MG CAPSULE,EXTENDED RELEASE <b>DL</b>	3	ST,QL (30 per 30 days)
DAYPRO 600 MG TABLET <b>MO</b>	3	
DEMEROL 100 MG TABLET <b>DL</b>	3	QL (360 per 30 days)
DEMEROL 100 MG/ML INJECTION SOLUTION <b>DL</b>	3	B vs D,QL (360 per 30 days)
DEMEROL 50 MG/ML INJECTION SOLUTION <b>DL</b>	3	B vs D,QL (720 per 30 days)
DEMEROL (PF) 100 MG/2 ML, 100 MG/ML INJECTION SOLUTION; DEMEROL 100 MG/2 ML, 100 MG/ML AMPUL <b>DL</b>	3	B vs D,QL (360 per 30 days)
DEMEROL (PF) 100 MG/ML INJECTION SYRINGE <b>DL</b>	3	B vs D,QL (360 per 30 days)
DEMEROL (PF) 25 MG/ML INJECTION SYRINGE <b>DL</b>	3	B vs D,QL (1440 per 30 days)
DEMEROL (PF) 50 MG/ML INJECTION SYRINGE <b>DL</b>	3	B vs D,QL (720 per 30 days)
DEMEROL (PF) 75 MG/ML INJECTION SYRINGE <b>DL</b>	3	B vs D,QL (480 per 30 days)
DEMEROL 25 MG/0.5 ML, 50 MG/ML, 75 MG/1.5 ML AMPUL <b>DL</b>	3	B vs D,QL (720 per 30 days)
diclofenac epolamine 1.3% patch <b>MO</b>	1	PA,QL (60 per 30 days)
diclofenac pot 50 mg tablet <b>MO</b>	1	
diclofenac 1.5% topical soln <b>MO</b>	1	PA,QL (300 per 30 days)
diclofenac sod ec 25 mg, 50 mg, 75 mg tab <b>MO</b>	1	
diclofenac sod er 100 mg tab <b>MO</b>	1	
diclofenac sodium 1% gel <b>MO</b>	1	
diclofenac-misoprost 50-0.2 tb; diclofenac-misoprost 75-0.2 tb <b>MO</b>	1	
diflunisal 500 mg tablet <b>MO</b>	1	
DILAUDID 1 MG/ML ORAL LIQUID <b>DL</b>	3	PA,QL (2400 per 30 days)
DILAUDID 2 MG, 4 MG TABLET <b>DL</b>	4	PA,QL (360 per 30 days)
DILAUDID 8 MG TABLET <b>DL</b>	4	PA,QL (240 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DOLOPHINE 10 MG TABLET <b>DL</b>	3	QL (240 per 30 days)
DOLOPHINE 5 MG TABLET <b>DL</b>	3	QL (480 per 30 days)
DUEXIS 800 MG-26.6 MG TABLET <b>DL</b>	4	PA,QL (90 per 30 days)
DURAGESIC 100 MCG/HR, 12 MCG/HR, 25 MCG/HR, 50 MCG/HR, 75 MCG/HR TRANSDERMAL PATCH <b>DL</b>	4	PA,QL (20 per 30 days)
DURAMORPH (PF) 0.5 MG/ML INJECTION SOLUTION <b>DL</b>	3	B vs D,QL (7200 per 30 days)
DURAMORPH (PF) 1 MG/ML INJECTION SOLUTION <b>DL</b>	3	B vs D,QL (3600 per 30 days)
dvorah 325 mg-30 mg-16 mg tablet <b>DL</b>	1	QL (300 per 30 days)
EC-NAPROSYN 375 MG, 500 MG TABLET,DELAYED RELEASE <b>MO</b>	3	PA
ec-naproxen 375 mg tablet,delayed release <b>MO</b>	3	PA
ec-naproxen 500 mg tablet,delayed release <b>MO</b>	1	
EMBEDA ER 100-4 MG, 20-0.8 MG, 30-1.2 MG, 50-2 MG, 60-2.4 MG, 80-3.2 MG CAPSULE <b>DL</b>	3	ST,QL (60 per 30 days)
endocet 10 mg-325 mg tablet; endocet 2.5 mg-325 mg tablet; endocet 5 mg-325 mg tablet; endocet 7.5 mg-325 mg tablet <b>DL</b>	1	QL (360 per 30 days)
ESGIC 50 MG-325 MG-40 MG CAPSULE <b>MO</b>	1	QL (180 per 30 days)
ESGIC 50 MG-325 MG-40 MG TABLET <b>MO</b>	1	QL (180 per 30 days)
etodolac 200 mg, 300 mg capsule <b>MO</b>	1	
etodolac 400 mg, 500 mg tablet <b>MO</b>	1	
etodolac er 400 mg, 500 mg, 600 mg tablet <b>MO</b>	1	
EXALGO ER 12 MG TABLET <b>DL</b>	4	ST,QL (180 per 30 days)
EXALGO ER 16 MG TABLET <b>DL</b>	4	ST,QL (120 per 30 days)
EXALGO ER 32 MG TABLET <b>DL</b>	4	ST,QL (60 per 30 days)
EXALGO ER 8 MG TABLET <b>DL</b>	4	ST,QL (240 per 30 days)
FELDENE 10 MG, 20 MG CAPSULE <b>MO</b>	3	
fenoprofen 200 mg, 400 mg capsule <b>MO</b>	1	
fenoprofen 600 mg tablet <b>MO</b>	1	
fentanyl 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 37.5 mcg/hour, 50 mcg/hr, 62.5 mcg/hour, 75 mcg/hr, 87.5 mcg/hour patch; fentanyl 37.5 mcg/hr patch; fentanyl 62.5 mcg/hr patch; fentanyl 87.5 mcg/hr patch <b>DL</b>	1	QL (20 per 30 days)
fentanyl cit 100 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg buccal tb <b>DL</b>	4	PA,QL (120 per 30 days)
fentanyl cit otfc 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg; fentanyl citrate otfc 1,200 mcg, 1,600 mcg, 200 mcg, 400 mcg, 600 mcg, 800 mcg <b>DL</b>	4	PA,QL (120 per 30 days)
fentanyl 100 mcg/2 ml ampul <b>DL</b>	1	B vs D,QL (720 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FENTORA 100 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG BUCCAL TABLET, EFFERVESCENT <b>DL</b>	4	PA,QL (120 per 30 days)
fioricet 50 mg-300 mg-40 mg capsule <b>MO</b>	1	QL (180 per 30 days)
FIORICET WITH CODEINE 50 MG-300 MG-40 MG-30 MG CAPSULE <b>DL</b>	4	QL (180 per 30 days)
FIORINAL 50 MG-325 MG-40 MG CAPSULE <b>MO</b>	3	QL (180 per 30 days)
FIORINAL-CODEINE #3 30 MG-50 MG-325 MG-40 MG CAPSULE <b>DL</b>	3	QL (360 per 30 days)
FLECTOR 1.3 % TRANSDERMAL 12 HOUR PATCH <b>MO</b>	3	PA,QL (60 per 30 days)
flurbiprofen 100 mg, 50 mg tablet <b>MO</b>	1	
hydrocodone er 10 mg, 15 mg, 20 mg, 30 mg, 40 mg capsule <b>DL</b>	1	ST,QL (90 per 30 days)
hydrocodone er 50 mg capsule <b>DL</b>	1	ST,QL (120 per 30 days)
hydrocodone-acetamin 10-300 mg, 5-300 mg, 7.5-300 mg;	1	QL (390 per 30 days)
hydrocodone-acetamin 7.5-300 <b>DL</b>		
hydrocodone-acetamin 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg;	1	QL (360 per 30 days)
hydrocodone-acetamin 2.5-325; hydrocodone-acetamin 7.5-325 <b>DL</b>		
hydrocodone-acetamin 10-325/15 <b>DL</b>	1	QL (2700 per 30 days)
hydrocodone-acetamn 7.5-325/15 <b>DL</b>	1	QL (5520 per 30 days)
hydrocodone-ibuprofen 10-200; hydrocodone-ibuprofen 10-200 mg, 5-200 mg, 7.5-200 mg; hydrocodone-ibuprofen 7.5-200 <b>DL</b>	1	QL (150 per 30 days)
hydromorphone 0.5 mg/0.5 ml, 1 mg/ml; hydromorphone 0.5 mg/0.5 ml, 1 mg/ml carpujct <b>DL</b>	1	B vs D,QL (720 per 30 days)
hydromorphone 1 mg/ml solution <b>DL</b>	1	QL (2400 per 30 days)
hydromorphone 2 mg, 4 mg tablet <b>DL</b>	1	QL (360 per 30 days)
hydromorphone 2 mg/ml carpujct <b>DL</b>	1	QL (360 per 30 days)
hydromorphone 2 mg/ml vial <b>DL</b>	1	B vs D,QL (360 per 30 days)
hydromorphone 4 mg/ml carpujct <b>DL</b>	1	B vs D,QL (180 per 30 days)
hydromorphone 8 mg tablet <b>DL</b>	1	QL (240 per 30 days)
hydromorphone hcl 1 mg/ml amp <b>DL</b>	1	B vs D,QL (720 per 30 days)
hydromorphone hcl 4 mg/ml amp <b>DL</b>	1	B vs D,QL (180 per 30 days)
hydromorphone hcl er 12 mg tab <b>DL</b>	1	ST,QL (180 per 30 days)
hydromorphone hcl er 16 mg tab <b>DL</b>	1	ST,QL (120 per 30 days)
hydromorphone hcl er 32 mg tab <b>DL</b>	1	ST,QL (60 per 30 days)
hydromorphone hcl er 8 mg tab <b>DL</b>	1	ST,QL (240 per 30 days)
hydromorphone 1 mg/ml vial <b>DL</b>	1	B vs D,QL (720 per 30 days)
hydromorphone 4 mg/ml vial <b>DL</b>	1	B vs D,QL (180 per 30 days)
hydromorphone 50 mg/5 ml vial <b>DL</b>	1	QL (144 per 30 days)
HYSINGLA ER 100 MG, 120 MG, 20 MG, 30 MG, 40 MG, 60 MG, 80 MG TABLET, CRUSH RESISTANT, EXTENDED RELEASE <b>DL</b>	3	ST,QL (30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ibu 400 mg, 600 mg, 800 mg tablet <b>MO</b>	1	
IBUDONE 10 MG-200 MG TABLET <b>DL</b>	1	QL (150 per 30 days)
ibudone 5-200 mg tablet <b>DL</b>	1	QL (150 per 30 days)
ibuprofen 100 mg/5 ml susp <b>MO</b>	1	
ibuprofen 400 mg, 600 mg, 800 mg tablet <b>MO</b>	1	
oxycodone-ibuprofen 5-400 tab <b>DL</b>	1	QL (240 per 30 days)
INDOCIN 25 MG/5 ML ORAL SUSPENSION <b>DL</b>	4	
INDOCIN 50 MG RECTAL SUPPOSITORY <b>DL</b>	4	
indomethacin 25 mg, 50 mg, 75 mg capsule; indomethacin er 25 mg, 50 mg, 75 mg capsule <b>MO</b>	1	
indomethacin 1 mg vial <b>MO</b>	1	
INFUMORPH P/F 10 MG/ML INJECTION SOLUTION <b>DL</b>	3	B vs D,QL (360 per 30 days)
INFUMORPH P/F 25 MG/ML INJECTION SOLUTION <b>DL</b>	3	B vs D,QL (150 per 30 days)
KADIAN 10 MG, 100 MG, 20 MG, 200 MG, 30 MG, 40 MG, 50 MG, 60 MG, 80 MG CAPSULE,EXTENDED RELEASE <b>DL</b>	4	ST,QL (60 per 30 days)
ketoprofen 25 mg, 50 mg, 75 mg capsule <b>MO</b>	1	
ketoprofen er 200 mg capsule <b>MO</b>	1	
kеторолак 10 mg tablet <b>MO</b>	1	QL (20 per 30 days)
kеторолак 15 mg/ml, 30 mg/ml, 30 mg/ml (1 ml), 60 mg/2 ml vial; kеторолак 30 mg/ml vial; kеторолак 300 mg/10 ml vial <b>MO</b>	1	
kеторолак 15 mg/ml, 30 mg/ml, 60 mg/2 ml carpject <b>MO</b>	1	
kеторолак 15 mg/ml, 30 mg/ml, 60 mg/2 ml isecure syr; kеторолак 15 mg/ml, 30 mg/ml, 60 mg/2 ml syringe <b>MO</b>	1	
kеторолак 15.75 mg nasal spray <b>DL</b>	4	PA,QL (5 per 30 days)
LAZANDA 100 MCG/SPRAY, 300 MCG/SPRAY, 400 MCG/SPRAY NASAL SPRAY <b>DL</b>	4	PA,QL (30 per 30 days)
levorphanol 2 mg tablet <b>DL</b>	4	QL (240 per 30 days)
levorphanol 3 mg tablet <b>DL</b>	4	QL (150 per 30 days)
LICART 1.3 % TRANSDERMAL 24 HOUR PATCH <b>DL</b>	4	PA,QL (30 per 30 days)
LODINE 400 MG TABLET <b>MO</b>	3	PA
loracet 5-325 mg tablet <b>DL</b>	1	QL (360 per 30 days)
loracet hd 10 mg-325 mg tablet <b>DL</b>	1	QL (360 per 30 days)
loracet plus 7.5-325 mg tablet <b>DL</b>	1	QL (360 per 30 days)
lortab elixir 10 mg-300 mg/15 ml oral solution <b>DL</b>	1	QL (6000 per 30 days)
meclofenamate 100 mg, 50 mg capsule <b>MO</b>	1	
mefenamic acid 250 mg capsule <b>MO</b>	1	
meloxicam 15 mg tablet <b>MO</b>	1	QL (30 per 30 days)
meloxicam 7.5 mg tablet <b>MO</b>	1	QL (60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
meperidine 10 mg/ml cartrdge <b>DL</b>	1	B vs D,QL (3600 per 30 days)
meperidine 100 mg tablet <b>DL</b>	1	QL (360 per 30 days)
meperidine 50 mg tablet <b>DL</b>	1	QL (480 per 30 days)
meperidine 50 mg/5 ml solution <b>DL</b>	1	QL (720 per 30 days)
meperidine 100 mg/ml vial <b>DL</b>	1	B vs D,QL (360 per 30 days)
meperidine 25 mg/ml vial <b>DL</b>	1	B vs D,QL (1440 per 30 days)
meperidine 50 mg/ml vial <b>DL</b>	1	B vs D,QL (720 per 30 days)
methadone 10 mg/5 ml solution <b>DL</b>	1	QL (1800 per 30 days)
methadone 10 mg/ml oral conc <b>DL</b>	1	QL (360 per 30 days)
methadone 5 mg/5 ml solution <b>DL</b>	1	QL (3600 per 30 days)
methadone hcl 10 mg tablet <b>DL</b>	1	QL (240 per 30 days)
methadone hcl 10 mg/ml vial <b>DL</b>	1	QL (360 per 30 days)
methadone hcl 5 mg tablet <b>DL</b>	1	QL (480 per 30 days)
methadone intensol 10 mg/ml oral concentrate <b>DL</b>	1	QL (360 per 30 days)
METHADOSE 10 MG/ML ORAL CONCENTRATE <b>DL</b>	3	QL (360 per 30 days)
mitigo (pf) 10 mg/ml injection solution <b>DL</b>	4	B vs D,QL (360 per 30 days)
mitigo (pf) 25 mg/ml injection solution <b>DL</b>	4	B vs D,QL (150 per 30 days)
MOBIC 15 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
MOBIC 7.5 MG TABLET <b>MO</b>	3	PA,QL (60 per 30 days)
MORPHABOND ER 100 MG TABLET <b>DL</b>	3	ST,QL (180 per 30 days)
MORPHABOND ER 15 MG, 30 MG TABLET <b>DL</b>	3	ST,QL (90 per 30 days)
MORPHABOND ER 60 MG TABLET <b>DL</b>	3	ST,QL (60 per 30 days)
morphine 10 mg/ml carpuject <b>DL</b>	1	B vs D,QL (360 per 30 days)
morphine 2 mg/ml carpuject <b>DL</b>	1	B vs D,QL (1800 per 30 days)
morphine 4 mg/ml carpuject <b>DL</b>	1	B vs D,QL (900 per 30 days)
morphine 5 mg/ml syringe <b>DL</b>	1	B vs D
morphine 8 mg/ml isecure syrng <b>DL</b>	1	B vs D,QL (450 per 30 days)
morphine sulf 10 mg/5 ml soln <b>DL</b>	1	QL (2700 per 30 days)
morphine sulf 20 mg/5 ml soln <b>DL</b>	1	QL (1350 per 30 days)
morphine sulfer 100 mg tablet <b>DL</b>	1	QL (180 per 30 days)
morphine sulfer 15 mg, 30 mg, 60 mg tablet <b>DL</b>	1	QL (120 per 30 days)
morphine sulfer 200 mg tablet <b>DL</b>	1	QL (90 per 30 days)
morphine sulfate 10 mg/ml vial <b>DL</b>	1	B vs D,QL (360 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
morphine sulfate 2 mg/ml vial <b>DL</b>	1	B vs D,QL (1800 per 30 days)
morphine sulfate 4 mg/ml vial <b>DL</b>	1	B vs D,QL (900 per 30 days)
morphine sulfate 5 mg/ml vial <b>DL</b>	1	B vs D,QL (720 per 30 days)
morphine sulfate 8 mg/ml vial <b>DL</b>	1	B vs D,QL (450 per 30 days)
morphine sulfate er 10 mg, 100 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 80 mg cap <b>DL</b>	1	ST,QL (60 per 30 days)
morphine sulfate er 120 mg, 60 mg, 75 mg, 90 mg cap <b>DL</b>	1	ST,QL (60 per 30 days)
morphine sulfate er 30 mg, 45 mg cap <b>DL</b>	1	ST,QL (30 per 30 days)
morphine sulfate ir 15 mg, 30 mg tab <b>DL</b>	1	QL (180 per 30 days)
morphine 10 mg/10 ml vial; morphine sulfate 1 mg/ml vial <b>DL</b>	1	B vs D,QL (3600 per 30 days)
morphine 5 mg/10 ml vial <b>DL</b>	1	B vs D,QL (7200 per 30 days)
morphine 5 mg/ml vial <b>DL</b>	1	B vs D,QL (720 per 30 days)
morphine sulf 100 mg/5 ml conc <b>DL</b>	1	QL (540 per 30 days)
MS CONTIN 100 MG TABLET,EXTENDED RELEASE <b>DL</b>	4	PA,QL (180 per 30 days)
MS CONTIN 15 MG, 30 MG, 60 MG TABLET,EXTENDED RELEASE <b>DL</b>	4	PA,QL (120 per 30 days)
MS CONTIN 200 MG TABLET,EXTENDED RELEASE <b>DL</b>	4	PA,QL (90 per 30 days)
nabumetone 500 mg, 750 mg tablet <b>MO</b>	1	
nalbuphine 100 mg/10 ml vial <b>DL</b>	1	QL (240 per 30 days)
nalbuphine 200 mg/10 ml vial <b>DL</b>	1	QL (120 per 30 days)
NALFON 400 MG CAPSULE <b>MO</b>	3	
NALFON 600 MG TABLET <b>MO</b>	1	
nalocet 2.5 mg-300 mg tablet <b>DL</b>	4	PA,QL (360 per 30 days)
NAPRELAN CR 375 MG TAB,EXTENDED RELEASE 24 HR MPHASE <b>DL</b>	4	ST,QL (120 per 30 days)
NAPRELAN CR 500 MG TAB,EXTENDED RELEASE 24 HR MPHASE <b>DL</b>	4	ST,QL (90 per 30 days)
NAPRELAN CR 750 MG TAB,EXTENDED RELEASE 24 HR MPHASE <b>DL</b>	4	ST,QL (60 per 30 days)
NAPROSYN 500 MG TABLET <b>MO</b>	3	PA
naproxen 125 mg/5 ml suspen <b>MO</b>	1	
naproxen 250 mg, 375 mg, 500 mg tablet; naproxen dr 250 mg, 375 mg, 500 mg tablet <b>MO</b>	1	
naproxen sod cr 375 mg tablet <b>MO</b>	1	ST,QL (120 per 30 days)
naproxen sod cr 500 mg tablet <b>MO</b>	1	ST,QL (90 per 30 days)
naproxen sodium 275 mg, 550 mg tab <b>MO</b>	1	
naproxen-esomepraz dr 375-20mg; naproxen-esomepraz dr 500-20mg <b>DL</b>	4	PA,QL (60 per 30 days)
NORCO 10 MG-325 MG TABLET; NORCO 5 MG-325 MG TABLET; NORCO 7.5 MG-325 MG TABLET <b>DL</b>	1	PA,QL (360 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NUCYNTA 100 MG, 50 MG, 75 MG TABLET <b>DL</b>	3	ST,QL (180 per 30 days)
NUCYNTA ER 100 MG, 150 MG, 200 MG, 250 MG, 50 MG TABLET,EXTENDED RELEASE <b>DL</b>	4	ST,QL (60 per 30 days)
OPANA 10 MG, 5 MG TABLET <b>DL</b>	4	PA,QL (360 per 30 days)
oxaprozin 600 mg tablet <b>MO</b>	1	
OXAYDO 5 MG, 7.5 MG TABLET,ORAL ONLY (NOT FEEDING TUBES); OXAYDO 5 MG, 7.5 MG TABLET,ORAL ONLY (NOT FOR FEEDING TUBES) <b>DL</b>	4	PA,QL (360 per 30 days)
oxycodone hcl 10 mg, 15 mg, 20 mg, 30 mg, 5 mg tablet <b>DL</b>	1	QL (360 per 30 days)
oxycodone hcl 100 mg/5 ml conc <b>DL</b>	1	QL (270 per 30 days)
oxycodone hcl 5 mg capsule <b>DL</b>	1	QL (360 per 30 days)
oxycodone hcl 5 mg/5 ml soln <b>DL</b>	1	QL (5400 per 30 days)
oxycodone hcl er 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 60 mg tablet <b>DL</b>	3	PA,QL (90 per 30 days)
oxycodone hcl er 80 mg tablet <b>DL</b>	3	PA,QL (120 per 30 days)
oxycodon-acetaminophen 2.5-300 <b>DL</b>	4	PA,QL (360 per 30 days)
oxycodon-acetaminophen 2.5-325; oxycodon-acetaminophen 7.5-325;	1	QL (360 per 30 days)
oxycodone-acetaminophen 10-325; oxycodone-acetaminophen 5-325 <b>DL</b>		
oxycodone-aspirin 4.8355-325 <b>DL</b>	1	QL (360 per 30 days)
OXYCONTIN 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 60 MG TABLET,CRUSH RESISTANT,EXTENDED RELEASE <b>DL</b>	3	PA,QL (90 per 30 days)
OXYCONTIN 80 MG TABLET,CRUSH RESISTANT,EXTENDED RELEASE <b>DL</b>	3	PA,QL (120 per 30 days)
oxymorphone hcl 10 mg, 5 mg tablet <b>DL</b>	1	QL (360 per 30 days)
oxymorphone hcl er 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg tab;	1	ST,QL (60 per 30 days)
oxymorphone hcl er 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 5 mg, 7.5 mg tablet <b>DL</b>		
PENNSAID 2 % TOPICAL SOLUTION IN PACKET <b>DL</b>	4	PA
PENNSAID 20 MG/GRAM/ACTUATION (2 %) TOPICAL SOLN IN METERED-DOSE PUMP <b>DL</b>	4	PA,QL (224 per 28 days)
pentazocine-naloxone tablet <b>DL</b>	1	QL (360 per 30 days)
PERCOSET 10 MG-325 MG TABLET; PERCOSET 5 MG-325 MG TABLET; PERCOSET 7.5 MG-325 MG TABLET <b>DL</b>	4	PA,QL (360 per 30 days)
PERCOSET 2.5 MG-325 MG TABLET <b>DL</b>	1	PA,QL (360 per 30 days)
phrenilin forte 50-300-40 mg <b>MO</b>	1	QL (180 per 30 days)
piroxicam 10 mg, 20 mg capsule <b>MO</b>	1	
primlev 10 mg-300 mg tablet; primlev 5 mg-300 mg tablet; primlev 7.5 mg-300 mg tablet <b>DL</b>	4	QL (390 per 30 days)
profeno 600 mg tablet <b>MO</b>	1	
prolate 10 mg-300 mg tablet; prolate 5 mg-300 mg tablet; prolate 7.5 mg-300 mg tablet <b>DL</b>	4	QL (390 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
QMIIZ ODT 15 MG, 7.5 MG TABLET <b>MO</b>	3	ST,QL (30 per 30 days)
RELAFEN 500 MG, 750 MG TABLET <b>DL</b>	4	ST
RELAFEN DS 1,000 MG TABLET <b>DL</b>	4	ST,QL (60 per 30 days)
ROXICODONE 15 MG, 30 MG, 5 MG TABLET <b>DL</b>	3	PA,QL (360 per 30 days)
ROXYBOND 15 MG, 30 MG TABLET <b>DL</b>	4	PA,QL (180 per 30 days)
ROXYBOND 5 MG TABLET <b>DL</b>	4	PA,QL (360 per 30 days)
SPRIX 15.75 MG/SPRAY NASAL SPRAY <b>DL</b>	4	PA,QL (5 per 30 days)
SUBSYS 1,200 MCG (600 MCG/SPRAY X 2), 1,600 MCG (800 MCG/SPRAY X 2), 100 MCG/SPRAY, 200 MCG/SPRAY, 400 MCG/SPRAY, 600 MCG/SPRAY, 800 MCG/SPRAY SUBLINGUAL SPRAY; SUBSYS 1,200 MCG (600 MCG/SPRAY X2) SUBLINGUAL SPRAY; SUBSYS 1,600 MCG (800 MCG/SPRAY X2) SUBLINGUAL SPRAY <b>DL</b>	4	PA,QL (120 per 30 days)
sulindac 150 mg, 200 mg tablet <b>MO</b>	1	
TALWIN 30 MG/ML VIAL <b>DL</b>	3	QL (360 per 30 days)
tencon 50 mg-325 mg tablet <b>MO</b>	1	QL (180 per 30 days)
TIVORBEX 20 MG, 40 MG CAPSULE <b>DL</b>	4	ST,QL (90 per 30 days)
tolmetin sodium 200 mg, 600 mg tab <b>MO</b>	1	
tolmetin sodium 400 mg cap <b>MO</b>	1	
tramadol er 100 mg, 200 mg, 300 mg tablet; tramadol hcl er 100 mg, 200 mg, 300 mg tablet <b>DL</b>	1	QL (30 per 30 days)
tramadol hcl 100 mg tablet <b>DL</b>	1	QL (120 per 30 days)
tramadol hcl 50 mg tablet <b>DL</b>	1	QL (240 per 30 days)
tramadol hcl er 100 mg, 150 mg, 200 mg, 300 mg capsule <b>DL</b>	1	ST,QL (30 per 30 days)
tramadol-acetaminophn 37.5-325 <b>DL</b>	1	QL (240 per 30 days)
TREZIX 320.5 MG-30 MG-16 MG CAPSULE <b>DL</b>	1	QL (300 per 30 days)
TYLENOL WITH CODEINE #3 TABLET <b>DL</b>	1	PA,QL (360 per 30 days)
TYLENOL WITH CODEINE #4 TABLET <b>DL</b>	1	PA,QL (180 per 30 days)
ULTRACET 37.5 MG-325 MG TABLET <b>DL</b>	3	QL (240 per 30 days)
ULTRAM 50 MG TABLET <b>DL</b>	3	QL (240 per 30 days)
vanatol lq 50 mg-325 mg-40 mg/15 ml oral solution <b>DL</b>	4	QL (450 per 30 days)
vanatol s 50 mg-325 mg-40 mg/15 ml oral solution <b>DL</b>	4	QL (450 per 30 days)
vicodin 5-300 mg tablet <b>DL</b>	1	QL (390 per 30 days)
vicodin hp 10 mg-300 mg tablet <b>DL</b>	1	QL (390 per 30 days)
VIMOVO 375 MG-20 MG TABLET,IMMEDIATE AND DELAY RELEASE; VIMOVO 500 MG-20 MG TABLET,IMMEDIATE AND DELAY RELEASE <b>DL</b>	4	PA,QL (60 per 30 days)
VIVLODEX 10 MG, 5 MG CAPSULE <b>DL</b>	4	PA,QL (30 per 30 days)
VOLTAREN 1 % TOPICAL GEL <b>MO</b>	3	PA

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VOLTAREN-XR 100 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	PA
vtol lg 50 mg-325 mg-40 mg/15 ml oral solution <b>DL</b>	4	QL (450 per 30 days)
XTAMPZA ER 13.5 MG, 18 MG, 27 MG, 36 MG, 9 MG CAPSULE SPRINKLE <b>DL</b>	2	QL (60 per 30 days)
ZEBUTAL 50 MG-325 MG-40 MG CAPSULE <b>MO</b>	1	QL (180 per 30 days)
ZIPSOR 25 MG CAPSULE <b>DL</b>	4	QL (120 per 30 days)
ZOHYDRO ER 10 MG, 15 MG, 20 MG, 30 MG, 40 MG CAPSULE, ORAL ONLY,EXTENDED RELEASE <b>DL</b>	3	ST,QL (90 per 30 days)
ZOHYDRO ER 50 MG CAPSULE, ORAL ONLY,EXTENDED RELEASE <b>DL</b>	3	ST,QL (120 per 30 days)
ZORVOLEX 18 MG, 35 MG CAPSULE <b>DL</b>	4	ST,QL (90 per 30 days)
<b>Anesthetics</b>		
bupivacaine 0.25% vial; bupivacaine 0.5% vial <b>MO</b>	1	
bupivacaine 0.25% vial; bupivacaine 0.5% (5 mg/ml) amp; bupivacaine 0.75% vial <b>MO</b>	1	
bupivacain 0.75%-dextros 8.25% <b>MO</b>	1	
bupivacaine 0.25%-epi 1:200000; bupivacaine 0.5%-epi 1:200,000 <b>MO</b>	1	
bupivacaine 0.25%-epi 1:200000; bupivacaine 0.5%-epi 1:200,000 <b>MO</b>	1	
bupivacaine 0.5%-epi 1:200,000 <b>MO</b>	1	
CARBOCAINE 1 % (10 MG/ML), 2 % INJECTION SOLUTION <b>MO</b>	3	
CARBOCAINE (PF) 10 MG/ML (1 %), 15 MG/ML (1.5 %), 20 MG/ML (2 %) INJECTION SOLUTION <b>MO</b>	3	
CARBOCAINE WITH NEO-COBEFRIN 2 %-1:20,000 INJECTION CARTRIDGE <b>MO</b>	1	
chlorprocaine 2% vial; chlorprocaine 3% vial <b>MO</b>	1	
CLOROTEKAL 10 MG/ML (1 %) INTRATHECAL SOLUTION <b>MO</b>	3	
glydo 2 % mucosal jelly in applicator <b>MO</b>	1	
lidocaine 5% ointment <b>MO</b>	1	PA
lidocaine 5% patch <b>MO</b>	1	PA,QL (90 per 30 days)
lidocaine 5% in d7.5w ampul <b>MO</b>	1	
lidocaine hcl 0.5% vial; lidocaine hcl 1% 50 mg/5 ml vl; lidocaine hcl 1.5% ampul; lidocaine hcl 2% 100 mg/5 ml; lidocaine hcl 4% ampul <b>MO</b>	1	
lidocaine hcl 0.5% vial; lidocaine hcl 1% vial; lidocaine hcl 2% vial; lidocaine hcl 4% solution <b>MO</b>	1	
lidocaine hcl 2% jelly <b>MO</b>	1	
lidocaine hcl 2% jelly uro-jet <b>MO</b>	1	
lidocaine viscous 2 % mucosal solution <b>MO</b>	1	
lidocaine 0.5%-epi 1:200,000; lidocaine 2%-epi 1:100,000 <b>MO</b>	1	
lidocaine 2%-epi 1:100,000; lidocaine 2%-epi 1:50,000 cart <b>MO</b>	1	
lidocaine-prilocaine cream <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LIDODERM 5 % TOPICAL PATCH <b>DL</b>	4	PA,QL (90 per 30 days)
MARCAINE 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML) INJECTION SOLUTION <b>MO</b>	3	
MARCAINE (PF) 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML), 0.75 % (7.5 MG/ML) INJECTION SOLUTION <b>MO</b>	3	
MARCAINE SPINAL (PF) 0.75 % (7.5 MG/ML) INJECTION SOLUTION <b>MO</b>	3	
MARCAINE-EPINEPHRINE 0.25 %-1:200,000, 0.5 %-1:200,000 INJECTION SOLUTION <b>MO</b>	3	
<i>marcaine-epinephrine 0.5 %-1:200,000 injection cartridge MO</i>	1	
MARCAINE-EPINEPHRINE (PF) 0.25 %-1:200,000, 0.5 %-1:200,000 INJECTION SOLUTION <b>MO</b>	3	
<i>mepivacaine hcl 3% cartridge MO</i>	1	
NAROPIN (PF) 10 MG/ML (1 %), 2 MG/ML (0.2 %), 5 MG/ML (0.5 %), 7.5 MG/ML (0.75 %) INJECTION SOLUTION <b>MO</b>	3	
NESACAIN 10 MG/ML (1 %), 20 MG/ML (2 %) INJECTION SOLUTION <b>MO</b>	3	
NESACAIN-MPF 20 MG/ML (2 %), 30 MG/ML (3 %) INJECTION SOLUTION <b>MO</b>	3	
PLIAGLIS 7 %-7 % TOPICAL CREAM <b>MO</b>	3	
<i>polocaine 1 % (10 mg/ml), 2 % injection solution MO</i>	1	
<i>polocaine-mdf 10 mg/ml (1 %), 15 mg/ml (1.5 %), 20 mg/ml (2 %) injection solution MO</i>	1	
<i>ropivacaine 0.2% 200 mg/100 ml; ropivacaine 0.5% 100 mg/20 ml; ropivacaine 0.75% 150 mg/20 ml; ropivacaine 1% 200 mg/20 ml vial MO</i>	1	
SENSORCAINE 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML) INJECTION SOLUTION <b>MO</b>	1	
<i>sensorcaine-epinephrine 0.25 %-1:200,000, 0.5 %-1:200,000 injection solution MO</i>	1	
SENSORCAINE-MPF 0.25 % (2.5 MG/ML), 0.5 % (5 MG/ML) INJECTION SOLUTION <b>MO</b>	1	
<i>sensorcaine-mdf 0.75 % (7.5 mg/ml) injection solution MO</i>	1	
<i>sensorcaine-mdf spinal 0.75 % (7.5 mg/ml) injection solution MO</i>	1	
<i>sensorcaine-mdf/epinephrine 0.25 %-1:200,000 injection solution MO</i>	1	
SENSORCAINE-MPF/EPINEPHRINE 0.5 %-1:200,000, 0.75 %-1:200,000 INJECTION SOLUTION <b>MO</b>	1	
SYNERA 70 MG-70 MG PATCH <b>DL</b>	4	PA
<i>vivacaine 0.5 %-1:200,000 injection cartridge MO</i>	1	
ZTLIDO 1.8 % TOPICAL PATCH <b>MO</b>	3	PA,QL (90 per 30 days)
<b>Anti-Addiction/Substance Abuse Treatment Agents</b>		
acamprosate calc dr 333 mg tab <b>MO</b>	1	
ANTABUSE 250 MG, 500 MG TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BUNAVAIL 2.1 MG-0.3 MG BUCCAL FILM; BUNAVAIL 4.2 MG-0.7 MG BUCCAL FILM; BUNAVAIL 6.3 MG-1 MG BUCCAL FILM <b>MO</b>	3	PA,QL (60 per 30 days)
buprenorphine 2 mg, 8 mg tablet <b>sl MO</b>	1	QL (90 per 30 days)
bupreno-nalox 2-0.5 mg, 4-1 mg, 8-2 mg <b>sl film</b> ; buprenorp-nalox 2-0.5 mg, 4-1 mg, 8-2 mg <b>sl film</b> <b>MO</b>	1	QL (90 per 30 days)
buprenor-nalox 12-3 mg <b>sl film</b> <b>MO</b>	1	QL (60 per 30 days)
buprenorphin-naloxon 2-0.5 mg, 8-2 mg <b>sl</b> ; buprenorphan-naloxn 2-0.5 mg, 8-2 mg <b>sl</b> <b>MO</b>	3	PA,QL (90 per 30 days)
bupropion hcl sr 150 mg tablet <b>MO</b>	1	QL (90 per 30 days)
CHANTIX 0.5 MG, 1 MG TABLET <b>MO</b>	3	QL (56 per 28 days)
CHANTIX CONTINUING MONTH BOX 1 MG TABLET <b>MO</b>	3	QL (56 per 28 days)
CHANTIX STARTING MONTH BOX 0.5 MG (11)-1 MG (42) TABLETS IN DOSE PACK <b>MO</b>	3	QL (56 per 28 days)
disulfiram 250 mg, 500 mg tablet <b>MO</b>	1	
EVZIO 2 MG AUTO-INJECTOR <b>DL</b>	4	PA,QL (0.8 per 30 days)
LUCEMYRA 0.18 MG TABLET <b>DL</b>	4	PA,QL (224 per 365 days)
naloxone 0.4 mg/ml vial <b>MO</b>	1	
naloxone 0.4 mg/ml, 1 mg/ml carpuject; naloxone 2 mg/2 ml syringe <b>MO</b>	1	
naloxone 2 mg auto-injector <b>MO</b>	3	QL (0.8 per 30 days)
naltrexone 50 mg tablet <b>MO</b>	1	
NARCAN 4 MG/ACTUATION NASAL SPRAY <b>MO</b>	2	QL (2 per 30 days)
NICOTROL 10 MG INHALATION CARTRIDGE <b>MO</b>	3	
NICOTROL NS 10 MG/ML NASAL SPRAY <b>MO</b>	3	
SUBOXONE 12 MG-3 MG SUBLINGUAL FILM <b>MO</b>	3	PA,QL (60 per 30 days)
SUBOXONE 2 MG-0.5 MG SUBLINGUAL FILM; SUBOXONE 4 MG-1 MG SUBLINGUAL FILM; SUBOXONE 8 MG-2 MG SUBLINGUAL FILM <b>MO</b>	3	PA,QL (90 per 30 days)
VIVITROL 380 MG INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE <b>DL</b>	4	QL (1 per 28 days)
ZUBSOLV 0.7 MG-0.18 MG SUBLINGUAL TABLET; ZUBSOLV 1.4 MG-0.36 MG SUBLINGUAL TABLET; ZUBSOLV 2.9 MG-0.71 MG SUBLINGUAL TABLET; ZUBSOLV 5.7 MG-1.4 MG SUBLINGUAL TABLET <b>MO</b>	1	QL (90 per 30 days)
ZUBSOLV 11.4 MG-2.9 MG SUBLINGUAL TABLET <b>MO</b>	1	QL (30 per 30 days)
ZUBSOLV 8.6 MG-2.1 MG SUBLINGUAL TABLET <b>MO</b>	1	QL (60 per 30 days)
ZYBAN SR 150 MG TABLET <b>MO</b>	3	QL (90 per 30 days)
<b>Antibacterials</b>		
acetic acid 2% ear solution <b>MO</b>	1	
ACTICLATE 150 MG TABLET <b>DL</b>	4	ST,QL (30 per 30 days)
ACTICLATE 75 MG TABLET <b>DL</b>	4	ST,QL (60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
amikacin sulf 1 gram/4 ml vial; amikacin sulf 1,000 mg/4 ml, 500 mg/2 ml vial <b>MO</b>	1	
amoxicillin 125 mg, 250 mg tab chew <b>MO</b>	1	
amoxicillin 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml susp <b>MO</b>	1	
amoxicillin 250 mg, 500 mg capsule <b>MO</b>	1	
amoxicillin 500 mg, 875 mg tablet <b>MO</b>	1	
amox-clav 200-28.5 mg, 400-57 mg tab chew <b>MO</b>	1	
amox-clav 200-28.5 mg/5 ml, 250-62.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml sus; amox-clav 200-28.5 mg/5 ml, 250-62.5 mg/5 ml, 400-57 mg/5 ml, 600-42.9 mg/5 ml susp <b>MO</b>	1	
amox-clav 250-125 mg, 500-125 mg, 875-125 mg tablet <b>MO</b>	1	
amox-clav er 1,000-62.5 mg tab <b>MO</b>	1	
ampicillin 250 mg, 500 mg capsule <b>MO</b>	1	
ampicillin 1 gm add-vantage vl; ampicillin 1 gm vial; ampicillin 1 gram, 10 gram, 125 mg, 2 gram, 250 mg, 500 mg vial; ampicillin 10 gm vial; ampicillin 2 gm add-vantage vl; ampicillin 2 gm vial <b>MO</b>	1	
ampicillin-sulb 1.5 g add vial; ampicillin-sulbactam 1.5 gm vl;	1	
ampicillin-sulbactam 15 gm vl; ampicillin-sulbactam 3 gm vial <b>MO</b>		
ARIKAYCE 590 MG/8.4 ML SUSPENSION FOR INHALATION VIA NEBULIZATION <b>DL</b>	4	PA,QL (235.2 per 28 days)
AUGMENTIN 125 MG-31.25 MG/5 ML ORAL SUSPENSION; AUGMENTIN 250 MG-62.5 MG/5 ML ORAL SUSPENSION <b>DL</b>	4	
AUGMENTIN 500 MG-125 MG TABLET; AUGMENTIN 875 MG-125 MG TABLET <b>MO</b>	3	PA
AUGMENTIN ES-600 600 MG-42.9 MG/5 ML ORAL SUSPENSION <b>MO</b>	3	
AUGMENTIN XR 1,000 MG-62.5 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	
AVC 15% CREAM <b>MO</b>	3	
AVELOX 400 MG TABLET <b>MO</b>	3	PA
AVELOX 400 MG/250 ML IN SODIUM CHLORIDE(ISO-OSM) INTRAVENOUS PIGGYBACK <b>MO</b>	3	PA
avidoxy 100 mg tablet <b>MO</b>	1	ST
AVYCAZ 2.5 GRAM INTRAVENOUS SOLUTION <b>DL</b>	4	B vs D
AZACTAM 1 GRAM, 2 GRAM SOLUTION FOR INJECTION <b>MO</b>	3	PA
AZACTAM-ISO-OSMOT 1 GM/50 ML; AZACTAM-ISO-OSMOT 2 GM/50 ML <b>MO</b>	3	
azithromycin 1 gm pwd packet <b>MO</b>	1	
azithromycin 100 mg/5 ml, 200 mg/5 ml susp <b>MO</b>	1	
azithromycin 250 mg, 500 mg, 600 mg tablet <b>MO</b>	1	
azithromycin i.v. 500 mg vial <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
aztreonam 1 gm vial <b>MO</b>	1	
aztreonam 2 gm vial <b>DL</b>	4	
bacilm 50,000 unit vial <b>MO</b>	1	
bacitracin 50,000 unit vial <b>MO</b>	1	
BACTRIM 400 MG-80 MG TABLET <b>MO</b>	3	
BACTRIM DS 800 MG-160 MG TABLET <b>MO</b>	3	
BAXDELA 300 MG INTRAVENOUS SOLUTION <b>DL</b>	4	QL (28 per 14 days)
BAXDELA 450 MG TABLET <b>DL</b>	4	QL (28 per 14 days)
BETHKIS 300 MG/4 ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
BICILLIN C-R 1,200,000 UNIT/2 ML INTRAMUSCULAR SYRINGE; BICILLIN C-R 900,000 UNIT-300K UNIT/2 ML INTRAMUSCULAR SYRINGE <b>MO</b>	3	
BICILLIN I-A 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML INTRAMUSCULAR SYRINGE <b>MO</b>	3	
cefaclor 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml susp; cefaclor 125 mg/5 ml, 250 mg/5 ml, 375 mg/5 ml suspen <b>MO</b>	1	
cefaclor 250 mg, 500 mg capsule <b>MO</b>	1	
cefaclor er 500 mg tablet <b>MO</b>	1	
cefadroxil 1 gm tablet <b>MO</b>	1	
cefadroxil 250 mg/5 ml, 500 mg/5 ml susp <b>MO</b>	1	
cefadroxil 500 mg capsule <b>MO</b>	1	
cefazolin 1 gm add-van vial; cefazolin 1 gm vial; cefazolin 1 gram, 10 gram, 500 mg vial; cefazolin 10 gm vial <b>MO</b>	1	
cefazolin 1 g/50 ml-dextrose; cefazolin 2 g/100 ml-dextrose; cefazolin 2 g/50 ml-dextrose <b>MO</b>	1	
cefdinir 125 mg/5 ml, 250 mg/5 ml susp <b>MO</b>	1	
cefdinir 300 mg capsule <b>MO</b>	1	
cefepime hcl 1 gm vial; cefepime hcl 1 gram, 2 gram vial <b>MO</b>	1	
cefepime-dextrose 1 gm/50 ml; cefepime-dextrose 2 gm/50 ml <b>MO</b>	1	
cefepime 1 gm injection; cefepime 2 gm injection <b>MO</b>	3	
cefixime 100 mg/5 ml, 200 mg/5 ml susp <b>MO</b>	1	
cefixime 400 mg capsule <b>MO</b>	1	
CEFOTAN 1 GRAM, 2 GRAM SOLUTION FOR INJECTION <b>MO</b>	3	
cefotaxime sodium 1 gm vial <b>MO</b>	1	
cefotetan 1 gm vial; cefotetan 10 gm vial; cefotetan 2 gm vial <b>MO</b>	1	
cefotetan-dextr 1 g duplex bag; cefotetan-dextr 2 g duplex bag <b>MO</b>	1	
cefoxitin 1 gm vial; cefoxitin 10 gm vial; cefoxitin 2 gm vial <b>MO</b>	1	
cefoxitin 1 gm piggyback bag; cefoxitin 2 gm piggyback bag <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
cefepodoxime 100 mg, 200 mg tablet <b>MO</b>	1	
cefepodoxime 100 mg/5 ml, 50 mg/5 ml susp <b>MO</b>	1	
cefprozil 125 mg/5 ml, 250 mg/5 ml susp <b>MO</b>	1	
cefprozil 250 mg, 500 mg tablet <b>MO</b>	1	
ceftazidime 1 gm vial; ceftazidime 2 gm vial; ceftazidime 6 gm vial <b>MO</b>	1	
ceftazidime 1 gm piggyback; ceftazidime 2 gm piggyback <b>MO</b>	1	
ceftriaxone 1 gm add-vant vial; ceftriaxone 1 gm vial; ceftriaxone 1 gram, 10 gram, 100 gram, 2 gram, 250 mg, 500 mg bulk bag; ceftriaxone 1 gram, 10 gram, 100 gram, 2 gram, 250 mg, 500 mg vial; ceftriaxone 10 gm vial; ceftriaxone 2 gm add vial; ceftriaxone 2 gm vial <b>MO</b>	1	
ceftriaxone 1 gm-d5w bag; ceftriaxone 2 gm-d5w bag <b>MO</b>	1	
cefuroxime axetil 250 mg, 500 mg tab <b>MO</b>	1	
cefuroxime sod 1.5 gm vial; cefuroxime sod 1.5 gram, 7.5 gram, 750 mg vial; cefuroxime sod 7.5 gm vial <b>MO</b>	1	
cephalexin 125 mg/5 ml, 250 mg/5 ml susp <b>MO</b>	1	
cephalexin 250 mg, 500 mg tablet <b>MO</b>	1	
cephalexin 250 mg, 500 mg, 750 mg capsule <b>MO</b>	1	
chloramphen na succ 1 gm vi <b>MO</b>	1	
CIPRO 250 MG, 500 MG TABLET <b>MO</b>	3	
CIPRO 250 MG/5 ML, 500 MG/5 ML ORAL SUSPENSION <b>MO</b>	3	
ciprofloxacin 250 mg/5 ml, 500 mg/5 ml susp <b>MO</b>	1	
ciprofloxacin er 1,000 mg, 500 mg tab; ciprofloxacin er 1,000 mg, 500 mg tablet <b>MO</b>	1	
ciprofloxacin hcl 100 mg, 250 mg, 500 mg, 750 mg tab <b>MO</b>	1	
ciprofloxacin 200 mg/100ml-d5w; ciprofloxacin 400 mg/200ml-d5w <b>MO</b>	1	
CLAFORAN 1 GRAM, 10 GRAM, 2 GRAM INTRAVENOUS SOLUTION; CLAFORAN 1 GRAM, 10 GRAM, 2 GRAM SOLUTION FOR INJECTION <b>MO</b>	3	
clarithromycin 125 mg/5 ml, 250 mg/5 ml sus <b>MO</b>	1	
clarithromycin 250 mg, 500 mg tablet <b>MO</b>	1	
clarithromycin er 500 mg tab <b>MO</b>	1	
CLEOCIN 100 MG VAGINAL SUPPOSITORY <b>MO</b>	3	
CLEOCIN 150 MG/ML, 600 MG/4 ML, 900 MG/6 ML INJECTION SOLUTION; CLEOCIN PHOS 600 MG/4ML ADDVAN; CLEOCIN PHOS 900 MG/6ML ADDVAN <b>MO</b>	1	
CLEOCIN 2 % VAGINAL CREAM <b>MO</b>	3	PA
cleocin phos 300 mg/2ml addvan <b>MO</b>	1	
CLEOCIN HCL 150 MG, 300 MG, 75 MG CAPSULE <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CLEOCIN 300 MG-D5W-GALAXY; CLEOCIN 600 MG-D5W-GALAXY; CLEOCIN 900 MG-D5W-GALAXY <b>MO</b>	3	
CLEOCIN PEDIATRIC 75 MG/5 ML ORAL SOLUTION <b>MO</b>	1	
clindamycin hcl 150 mg, 300 mg, 75 mg capsule <b>MO</b>	1	
clindamycin 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml-ns <b>MO</b>	1	B vs D
clindamycin-d5w 300 mg/50 ml, 600 mg/50 ml, 900 mg/50 ml <b>MO</b>	1	
clindamycin 75 mg/5 ml soln <b>MO</b>	1	
clindamycin pediatric 75 mg/5 ml oral solution <b>MO</b>	1	
clindamycin 150 mg/ml, 300 mg/2 ml, 600 mg/4 ml, 900 mg/6 ml addvan;	1	
clindamycin ph 600 mg/4 ml vl <b>MO</b>		
clindamycin 2% vaginal cream <b>MO</b>	1	
CLINDESSE 2 % VAGINAL CREAM,EXTENDED RELEASE <b>MO</b>	3	
colistimethate 150 mg vial <b>MO</b>	1	
COLY-MYCIN M PARENTERAL 150 MG SOLUTION FOR INJECTION <b>DL</b>	4	
coremino 135 mg, 45 mg, 90 mg tablet,extended release <b>MO</b>	1	ST,QL (30 per 30 days)
CUBICIN 500 MG INTRAVENOUS SOLUTION <b>DL</b>	4	
CUBICIN RF 500 MG INTRAVENOUS SOLUTION <b>DL</b>	4	
DALVANCE 500 MG INTRAVENOUS SOLUTION <b>DL</b>	4	QL (4 per 28 days)
daptomycin 350 mg, 500 mg vial <b>DL</b>	4	
demeclocycline 150 mg tablet <b>MO</b>	1	QL (240 per 30 days)
demeclocycline 300 mg tablet <b>MO</b>	1	QL (120 per 30 days)
dicloxacillin 250 mg, 500 mg capsule <b>MO</b>	1	
DIFICID 200 MG TABLET <b>DL</b>	4	
doripenem 250 mg, 500 mg vial <b>MO</b>	1	
DORYX 200 MG TABLET,DELAYED RELEASE <b>MO</b>	3	ST,QL (30 per 30 days)
DORYX 50 MG TABLET,DELAYED RELEASE <b>MO</b>	3	ST,QL (60 per 30 days)
DORYX 80 MG TABLET,DELAYED RELEASE <b>DL</b>	4	ST,QL (60 per 30 days)
DORYX MPC 120 MG TABLET, DELAYED RELEASE <b>MO</b>	3	ST,QL (60 per 30 days)
doxy-100 100 mg intravenous solution <b>MO</b>	1	
doxycycline 50 mg tablet <b>MO</b>	1	ST,QL (180 per 30 days)
doxycycline hyc dr 100 mg tab <b>MO</b>	1	ST,QL (90 per 30 days)
doxycycline hyc dr 150 mg, 200 mg tab; doxycycline hyclate 150 mg, 200 mg tab <b>MO</b>	1	ST,QL (30 per 30 days)
doxycycline hyc dr 150 mg, 50 mg, 75 mg tab; doxycycline hyclate 150 mg, 50 mg, 75 mg tab <b>MO</b>	1	ST,QL (60 per 30 days)
doxycycline hyc dr 80 mg tab <b>DL</b>	4	ST,QL (60 per 30 days)
doxycycline hyclate 100 mg vl <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
doxycycline hyclate 100 mg, 20 mg tab <b>MO</b>	1	
doxycycline hyclate 100 mg, 50 mg cap <b>MO</b>	1	
doxycycline 25 mg/5 ml susp <b>MO</b>	1	
doxycycline ir-dr 40 mg cap <b>MO</b>	1	ST,QL (30 per 30 days)
doxycycline mono 100 mg, 150 mg, 50 mg, 75 mg tablet <b>MO</b>	1	
doxycycline mono 100 mg, 50 mg cap <b>MO</b>	1	
doxycycline mono 150 mg cap <b>MO</b>	1	QL (30 per 30 days)
doxycycline mono 75 mg capsule <b>MO</b>	1	QL (60 per 30 days)
E.E.S. 400 MG TABLET <b>MO</b>	1	
E.E.S. GRANULES 200 MG/5 ML ORAL SUSPENSION <b>MO</b>	3	
ertapenem 1 gram vial <b>DL</b>	4	
ERY-TAB 250 MG, 333 MG, 500 MG TABLET,DELAYED RELEASE <b>MO</b>	1	
ERYPED 200 200 MG/5 ML ORAL SUSPENSION <b>MO</b>	3	
ERYPED 400 MG/5 ML ORAL SUSPENSION <b>DL</b>	4	
ERYTHROCIN 500 MG INTRAVENOUS SOLUTION <b>MO</b>	1	
ERYTHROCIN (AS STEARATE) 250 MG TABLET <b>MO</b>	1	
erythromycin 250 mg, 333 mg, 500 mg filmtab; erythromycin dr 250 mg, 333 mg, 500 mg tablet <b>MO</b>	1	
erythromycin dr 250 mg cap <b>MO</b>	1	
erythromycin 200 mg/5 ml, 400 mg/5 ml susp <b>MO</b>	1	
erythromycin es 400 mg tab <b>MO</b>	1	
FETROJA 1 GRAM INTRAVENOUS SOLUTION <b>DL</b>	4	B vs D,QL (84 per 14 days)
FIRVANQ 25 MG/ML, 50 MG/ML ORAL SOLUTION <b>MO</b>	3	
FLAGYL 250 MG, 500 MG TABLET <b>MO</b>	3	
FLAGYL 375 MG CAPSULE <b>MO</b>	3	QL (320 per 30 days)
FORTAZ 1 GRAM, 2 GRAM, 500 MG SOLUTION FOR INJECTION <b>MO</b>	3	
FURADANTIN 25 MG/5 ML ORAL SUSPENSION <b>MO</b>	3	
gentamicin 0.1% cream <b>MO</b>	1	
gentamicin 0.1% ointment <b>MO</b>	1	
gentamicin 20 mg/2 ml, 40 mg/ml vial; gentamicin 80 mg/2 ml vial <b>MO</b>	1	
gentamicin 70 mg/ns 50 ml pb; gentamicin 90 mg/ns 100 ml pb; iso gentamicin 100 mg/100 ml, 100 mg/50 ml, 120 mg/100 ml, 60 mg/50 ml, 70 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml, 90 mg/100 ml; isoton gentamicin 100 mg/100 ml, 100 mg/50 ml, 120 mg/100 ml, 60 mg/50 ml, 70 mg/50 ml, 80 mg/100 ml, 80 mg/50 ml, 90 mg/100 ml <b>MO</b>	1	
gentamicin ped 20 mg/2 ml vial <b>MO</b>	1	
gentamicin 10 mg/ml vial <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HIPREX 1 GRAM TABLET <b>MO</b>	3	PA
imipenem-cilastatin 250 mg, 500 mg vial <b>MO</b>	1	
INVANZ 1 GRAM SOLUTION FOR INJECTION <b>DL</b>	4	
KEFLEX 250 MG, 500 MG, 750 MG CAPSULE <b>MO</b>	3	
KITABIS PAK 300 MG/5 ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
KLARON 10 % LOTION (SUSPENSION) <b>MO</b>	3	QL (118 per 30 days)
LEVAQUIN 500 MG, 750 MG TABLET <b>MO</b>	3	
levofloxacin 25 mg/ml solution; levofloxacin 500 mg/20 ml vial <b>MO</b>	1	
levofloxacin 250 mg, 500 mg, 750 mg tablet <b>MO</b>	1	
levofloxacin 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml-d5w <b>MO</b>	1	
LINCOCIN 300 MG/ML INJECTION SOLUTION <b>MO</b>	3	
lincomycin hcl 600 mg/2 ml vial <b>MO</b>	1	
linezolid 100 mg/5 ml susp <b>DL</b>	4	QL (1800 per 30 days)
linezolid 600 mg tablet <b>MO</b>	1	QL (60 per 30 days)
linezolid 600 mg/300 ml-d5w <b>MO</b>	1	
linezolid 600mg/300ml-0.9%nacl <b>MO</b>	1	
MACROBID 100 MG CAPSULE <b>MO</b>	3	
MACRODANTIN 100 MG, 25 MG, 50 MG CAPSULE <b>MO</b>	3	
MAXIPIIME 1 GM ADD-VANTAGE VL; MAXIPIIME 2 GM ADD-VANTAGE VL <b>MO</b>	3	
MAXIPIIME 1 GRAM, 2 GRAM VIAL <b>MO</b>	3	PA
meropenem iv 1 gm vial; meropenem iv 1 gram, 500 mg vial <b>MO</b>	1	
meropenem-0.9% nacl 1 gram/50; meropenem-0.9% nacl 500 mg/50 <b>MO</b>	1	
MERREM 1 GRAM, 500 MG INTRAVENOUS SOLUTION <b>MO</b>	3	
methenamine hipp 1 gm tablet <b>MO</b>	1	
METRO I.V. 500 MG/100 ML INTRAVENOUS PIGGYBACK <b>MO</b>	3	
METROCREAM 0.75 % TOPICAL <b>MO</b>	3	PA
METROGEL 1 % TOPICAL; METROGEL TOPICAL 1% PUMP <b>MO</b>	3	ST
METROGEL VAGINAL 0.75 % <b>MO</b>	3	
METROLOTION 0.75 % TOPICAL <b>MO</b>	3	PA
metronidazole 0.75% cream <b>MO</b>	1	
metronidazole 0.75% lotion <b>MO</b>	1	
metronidazole 250 mg, 500 mg tablet <b>MO</b>	1	
metronidazole 375 mg capsule <b>MO</b>	1	QL (320 per 30 days)
metronidazole top 1% gel pump; metronidazole topical 0.75% gl;	1	
metronidazole topical 1% gel; metronidazole vaginal 0.75% gl <b>MO</b>		
metronidazole 500 mg/100 ml <b>MO</b>	1	
MINOCIN 100 MG INTRAVENOUS SOLUTION <b>MO</b>	3	PA

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MINOCIN 50 MG PELLETIZED CAP <b>MO</b>	3	PA
minocycline 100 mg, 50 mg, 75 mg capsule <b>MO</b>	1	
minocycline er 105 mg, 115 mg, 135 mg, 45 mg, 55 mg, 65 mg, 80 mg, 90 mg tablet <b>MO</b>	1	ST,QL (30 per 30 days)
minocycline hcl 100 mg, 50 mg, 75 mg tablet <b>MO</b>	1	
MINOLIRA ER 105 MG, 135 MG TABLET, EXTENDED RELEASE <b>MO</b>	3	ST,QL (30 per 30 days)
monodoxine nl 100 mg, 50 mg capsule <b>MO</b>	1	ST
monodoxine nl 75 mg capsule <b>MO</b>	1	ST,QL (60 per 30 days)
MONODOX 100 MG, 50 MG CAPSULE <b>MO</b>	3	ST
MONODOX 75 MG CAPSULE <b>MO</b>	3	ST,QL (60 per 30 days)
MONUROL 3 GRAM ORAL PACKET <b>MO</b>	3	
morgidox 100 mg, 50 mg capsule <b>MO</b>	1	ST
moxifloxacin hcl 400 mg tablet <b>MO</b>	1	
moxifloxacin 400 mg/250 ml bag <b>MO</b>	1	
moxifloxacin 400 mg/250 ml bag <b>MO</b>	1	
nafcillin 1 gm add-van vial; nafcillin 1 gm vial; nafcillin 10 gm bulk vial; nafcillin 2 gm add-vant vial; nafcillin 2 gm vial <b>MO</b>	1	
nafcillin 1 gm/ 50 ml inj; nafcillin 2 gm/ 100 ml inj <b>DL</b>	4	
neomycin 500 mg tablet <b>MO</b>	1	
nitrofurantoin 25 mg/5 ml susp <b>DL</b>	4	
nitrofurantoin mcr 100 mg, 25 mg, 50 mg cap <b>MO</b>	1	
nitrofurantoin mono-mcr 100 mg <b>MO</b>	1	
NORITATE 1 % TOPICAL CREAM <b>DL</b>	4	ST,QL (60 per 30 days)
NUVESSA 1.3 % VAGINAL GEL <b>MO</b>	3	
NUZYRA 100 MG INTRAVENOUS SOLUTION <b>DL</b>	4	B vs D
NUZYRA 150 MG TABLET <b>DL</b>	4	QL (30 per 14 days)
NUZYRA 150 MG-7 DAY WITH LOAD <b>DL</b>	4	QL (30 per 14 days)
NUZYRA 150 MG TABLET-7 DAY <b>DL</b>	4	QL (30 per 14 days)
ofloxacin 300 mg, 400 mg tablet <b>MO</b>	1	
okebo 75 mg capsule <b>MO</b>	1	ST,QL (60 per 30 days)
ORACEA 40 MG CAPSULE,IMMEDIATE - DELAY RELEASE <b>DL</b>	4	ST,QL (30 per 30 days)
ORBACTIV 400 MG INTRAVENOUS SOLUTION <b>DL</b>	4	QL (3 per 28 days)
oxacillin 1 gm add-vantage vl; oxacillin 1 gm vial; oxacillin 2 gm add-vantage vl; oxacillin 2 gm vial <b>MO</b>	1	
oxacillin 10 gm vial <b>DL</b>	4	
oxacillin 1 gm/ 50 ml inj; oxacillin 2 gm/ 50 ml inj <b>MO</b>	3	
paromomycin 250 mg capsule <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
pen g k 1 million unit/50 ml, 2 million unit/50 ml, 3 million unit/50 ml <b>MO</b>	3	
penicillin gk 20 million unit, 5 million unit <b>MO</b>	1	
pen g 1.2 million unit/2 ml <b>MO</b>	1	
penicillin g 600,000 unit/1 ml <b>DL</b>	4	
penicillin g na 5 million unit <b>DL</b>	4	
penicillin vk 125 mg/5 ml, 250 mg/5 ml soln <b>MO</b>	1	
penicillin vk 250 mg, 500 mg tablet <b>MO</b>	1	
pfizerpen-g 20 million unit, 5 million unit solution for injection <b>DL</b>	4	
piperacil-tazobact 13.5 gm vl; piperacil-tazobact 13.5 gram, 2.25 gram, 3.375 gram, 4.5 gram, 40.5 gram; piperacil-tazobact 2.25 gm vl; piperacil-tazobact 3.375 gm vl; piperacil-tazobact 4.5 gm vial <b>MO</b>	1	
polymyxin b sulfate vial <b>MO</b>	1	
PRIMAXIN 500 MG INTRAVENOUS SOLUTION <b>MO</b>	3	
PRIMSOL 50 MG/5 ML ORAL SOLUTION <b>MO</b>	3	
RECARBRI 1.25 GRAM INTRAVENOUS SOLUTION <b>DL</b>	4	
rosadan 0.75 % topical cream <b>MO</b>	1	ST
rosadan 0.75 % topical gel <b>MO</b>	1	ST
SEYSARA 100 MG, 150 MG, 60 MG TABLET <b>DL</b>	4	ST,QL (30 per 30 days)
SIVEXTRO 200 MG INTRAVENOUS SOLUTION <b>DL</b>	4	QL (6 per 28 days)
SIVEXTRO 200 MG TABLET <b>DL</b>	4	QL (6 per 28 days)
SOLODYN 105 MG, 115 MG, 55 MG, 65 MG, 80 MG TABLET,EXTENDED RELEASE <b>DL</b>	4	ST,QL (30 per 30 days)
SOLOSEC 2 GRAM ORAL DR GRANULES IN PACKET <b>MO</b>	3	PA
soloxide dr 150 mg tablet <b>MO</b>	1	ST,QL (60 per 30 days)
streptomycin sulf 1 gm vial <b>DL</b>	4	
sulfacetamide 10% eye ointment <b>MO</b>	1	
sulfacetamide sod 10% top susp <b>MO</b>	1	QL (118 per 30 days)
sulfadiazine 500 mg tablet <b>MO</b>	1	
sulfamethoxazole-tmp ds tablet; sulfamethoxazole-tmp ss tablet <b>MO</b>	1	
sulfamethoxazole-tmp iv vial <b>MO</b>	1	
sulfamethoxazole-tmp susp <b>MO</b>	1	
SULFATRIM 200 MG-40 MG/5 ML ORAL SUSPENSION <b>MO</b>	3	
SUPRAX 100 MG, 200 MG CHEWABLE TABLET <b>MO</b>	1	
SUPRAX 100 MG/5 ML, 200 MG/5 ML ORAL SUSPENSION <b>MO</b>	1	
SUPRAX 400 MG CAPSULE <b>MO</b>	3	
SUPRAX 500 MG/5 ML ORAL SUSPENSION <b>MO</b>	3	
SYNERCID 500 MG INTRAVENOUS SOLUTION <b>DL</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TARGADOX 50 MG TABLET <b>MO</b>	1	ST,QL (180 per 30 days)
tazicef 1 gram, 2 gram, 6 gram intravenous solution; tazicef 1 gram, 2 gram, 6 gram solution for injection <b>MO</b>	1	
TEFLARO 400 MG, 600 MG INTRAVENOUS SOLUTION <b>DL</b>	4	
tetracycline 250 mg, 500 mg capsule <b>MO</b>	1	
tigecycline 50 mg vial <b>DL</b>	4	
TINDAMAX 500 MG TABLET <b>MO</b>	3	
tinidazole 250 mg, 500 mg tablet <b>MO</b>	1	
TOBI 300 MG/5 ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
tobramycin 300 mg/4 ml ampule <b>DL</b>	4	PA
tobramycin 300 mg/5 ml ampule <b>DL</b>	4	PA
tobramycin 1.2 gm vial <b>DL</b>	4	
tobramycin 10 mg/ml, 40 mg/ml vial <b>MO</b>	1	
tobramycin pak 300 mg/5 ml <b>DL</b>	4	PA
trimethoprim 100 mg tablet <b>MO</b>	1	
TYGACIL 50 MG INTRAVENOUS SOLUTION <b>DL</b>	4	
UNASYN 1.5 GRAM, 15 GRAM, 3 GRAM SOLUTION FOR INJECTION <b>MO</b>	3	
VABOMERE 2 GRAM INTRAVENOUS SOLUTION <b>DL</b>	4	QL (84 per 14 days)
VANCOCIN 125 MG CAPSULE <b>DL</b>	4	PA,QL (120 per 30 days)
VANCOCIN 250 MG CAPSULE <b>DL</b>	4	PA,QL (240 per 30 days)
vancomycin 1 gm vial; vancomycin 1,000 mg, 1.25 gram, 1.5 gram, 10 gram, 250 mg, 5 gram, 50 mg/ml, 500 mg, 750 mg vial; vancomycin 250 mg/5 ml soln; vancomycin hcl 1,000 mg, 1.25 gram, 1.5 gram, 10 gram, 250 mg, 5 gram, 50 mg/ml, 500 mg, 750 mg vial; vancomycin hcl 10 gm vial; vancomycin hcl 5 gm vial <b>MO</b>	1	
vancomycin hcl 125 mg capsule <b>MO</b>	1	PA,QL (120 per 30 days)
vancomycin hcl 250 mg capsule <b>DL</b>	4	PA,QL (240 per 30 days)
vanco 1 gram/200 ml, 500 mg/100 ml, 750 mg/150 ml-0.9% nacl; vancomycin 1 g/200ml-0.9% nacl <b>MO</b>	3	
vancomycin 1 gram/200 ml, 750 mg/150 ml bag; vancomycin hcl 1g/200 ml bag <b>MO</b>	3	
vancomycin 1 gram/200 ml, 1.25 gram/250 ml, 1.5 gram/300 ml, 1.75 gram/350 ml, 2 gram/400 ml, 500 mg/100 ml, 750 mg/150 ml bag; vancomycin 1.25 gm/250 ml bag; vancomycin 1.75 gm/350 ml bag <b>MO</b>	3	
VANDAZOLE 0.75 % VAGINAL GEL <b>MO</b>	3	
VIBATIV 750 MG INTRAVENOUS SOLUTION <b>DL</b>	4	
VIBRAMYCIN 100 MG CAPSULE <b>MO</b>	3	
VIBRAMYCIN 25 MG/5 ML ORAL SUSPENSION <b>MO</b>	3	ST

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VIBRAMYCIN 50 MG/5 ML ORAL SYRUP <b>MO</b>	3	ST
XENLETA 150 MG/15 ML INTRAVENOUS SOLUTION <b>DL</b>	4	B vs D,QL (210 per 7 days)
XENLETA 600 MG TABLET <b>DL</b>	4	QL (10 per 5 days)
XERAVA 100 MG, 50 MG INTRAVENOUS SOLUTION <b>DL</b>	4	B vs D
XIMINO 135 MG, 45 MG, 90 MG CAPSULE, EXTENDED RELEASE <b>MO</b>	3	ST,QL (30 per 30 days)
ZEMDRI 50 MG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	
ZERBAXA 1.5 GRAM INTRAVENOUS SOLUTION <b>DL</b>	4	
ZITHROMAX 1 GRAM ORAL PACKET <b>MO</b>	3	
ZITHROMAX 100 MG/5 ML, 200 MG/5 ML ORAL SUSPENSION <b>MO</b>	3	
ZITHROMAX 250 MG, 500 MG TABLET <b>MO</b>	3	
ZITHROMAX 500 MG INTRAVENOUS SOLUTION <b>MO</b>	3	
ZITHROMAX TRI-PAK 500 MG TABLET <b>MO</b>	3	
ZITHROMAX Z-PAK 250 MG TABLET <b>MO</b>	3	
ZOSYN 2.25 GRAM, 3.375 GRAM, 4.5 GRAM, 40.5 GRAM BULK VIAL; ZOSYN 2.25 GRAM, 3.375 GRAM, 4.5 GRAM, 40.5 GRAM VIAL <b>MO</b>	3	
ZOSYN 2.25 GRAM/50 ML, 3.375 GRAM/50 ML, 4.5 GRAM/100 ML IN DEXTROSE (ISO-OSMOTIC) INTRAVENOUS PIGGYBACK <b>MO</b>	3	
ZYVOX 100 MG/5 ML ORAL SUSPENSION <b>DL</b>	4	PA,QL (1800 per 30 days)
ZYVOX 200 MG/100 ML, 600 MG/300 ML INTRAVENOUS PIGGYBACK <b>MO</b>	3	
ZYVOX 600 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
<b>Anticonvulsants</b>		
APTIOM 200 MG, 400 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
APTIOM 600 MG, 800 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
BANZEL 200 MG TABLET <b>DL</b>	4	PA,QL (480 per 30 days)
BANZEL 40 MG/ML ORAL SUSPENSION <b>DL</b>	4	PA,QL (2760 per 30 days)
BANZEL 400 MG TABLET <b>DL</b>	4	PA,QL (240 per 30 days)
BRIVIACT 10 MG, 100 MG, 25 MG, 50 MG, 75 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
BRIVIACT 10 MG/ML ORAL SOLUTION <b>DL</b>	4	PA,QL (600 per 30 days)
BRIVIACT 50 MG/5 ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA
carbamazepine 100 mg tab chew <b>MO</b>	1	
carbamazepine 100 mg/5 ml susp <b>MO</b>	1	
carbamazepine 200 mg tablet <b>MO</b>	1	
carbamazepine er 100 mg, 200 mg tablet <b>MO</b>	1	QL (120 per 30 days)
carbamazepine er 100 mg, 200 mg, 300 mg cap <b>MO</b>	1	
carbamazepine er 400 mg tablet <b>MO</b>	1	QL (225 per 30 days)
CARBATROL 100 MG, 200 MG, 300 MG CAPSULE, EXTENDED RELEASE <b>MO</b>	3	
CELONTIN 300 MG CAPSULE <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CEREBYX 100 MG PE/2 ML, 500 MG PE/10 ML INJECTION SOLUTION <b>MO</b>	3	
clobazam 10 mg, 20 mg tablet <b>DL</b>	1	PA
clobazam 2.5 mg/ml suspension <b>DL</b>	1	PA
DEPACON 500 MG VIAL <b>MO</b>	3	
DEPAKENE 250 MG CAPSULE <b>MO</b>	3	
DEPAKENE 250 MG/5 ML SOLUTION <b>MO</b>	3	
DEPAKOTE 125 MG, 250 MG, 500 MG TABLET,DELAYED RELEASE <b>MO</b>	3	
DEPAKOTE ER 250 MG, 500 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	
DEPAKOTE SPRINKLES 125 MG CAPSULE,DELAYED RELEASE <b>MO</b>	3	
DIASTAT 2.5 MG RECTAL KIT <b>DL</b>	3	PA
DIASTAT ACUDIAL 12.5 MG-15 MG-17.5 MG-20 MG RECTAL KIT <b>DL</b>	3	
DIASTAT ACUDIAL 5 MG-7.5 MG-10 MG RECTAL KIT <b>DL</b>	3	PA
diazepam 10 mg rectal gel syst; diazepam 12.5-15-17.5-20 mg, 2.5 mg, 5-7.5-10 mg rectal gel sys; diazepam 20 mg rectal gel syst <b>DL</b>	1	
DILANTIN 30 MG CAPSULE <b>MO</b>	1	
DILANTIN EXTENDED 100 MG CAPSULE <b>MO</b>	1	
DILANTIN INFATABS 50 MG CHEWABLE TABLET <b>MO</b>	1	
DILANTIN-125 125 MG/5 ML ORAL SUSPENSION <b>MO</b>	3	
divalproex dr 125 mg cap sprnk <b>MO</b>	1	
divalproex sod dr 125 mg, 250 mg, 500 mg tab <b>MO</b>	1	
divalproex sod er 250 mg, 500 mg tab <b>MO</b>	1	
EPIDIOLEX 100 MG/ML ORAL SOLUTION <b>DL</b>	4	PA
epitol 200 mg tablet <b>MO</b>	1	
EQUETRO 100 MG, 200 MG, 300 MG CAPSULE, EXTENDED RELEASE <b>MO</b>	3	PA
ethosuximide 250 mg capsule <b>MO</b>	1	
ethosuximide 250 mg/5 ml soln <b>MO</b>	1	
felbamate 400 mg, 600 mg tablet <b>MO</b>	1	
felbamate 600 mg/5 ml susp <b>DL</b>	4	
FELBATOL 400 MG, 600 MG TABLET <b>DL</b>	4	
FELBATOL 600 MG/5 ML ORAL SUSPENSION <b>DL</b>	4	
FINTEPLA 2.2 MG/ML ORAL SOLUTION <b>DL</b>	4	PA,QL (360 per 30 days)
fosphenytoin 100 mg pe/2 ml, 500 mg pe/10 ml; fosphenytoin 100 mg pe/2 ml, 500 mg pe/10 ml vl <b>MO</b>	1	
FYCOMPA 0.5 MG/ML ORAL SUSPENSION <b>DL</b>	4	PA,QL (680 per 28 days)
FYCOMPA 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
gabapentin 100 mg, 300 mg, 400 mg capsule <b>MO</b>	1	QL (270 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
gabapentin 250 mg/5 ml soln; gabapentin 250 mg/5 ml, 250 mg/5 ml (5 ml), 300 mg/6 ml (6 ml) soln; gabapentin 300 mg/6 ml soln <b>MO</b>	1	QL (2250 per 30 days)
gabapentin 600 mg, 800 mg tablet <b>MO</b>	1	QL (180 per 30 days)
GABITRIL 12 MG, 16 MG, 2 MG, 4 MG TABLET <b>DL</b>	4	
KEPPRA 1,000 MG, 500 MG, 750 MG TABLET <b>DL</b>	4	
KEPPRA 100 MG/ML, 500 MG/5 ML INTRAVENOUS SOLUTION; KEPPRA 100 MG/ML, 500 MG/5 ML ORAL SOLUTION <b>DL</b>	4	
KEPPRA 250 MG TABLET <b>DL</b>	4	QL (60 per 30 days)
KEPPRA XR 500 MG TABLET,EXTENDED RELEASE <b>DL</b>	4	PA,QL (180 per 30 days)
KEPPRA XR 750 MG TABLET,EXTENDED RELEASE <b>DL</b>	4	PA,QL (120 per 30 days)
LAMICTAL 100 MG, 150 MG, 200 MG, 25 MG TABLET <b>DL</b>	4	
LAMICTAL 25 MG, 5 MG CHEWABLE DISPERSIBLE TABLET <b>DL</b>	4	
LAMICTAL ODT 100 MG, 200 MG, 25 MG, 50 MG DISINTEGRATING TABLET <b>DL</b>	4	
LAMICTAL ODT STARTER (BLUE) 25 MG (21)-50 MG (7) TABLET,DISINTEGRATING <b>DL</b>	4	
LAMICTAL ODT STARTER (GREEN) 50 MG (42)-100 MG (14) TABLET,DISINTEGRAT <b>DL</b>	4	
LAMICTAL ODT STARTER(ORANGE) 25 MG(14)-50 MG(14)-100 MG(7) TAB,DISINT <b>DL</b>	4	
LAMICTAL STARTER (BLUE) KIT 25 MG (35) TABLETS IN A DOSE PACK <b>DL</b>	4	
LAMICTAL STARTER (GREEN) KIT 25 MG (84)-100 MG (14) TABLETS, DOSE PACK <b>DL</b>	4	
LAMICTAL STARTER (ORANGE) KIT 25 MG (42)-100 MG (7) TABLETS, DOSE PACK <b>DL</b>	4	
LAMICTAL XR 100 MG, 200 MG, 25 MG, 250 MG, 300 MG, 50 MG TABLET,EXTENDED RELEASE <b>DL</b>	4	
LAMICTAL XR STARTER (BLUE) 25 MG (21)-50 MG (7) TABLET,EXTEND RELEASE <b>MO</b>	3	
LAMICTAL XR STARTER (GREEN) 50 MG(14)-100 MG(14)-200 MG(7) TAB,EXT.REL <b>MO</b>	3	
LAMICTAL XR STARTER (ORANGE) 25 MG(14)-50 MG(14)-100 MG(7) TAB,EXT.REL <b>MO</b>	3	
lamotrigine 100 mg, 150 mg, 200 mg, 25 mg, 25 mg (21) -50 mg (7), 25 mg (35), 25 mg (42) -100 mg (7), 25 mg (84) -100 mg (14), 25 mg(14)-50 mg (14)-100 mg (7), 50 mg, 50 mg (42) -100 mg (14) tablet; lamotrigine odt 100 mg, 150 mg, 200 mg, 25 mg, 25 mg (21) -50 mg (7), 25 mg (35), 25 mg (42) -100 mg (7), 25 mg (84) -100 mg (14), 25 mg(14)-50 mg (14)-100 mg (7), 50 mg, 50 mg (42) -100 mg (14) tablet; lamotrigine odt kit (blue); lamotrigine odt kit (green); lamotrigine odt kit (orange); lamotrigine tab start kit-blue; lamotrigine tab start kt-green; lamotrigine tab start kt-orang <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
lamotrigine 25 mg, 5 mg disper tab; lamotrigine 25 mg, 5 mg disper tablet <b>MO</b>	1	
lamotrigine er 100 mg, 200 mg, 25 mg, 250 mg, 300 mg, 50 mg tablet <b>MO</b>	1	
levetiracetam 1,000 mg, 500 mg, 750 mg tablet <b>MO</b>	1	
levetiracetam 100 mg/ml, 500 mg/5 ml soln; levetiracetam 100 mg/ml, 500 mg/5 ml vial <b>MO</b>	1	
levetiracetam 250 mg tablet <b>MO</b>	1	QL (60 per 30 days)
levetiracetam 500 mg/5 ml soln <b>MO</b>	1	QL (900 per 30 days)
levetiracetam er 500 mg tablet <b>MO</b>	1	QL (180 per 30 days)
levetiracetam er 750 mg tablet <b>MO</b>	1	QL (120 per 30 days)
levetiracetam-nacl 1,000mg/100; levetiracetam-nacl 1,500mg/100;	1	
levetiracetam-nacl 500 mg/100 <b>MO</b>		
MYSOLINE 250 MG, 50 MG TABLET <b>DL</b>	4	PA
NAYZILAM 5 MG/SPRAY (0.1 ML) NASAL SPRAY <b>DL</b>	3	QL (10 per 30 days)
NEMBUTAL SODIUM 50 MG/ML INJECTION SOLUTION <b>MO</b>	1	
NEURONTIN 100 MG, 300 MG, 400 MG CAPSULE <b>DL</b>	4	PA,QL (270 per 30 days)
NEURONTIN 250 MG/5 ML ORAL SOLUTION <b>MO</b>	3	PA,QL (2250 per 30 days)
NEURONTIN 600 MG, 800 MG TABLET <b>DL</b>	4	PA,QL (180 per 30 days)
ONFI 10 MG, 20 MG TABLET <b>DL</b>	4	PA
ONFI 2.5 MG/ML ORAL SUSPENSION <b>DL</b>	4	PA
oxcarbazepine 150 mg, 300 mg tablet <b>MO</b>	1	QL (60 per 30 days)
oxcarbazepine 300 mg/5 ml susp <b>MO</b>	1	
oxcarbazepine 600 mg tablet <b>MO</b>	1	
OXTELLAR XR 150 MG, 300 MG, 600 MG TABLET,EXTENDED RELEASE <b>DL</b>	4	ST
PEGANONE 250 MG TABLET <b>MO</b>	3	
pentobarbital 2,500 mg/50 ml <b>MO</b>	1	
phenobarbital 100 mg, 16.2 mg, 32.4 mg, 64.8 mg, 97.2 mg tablet <b>MO</b>	1	QL (90 per 30 days)
phenobarbital 15 mg, 60 mg tablet <b>MO</b>	1	QL (120 per 30 days)
phenobarbital 20 mg/5 ml elix <b>MO</b>	1	QL (1500 per 30 days)
phenobarbital 30 mg tablet <b>MO</b>	1	QL (300 per 30 days)
phenobarbital 130 mg/ml, 65 mg/ml vial <b>DL</b>	4	
PHENYTEK 200 MG, 300 MG CAPSULE <b>MO</b>	1	
phenytoin 100 mg/4 ml, 125 mg/5 ml susp <b>MO</b>	1	
phenytoin 50 mg tablet chew <b>MO</b>	1	
phenytoin 50 mg/ml syringe <b>MO</b>	1	
phenytoin 50 mg/ml vial <b>MO</b>	1	
phenytoin sod ext 100 mg, 200 mg, 300 mg cap <b>MO</b>	1	
primidone 250 mg, 50 mg tablet <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
QUDEXY XR 100 MG, 50 MG CAPSULE SPRINKLE,EXTENDED RELEASE <b>DL</b>	4	PA,QL (30 per 30 days)
QUDEXY XR 150 MG, 200 MG CAPSULE SPRINKLE,EXTENDED RELEASE <b>DL</b>	4	PA,QL (60 per 30 days)
QUDEXY XR 25 MG CAPSULE SPRINKLE,EXTENDED RELEASE <b>DL</b>	4	PA,QL (90 per 30 days)
roweepra 1,000 mg, 500 mg, 750 mg tablet <b>MO</b>	1	
roweepra xr 500 mg tablet,extended release <b>MO</b>	1	QL (180 per 30 days)
roweepra xr 750 mg tablet,extended release <b>MO</b>	1	QL (120 per 30 days)
SABRIL 500 MG ORAL POWDER PACKET <b>DL</b>	4	PA,QL (180 per 30 days)
SABRIL 500 MG TABLET <b>DL</b>	4	PA,QL (180 per 30 days)
SECONAL SODIUM 100 MG CAPSULE <b>DL</b>	4	QL (90 per 30 days)
SPRITAM 1,000 MG TABLET FOR ORAL SUSPENSION <b>MO</b>	3	ST,QL (90 per 30 days)
SPRITAM 250 MG TABLET FOR ORAL SUSPENSION <b>MO</b>	3	ST,QL (360 per 30 days)
SPRITAM 500 MG TABLET FOR ORAL SUSPENSION <b>MO</b>	3	ST,QL (180 per 30 days)
SPRITAM 750 MG TABLET FOR ORAL SUSPENSION <b>MO</b>	3	ST,QL (120 per 30 days)
subvenite 100 mg, 150 mg, 200 mg, 25 mg tablet <b>MO</b>	1	
subvenite starter (blue) kit 25 mg (35) tablets in a dose pack <b>MO</b>	1	
subvenite starter (green) kit 25 mg (84)-100 mg (14) tablet, dose pack <b>MO</b>	1	
subvenite starter (orange) kit 25 mg (42)-100 mg (7) tablet, dose pack <b>MO</b>	1	
SYMPAZAN 10 MG, 20 MG, 5 MG ORAL FILM <b>DL</b>	4	PA,QL (60 per 30 days)
TEGRETOL 100 MG/5 ML ORAL SUSPENSION <b>MO</b>	3	
TEGRETOL 200 MG TABLET <b>MO</b>	3	
TEGRETOL XR 100 MG, 200 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	QL (120 per 30 days)
TEGRETOL XR 400 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	QL (225 per 30 days)
tiagabine hcl 12 mg, 16 mg, 2 mg, 4 mg tablet <b>MO</b>	1	
TOPAMAX 100 MG, 200 MG, 50 MG TABLET <b>DL</b>	4	QL (120 per 30 days)
TOPAMAX 15 MG, 25 MG SPRINKLE CAPSULE <b>DL</b>	4	
TOPAMAX 25 MG TABLET <b>DL</b>	4	QL (90 per 30 days)
topiramate 100 mg, 200 mg, 50 mg tablet <b>MO</b>	1	QL (120 per 30 days)
topiramate 15 mg, 25 mg sprinkle cap <b>MO</b>	1	
topiramate 25 mg tablet <b>MO</b>	1	QL (90 per 30 days)
topiramate er 100 mg, 50 mg capsule <b>MO</b>	3	PA,QL (30 per 30 days)
topiramate er 150 mg, 200 mg capsule <b>MO</b>	3	PA,QL (60 per 30 days)
topiramate er 25 mg capsule <b>MO</b>	3	PA,QL (90 per 30 days)
TRILEPTAL 150 MG, 300 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
TRILEPTAL 300 MG/5 ML (60 MG/ML) ORAL SUSPENSION <b>DL</b>	4	PA
TRILEPTAL 600 MG TABLET <b>DL</b>	4	PA
TROKENDI XR 100 MG, 50 MG CAPSULE, EXTENDED RELEASE <b>DL</b>	4	PA,QL (30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TROKENDI XR 200 MG CAPSULE, EXTENDED RELEASE <b>DL</b>	4	PA,QL (60 per 30 days)
TROKENDI XR 25 MG CAPSULE, EXTENDED RELEASE <b>DL</b>	4	PA,QL (90 per 30 days)
valproate sod 500 mg/5 ml vi <b>MO</b>	1	
valproic acid 250 mg capsule <b>MO</b>	1	
valproic acid 250 mg/5 ml soln; valproic acid 250 mg/5 ml, 250 mg/5 ml (5 ml), 500 mg/10 ml (10 ml) soln; valproic acid 500 mg/10 ml sol <b>MO</b>	1	
VALTOCO 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML) NASAL SPRAY; VALTOCO 15 MG/2 SPRAY(7.5MG/0.1ML X2) NASAL SPRAY <b>DL</b>	4	QL (10 per 30 days)
vigabatrin 500 mg powder packt <b>DL</b>	4	PA,QL (180 per 30 days)
vigabatrin 500 mg tablet <b>DL</b>	4	PA,QL (180 per 30 days)
vigadron 500 mg oral powder packet <b>DL</b>	4	PA,QL (180 per 30 days)
VIMPAT 10 MG/ML ORAL SOLUTION <b>MO</b>	3	QL (1395 per 30 days)
VIMPAT 100 MG, 150 MG, 200 MG, 50 MG TABLET <b>MO</b>	3	QL (60 per 30 days)
VIMPAT 200 MG/20 ML INTRAVENOUS SOLUTION <b>MO</b>	3	
XCOPRI 100 MG, 50 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
XCOPRI 150 MG, 200 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
XCOPRI MAINTENANCE PACK 250 MG/DAY (200 MG X 1 AND 50 MG X 1) TABLETS; XCOPRI MAINTENANCE PACK 350 MG/DAY (200 MG X 1 AND 150 MG X 1) TABLETS <b>DL</b>	4	PA,QL (56 per 28 days)
XCOPRI TITRATION PACK 12.5 MG (14)-25 MG (14) TABLETS IN A DOSE PACK <b>MO</b>	3	PA,QL (28 per 28 days)
XCOPRI TITRATION PACK 150 MG (14)-200 MG (14) TABLETS IN A DOSE PACK; XCOPRI TITRATION PACK 50 MG (14)-100 MG (14) TABLETS IN A DOSE PACK <b>DL</b>	4	PA,QL (28 per 28 days)
ZARONTIN 250 MG CAPSULE <b>MO</b>	3	
ZARONTIN 250 MG/5 ML ORAL SOLUTION <b>MO</b>	1	
ZONEGRAN 100 MG, 25 MG CAPSULE <b>DL</b>	4	PA
zonisamide 100 mg, 25 mg, 50 mg capsule <b>MO</b>	1	
<b>Antidementia Agents</b>		
ARICEPT 10 MG TABLET <b>MO</b>	3	PA,QL (60 per 30 days)
ARICEPT 23 MG, 5 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
donepezil hcl 10 mg tablet <b>MO</b>	1	QL (60 per 30 days)
donepezil hcl 10 mg, 23 mg, 5 mg tablet; donepezil hcl odt 10 mg, 23 mg, 5 mg tablet <b>MO</b>	1	QL (30 per 30 days)
ergoloid mesylates 1 mg tab <b>DL</b>	4	
EXELON PATCH 13.3 MG/24 HOUR, 4.6 MG/24 HR, 9.5 MG/24 HR TRANSDERMAL <b>MO</b>	3	PA,QL (30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
galantamine 4 mg/ml oral soln <b>MO</b>	1	QL (200 per 30 days)
galantamine er 16 mg, 24 mg, 8 mg capsule <b>MO</b>	1	QL (30 per 30 days)
galantamine hbr 12 mg, 4 mg, 8 mg tablet <b>MO</b>	1	QL (60 per 30 days)
memantine 5-10 mg titration pk <b>MO</b>	1	PA,QL (98 per 30 days)
memantine hcl 10 mg, 5 mg tablet <b>MO</b>	1	PA,QL (60 per 30 days)
memantine hcl 2 mg/ml solution <b>MO</b>	1	PA,QL (360 per 30 days)
memantine hcl er 14 mg, 21 mg, 28 mg, 7 mg capsule <b>MO</b>	1	PA,QL (30 per 30 days)
NAMENDA 10 MG, 5 MG TABLET <b>MO</b>	3	PA,QL (60 per 30 days)
NAMENDA TITRATION PAK 5 MG-10 MG TABLETS IN A DOSE PACK <b>MO</b>	3	PA,QL (98 per 30 days)
NAMENDA XR 14 MG, 21 MG, 28 MG, 7 MG CAPSULE SPRINKLE,EXTENDED RELEASE <b>MO</b>	3	PA,QL (30 per 30 days)
NAMENDA XR 7 MG-14 MG-21 MG-28 MG CAPSULE,SPRINKLE,EXT REL, DOSE PACK <b>MO</b>	3	PA,QL (28 per 28 days)
NAMZARIC 14 MG-10 MG CAPSULE SPRINKLE,EXTENDED RELEASE; NAMZARIC 21 MG-10 MG CAPSULE SPRINKLE,EXTENDED RELEASE; NAMZARIC 28 MG-10 MG CAPSULE SPRINKLE,EXTENDED RELEASE; NAMZARIC 7 MG-10 MG CAPSULE SPRINKLE,EXTENDED RELEASE <b>MO</b>	2	QL (30 per 30 days)
NAMZARIC 7/14/21/28 MG-10 MG CAPSULE,SPRINKLE,EXTEND RELEASE,DOSE PACK <b>MO</b>	2	QL (28 per 28 days)
RAZADYNE 12 MG, 4 MG, 8 MG TABLET <b>MO</b>	3	PA,QL (60 per 30 days)
RAZADYNE ER 16 MG, 24 MG, 8 MG CAPSULE,EXTENDED RELEASE <b>MO</b>	3	PA,QL (30 per 30 days)
rivastigmine 13.3 mg/24hr patch; rivastigmine 4.6 mg/24hr patch; rivastigmine 9.5 mg/24hr patch <b>MO</b>	1	QL (30 per 30 days)
rivastigmine 1.5 mg, 3 mg capsule <b>MO</b>	1	QL (90 per 30 days)
rivastigmine 4.5 mg, 6 mg capsule <b>MO</b>	1	QL (60 per 30 days)
<b>ANTIDEPRESSANTS</b>		
amitriptyline hcl 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg tab <b>MO</b>	1	
chlordiazepo-amitriptyl 5-12.5; chlordiazepox-amitriptyl 10-25 <b>DL</b>	1	
amoxapine 100 mg, 150 mg, 25 mg, 50 mg tablet <b>MO</b>	1	
ANAFRANIL 25 MG, 50 MG, 75 MG CAPSULE <b>DL</b>	4	
APLENZIN 174 MG, 348 MG, 522 MG TABLET,EXTENDED RELEASE <b>DL</b>	4	ST,QL (30 per 30 days)
BRISDELLE 7.5 MG CAPSULE <b>MO</b>	3	QL (30 per 30 days)
bupropion hcl 100 mg, 75 mg tablet <b>MO</b>	1	QL (180 per 30 days)
bupropion hcl sr 100 mg tablet <b>MO</b>	1	QL (120 per 30 days)
bupropion hcl sr 150 mg tablet <b>MO</b>	1	QL (90 per 30 days)
bupropion hcl sr 200 mg tablet <b>MO</b>	1	QL (60 per 30 days)
bupropion hcl xl 150 mg tablet <b>MO</b>	1	QL (90 per 30 days)
bupropion hcl xl 300 mg tablet <b>MO</b>	1	QL (60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
bupropion hcl xl 450 mg tablet <b>MO</b>	1	ST,QL (30 per 30 days)
CELEXA 10 MG, 40 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
CELEXA 20 MG TABLET <b>MO</b>	3	PA,QL (60 per 30 days)
citalopram hbr 10 mg, 40 mg tablet <b>MO</b>	1	QL (30 per 30 days)
citalopram hbr 10 mg/5 ml soln <b>MO</b>	1	
citalopram hbr 20 mg tablet <b>MO</b>	1	QL (60 per 30 days)
clomipramine 25 mg, 50 mg, 75 mg capsule <b>MO</b>	1	
CYMBALTA 20 MG, 30 MG, 60 MG CAPSULE,DELAYED RELEASE <b>MO</b>	3	QL (60 per 30 days)
desipramine 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg tablet <b>MO</b>	1	
desvenlafaxine er 100 mg, 50 mg tab; desvenlafaxine er 100 mg, 50 mg tablet <b>MO</b>	3	ST,QL (30 per 30 days)
desvenlafaxine succnt er 100 mg, 25 mg, 50 mg; desvenlafaxine succnt er 100mg <b>MO</b>	1	QL (30 per 30 days)
DRIZALMA SPRINKLE 20 MG, 30 MG, 40 MG, 60 MG CAPSULE,DELAYED RELEASE <b>MO</b>	3	PA,QL (60 per 30 days)
duloxetine hcl dr 20 mg, 30 mg, 40 mg, 60 mg cap <b>MO</b>	1	QL (60 per 30 days)
EFFEXOR XR 150 MG CAPSULE,EXTENDED RELEASE <b>DL</b>	4	PA,QL (60 per 30 days)
EFFEXOR XR 37.5 MG CAPSULE,EXTENDED RELEASE <b>DL</b>	4	PA,QL (30 per 30 days)
EFFEXOR XR 75 MG CAPSULE,EXTENDED RELEASE <b>DL</b>	4	PA,QL (90 per 30 days)
EMSAM 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR TRANSDERMAL 24 HOUR PATCH <b>DL</b>	4	QL (30 per 30 days)
escitalopram 10 mg tablet <b>MO</b>	1	QL (45 per 30 days)
escitalopram 20 mg, 5 mg tablet <b>MO</b>	1	QL (30 per 30 days)
escitalopram oxalate 5 mg/5 ml <b>MO</b>	1	QL (600 per 30 days)
FETZIMA 120 MG, 20 MG, 40 MG, 80 MG CAPSULE,EXTENDED RELEASE <b>MO</b>	3	PA,QL (30 per 30 days)
FETZIMA 20 MG (2)-40 MG (26) CAPSULE,EXTENDED RELEASE,24 HR,DOSE PACK <b>MO</b>	3	PA,QL (28 per 28 days)
fluoxetine 20 mg/5 ml solution <b>MO</b>	1	
fluoxetine dr 90 mg capsule <b>MO</b>	1	QL (4 per 28 days)
fluoxetine hcl 10 mg tablet <b>MO</b>	1	QL (240 per 30 days)
fluoxetine hcl 10 mg, 40 mg capsule <b>MO</b>	1	QL (60 per 30 days)
fluoxetine hcl 20 mg capsule <b>MO</b>	1	QL (120 per 30 days)
fluoxetine hcl 20 mg tablet <b>MO</b>	1	QL (120 per 30 days)
fluoxetine hcl 60 mg tablet <b>MO</b>	1	QL (30 per 30 days)
fluvoxamine er 100 mg, 150 mg capsule <b>MO</b>	1	QL (60 per 30 days)
fluvoxamine maleate 100 mg, 25 mg, 50 mg tab <b>MO</b>	1	QL (90 per 30 days)
FORFIVO XL 450 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	ST,QL (30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
imipramine hcl 10 mg, 25 mg, 50 mg tablet <b>MO</b>	1	
imipramine pamoate 100 mg, 125 mg, 150 mg, 75 mg cap <b>MO</b>	1	
KHEDEZLA ER 100 MG, 50 MG TABLET <b>MO</b>	3	ST,QL (30 per 30 days)
LEXAPRO 10 MG TABLET <b>MO</b>	3	PA,QL (45 per 30 days)
LEXAPRO 20 MG, 5 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
maprotiline 25 mg, 50 mg, 75 mg tablet <b>MO</b>	1	
MARPLAN 10 MG TABLET <b>MO</b>	3	
mirtazapine 15 mg, 30 mg, 45 mg odt <b>MO</b>	1	QL (30 per 30 days)
mirtazapine 15 mg, 30 mg, 45 mg, 7.5 mg tablet <b>MO</b>	1	
NARDIL 15 MG TABLET <b>MO</b>	3	
nefazodone hcl 100 mg, 150 mg, 200 mg, 250 mg, 50 mg tablet <b>MO</b>	1	
NORPRAMIN 10 MG, 25 MG TABLET <b>MO</b>	3	
nortriptyline 10 mg/5 ml soln <b>MO</b>	1	
nortriptyline hcl 10 mg, 25 mg, 50 mg, 75 mg cap <b>MO</b>	1	
olanzapine-fluoxetine 12-25 mg, 12-50 mg, 3-25 mg, 6-25 mg, 6-50 mg <b>MO</b>	1	QL (30 per 30 days)
PAMELOR 10 MG, 25 MG, 50 MG, 75 MG CAPSULE <b>DL</b>	4	
PARNATE 10 MG TABLET <b>DL</b>	4	
paroxetine er 12.5 mg, 37.5 mg tablet <b>MO</b>	1	QL (60 per 30 days)
paroxetine er 25 mg tablet <b>MO</b>	1	QL (90 per 30 days)
paroxetine hcl 10 mg, 20 mg tablet <b>MO</b>	1	QL (30 per 30 days)
paroxetine hcl 30 mg, 40 mg tablet <b>MO</b>	1	QL (60 per 30 days)
paroxetine mesylate 7.5 mg cap <b>MO</b>	1	QL (30 per 30 days)
PAXIL 10 MG, 20 MG TABLET <b>MO</b>	3	QL (30 per 30 days)
PAXIL 10 MG/5 ML ORAL SUSPENSION <b>MO</b>	3	
PAXIL 30 MG, 40 MG TABLET <b>MO</b>	3	QL (60 per 30 days)
PAXIL CR 12.5 MG, 37.5 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	QL (60 per 30 days)
PAXIL CR 25 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	QL (90 per 30 days)
perphen-amitrip 2 mg-10 mg tab; perphen-amitrip 2 mg-25 mg tab; perphen-amitrip 4 mg-10 mg tab; perphen-amitrip 4 mg-25 mg tab; perphen-amitrip 4 mg-50 mg tab <b>MO</b>	1	
PEXEVA 10 MG, 20 MG TABLET <b>MO</b>	3	QL (30 per 30 days)
PEXEVA 30 MG, 40 MG TABLET <b>MO</b>	3	QL (60 per 30 days)
phenelzine sulfate 15 mg tab <b>MO</b>	1	
PRISTIQ 100 MG, 25 MG, 50 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	PA,QL (30 per 30 days)
protriptyline hcl 10 mg, 5 mg tablet <b>MO</b>	1	
PROZAC 10 MG, 40 MG CAPSULE <b>DL</b>	4	PA,QL (60 per 30 days)
PROZAC 20 MG CAPSULE <b>DL</b>	4	PA,QL (120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
REMERON 15 MG, 30 MG TABLET <b>MO</b>	3	
REMERON SOLTAB 15 MG, 30 MG, 45 MG DISINTEGRATING TABLET <b>MO</b>	3	QL (30 per 30 days)
SARAFEM 10 MG TABLET <b>MO</b>	3	QL (240 per 30 days)
SARAFEM 20 MG TABLET <b>MO</b>	3	QL (120 per 30 days)
sertraline 20 mg/ml oral conc <b>MO</b>	1	
sertraline hcl 100 mg tablet <b>MO</b>	1	QL (60 per 30 days)
sertraline hcl 25 mg, 50 mg tablet <b>MO</b>	1	QL (90 per 30 days)
SURMONTIL 100 MG, 25 MG, 50 MG CAPSULE <b>MO</b>	3	
SYMBYAX 12 MG-50 MG CAPSULE; SYMBYAX 12-25 MG, 12-50 MG, 3-25 MG, 6-25 MG, 6-50 MG CAPSULE; SYMBYAX 3 MG-25 MG CAPSULE; SYMBYAX 6 MG-25 MG CAPSULE; SYMBYAX 6 MG-50 MG CAPSULE <b>MO</b>	3	PA,QL (30 per 30 days)
TOFRANIL 10 MG, 25 MG, 50 MG TABLET <b>DL</b>	4	
tranylcypromine sulf 10 mg tab <b>MO</b>	1	
trazodone 100 mg, 150 mg, 300 mg, 50 mg tablet <b>MO</b>	1	
trimipramine maleate 100 mg, 25 mg, 50 mg cap; trimipramine maleate 100 mg, 25 mg, 50 mg cp <b>MO</b>	1	
TRINTELLIX 10 MG, 20 MG, 5 MG TABLET <b>MO</b>	3	ST,QL (30 per 30 days)
venlafaxine hcl 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg tablet <b>MO</b>	1	
venlafaxine hcl er 150 mg cap <b>MO</b>	1	QL (60 per 30 days)
venlafaxine hcl er 150 mg, 225 mg, 37.5 mg tab <b>MO</b>	1	QL (30 per 30 days)
venlafaxine hcl er 37.5 mg cap <b>MO</b>	1	QL (30 per 30 days)
venlafaxine hcl er 75 mg cap <b>MO</b>	1	QL (90 per 30 days)
venlafaxine hcl er 75 mg tab <b>MO</b>	1	QL (60 per 30 days)
VIIBRYD 10 MG (7)-20 MG (23) TABLETS IN A DOSE PACK; VIIBRYD 10 MG, 10 MG (7)- 20 MG (23), 20 MG, 40 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
WELLBUTRIN SR 100 MG TABLET, 12 HR SUSTAINED-RELEASE <b>MO</b>	3	PA,QL (120 per 30 days)
WELLBUTRIN SR 150 MG TABLET, 12 HR SUSTAINED-RELEASE <b>MO</b>	3	PA,QL (90 per 30 days)
WELLBUTRIN SR 200 MG TABLET, 12 HR SUSTAINED-RELEASE <b>MO</b>	3	PA,QL (60 per 30 days)
WELLBUTRIN XL 150 MG 24 HR TABLET, EXTENDED RELEASE <b>DL</b>	4	PA,QL (90 per 30 days)
WELLBUTRIN XL 300 MG 24 HR TABLET, EXTENDED RELEASE <b>DL</b>	4	PA,QL (60 per 30 days)
ZOLOFT 100 MG TABLET <b>MO</b>	3	PA,QL (60 per 30 days)
ZOLOFT 20 MG/ML ORAL CONCENTRATE <b>MO</b>	3	PA
ZOLOFT 25 MG, 50 MG TABLET <b>MO</b>	3	PA,QL (90 per 30 days)
ZULRESSO 5 MG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (100 per 365 days)
<b>Antiemetics</b>		
AKYNZEQ (FOSNETUPITANT) 235 MG-0.25 MG INTRAVENOUS POWDER FOR SOLUTION <b>DL</b>	4	PA,QL (4 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AKYNZEO (FOSNETUPITANT) 235 MG-0.25 MG/20 ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (80 per 28 days)
AKYNZEO (NETUPITANT) 300 MG-0.5 MG CAPSULE <b>DL</b>	4	PA,QL (4 per 28 days)
ANZEMET 100 MG, 50 MG TABLET <b>MO</b>	3	B vs D,QL (4 per 28 days)
aprepitant 125 mg, 40 mg capsule <b>MO</b>	1	B vs D,QL (2 per 28 days)
aprepitant 125-80-80 mg pack <b>MO</b>	1	B vs D,QL (6 per 28 days)
aprepitant 80 mg capsule <b>MO</b>	1	B vs D,QL (4 per 28 days)
BONJESTA 20 MG-20 MG TABLET,IMMEDIATE AND DELAY RELEASE <b>MO</b>	3	QL (60 per 30 days)
CESAMET 1 MG CAPSULE <b>DL</b>	4	PA,QL (180 per 30 days)
COMPATINE 10 MG, 5 MG TABLET <b>MO</b>	3	B vs D
COMPATINE 25 MG RECTAL SUPPOSITORY <b>MO</b>	1	
compro 25 mg rectal suppository <b>MO</b>	1	
DICLEGIS 10 MG-10 MG TABLET,DELAYED RELEASE <b>MO</b>	3	QL (120 per 30 days)
dimenhydrinate 50 mg/ml vial <b>MO</b>	1	
doxylamine-pyridoxine 10-10 mg <b>MO</b>	1	QL (120 per 30 days)
dronabinol 10 mg, 2.5 mg, 5 mg capsule <b>MO</b>	1	B vs D,QL (120 per 30 days)
EMEND 125 MG (1)-80 MG (2) CAPSULES IN A DOSE PACK <b>MO</b>	3	PA,QL (6 per 28 days)
EMEND 125 MG (25 MG/ML FINAL CONC.) ORAL SUSPENSION <b>MO</b>	3	B vs D,QL (3 per 28 days)
EMEND 125 MG, 40 MG CAPSULE <b>MO</b>	3	PA,QL (2 per 28 days)
EMEND 80 MG CAPSULE <b>MO</b>	3	PA,QL (4 per 28 days)
EMEND (FOSAPREPITANT) 150 MG INTRAVENOUS SOLUTION <b>MO</b>	3	PA
fosaprepitant 150 mg vial <b>MO</b>	1	PA
granisetron hcl 0.1 mg/ml vial; granisetron hcl 1 mg/ml vial <b>MO</b>	1	
granisetron hcl 1 mg tablet <b>MO</b>	1	B vs D,QL (28 per 28 days)
granisetron hcl 1 mg/ml vial; granisetron hcl 4 mg/4 ml vial <b>MO</b>	1	
MARINOL 10 MG, 2.5 MG, 5 MG CAPSULE <b>DL</b>	4	PA,QL (120 per 30 days)
meclizine 12.5 mg, 25 mg tablet <b>MO</b>	1	
metoclopramide 10 mg, 5 mg tablet <b>MO</b>	1	
metoclopramide 10 mg/2 ml syr <b>MO</b>	1	
metoclopramide 10 mg/2 ml vial; metoclopramide 5 mg/5 ml, 5 mg/ml soln <b>MO</b>	1	
metoclopramide hcl 10 mg odt <b>MO</b>	1	QL (180 per 30 days)
metoclopramide hcl 5 mg odt <b>MO</b>	1	QL (360 per 30 days)
ondansetron odt 4 mg, 8 mg tablet <b>MO</b>	1	B vs D,QL (90 per 30 days)
ondansetron 4 mg/5 ml solution <b>MO</b>	1	B vs D,QL (450 per 30 days)
ondansetron 40 mg/20 ml vial <b>MO</b>	1	
ondansetron hcl 24 mg tablet <b>MO</b>	1	B vs D,QL (30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ondansetron hcl 4 mg, 8 mg tablet <b>MO</b>	1	B vs D,QL (90 per 30 days)
ondansetron hcl 4 mg/2 ml syrup <b>MO</b>	1	
ondansetron hcl 4 mg/2 ml vial <b>MO</b>	1	
phenadoz 12.5 mg, 25 mg rectal suppository; phenadoz 12.5 mg, 25 mg suppository <b>MO</b>	1	
PHENERGAN 25 MG/ML, 50 MG/ML INJECTION SOLUTION <b>MO</b>	1	
prochlorperazine 25 mg supp <b>MO</b>	1	
prochlorperazine 10 mg/2 ml vial <b>MO</b>	1	
prochlorperazine 10 mg, 5 mg tab; prochlorperazine 10 mg, 5 mg tablet <b>MO</b>	1	B vs D
promethazine 12.5 mg, 25 mg, 50 mg suppos; promethazine 12.5 mg, 25 mg, 50 mg suppository <b>MO</b>	1	
promethazine 12.5 mg, 25 mg, 50 mg tablet <b>MO</b>	1	
promethazine 25 mg/ml, 50 mg/ml vial <b>MO</b>	1	
promethazine 6.25 mg/5 ml syrup <b>MO</b>	1	
promethegan 12.5 mg, 25 mg, 50 mg rectal suppository <b>MO</b>	1	
REGLAN 10 MG, 5 MG TABLET <b>MO</b>	3	
SANCUSO 3.1 MG/24 HOUR TRANSDERMAL PATCH <b>MO</b>	3	QL (4 per 30 days)
scopolamine 1 mg/3 day patch <b>MO</b>	1	QL (10 per 30 days)
SYNDROS 5 MG/ML ORAL SOLUTION <b>DL</b>	4	PA
TIGAN 100 MG/ML INTRAMUSCULAR SOLUTION <b>MO</b>	3	
TIGAN 300 MG CAPSULE <b>MO</b>	3	B vs D
TRANSDERM-SCOP 1.5 MG TRANSDERMAL PATCH (1 MG OVER 3 DAYS) <b>MO</b>	3	QL (10 per 30 days)
trimethobenzamide 300 mg cap <b>MO</b>	1	B vs D
VARUBI 166.5 MG/92.5 ML INTRAVENOUS EMULSION <b>MO</b>	3	PA,QL (185 per 28 days)
VARUBI 90 MG TABLET <b>DL</b>	4	PA,QL (4 per 28 days)
ZOFTRAN 4 MG, 8 MG TABLET <b>DL</b>	4	PA,QL (90 per 30 days)
ZOFTRAN 4 MG/5 ML ORAL SOLN <b>MO</b>	3	PA,QL (450 per 30 days)
ZUPLENZ 4 MG, 8 MG ORAL SOLUBLE FILM <b>DL</b>	4	B vs D,QL (90 per 30 days)
<b>Antifungals</b>		
ABELCET 5 MG/ML INTRAVENOUS SUSPENSION <b>DL</b>	4	B vs D
AMBISOME 50 MG INTRAVENOUS SUSPENSION <b>DL</b>	4	B vs D
amphotericin b 50 mg vial <b>MO</b>	1	B vs D
ANCOBON 250 MG, 500 MG CAPSULE <b>DL</b>	4	
CANCIDAS 50 MG, 70 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
caspofungin acetate 50 mg, 70 mg vial <b>DL</b>	4	
ciclodan 8 % topical solution <b>MO</b>	1	QL (13.2 per 30 days)
ciclopirox 0.77% cream <b>MO</b>	1	QL (90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ciclopirox 0.77% gel <b>MO</b>	1	QL (100 per 30 days)
ciclopirox 0.77% topical susp <b>MO</b>	1	QL (60 per 30 days)
ciclopirox 1% shampoo <b>MO</b>	1	QL (120 per 30 days)
ciclopirox 8% solution <b>MO</b>	1	QL (13.2 per 30 days)
clotrimazole 1% solution <b>MO</b>	1	
clotrimazole 1% topical cream <b>MO</b>	1	
clotrimazole 10 mg troche <b>MO</b>	1	
clotrimazole-betamethasone crm <b>MO</b>	1	QL (180 per 30 days)
clotrimazole-betamethasone lot <b>MO</b>	1	QL (90 per 28 days)
CRESEMDA 186 MG CAPSULE <b>DL</b>	4	PA,QL (180 per 30 days)
CRESEMDA 372 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
DIFLUCAN 10 MG/ML, 40 MG/ML ORAL SUSPENSION <b>DL</b>	4	PA
DIFLUCAN 100 MG, 150 MG, 200 MG, 50 MG TABLET <b>MO</b>	3	PA
econazole nitrate 1% cream <b>MO</b>	1	PA,QL (85 per 30 days)
ERAXIS(WATER DILUENT) 100 MG INTRAVENOUS SOLUTION <b>DL</b>	4	
ERAXIS(WATER DILUENT) 50 MG INTRAVENOUS SOLUTION <b>MO</b>	3	
ERTACZO 2 % TOPICAL CREAM <b>DL</b>	4	QL (60 per 30 days)
EXELDERM 1 % TOPICAL CREAM <b>MO</b>	3	
EXELDERM 1 % TOPICAL SOLUTION <b>MO</b>	3	QL (60 per 30 days)
EXTINA 2 % TOPICAL FOAM <b>MO</b>	3	QL (100 per 30 days)
fluconazole 10 mg/ml, 40 mg/ml susp <b>MO</b>	1	
fluconazole 100 mg, 150 mg, 200 mg, 50 mg tablet <b>MO</b>	1	
fluconazole-dext 200 mg/100 ml <b>MO</b>	1	
fluconazole-nacl 100 mg/50 ml, 200 mg/100 ml, 400 mg/200 ml <b>MO</b>	1	
flucytosine 250 mg, 500 mg capsule <b>DL</b>	4	
griseofulvin 125 mg/5 ml susp <b>MO</b>	1	
griseofulvin micro 500 mg tab <b>MO</b>	1	
griseofulvin ultra 125 mg, 250 mg tab <b>MO</b>	1	
gynazole-1 2 % vaginal cream <b>MO</b>	1	
itraconazole 10 mg/ml solution <b>MO</b>	1	QL (150 per 30 days)
itraconazole 100 mg capsule <b>MO</b>	1	QL (120 per 30 days)
JUBLIA 10 % TOPICAL SOLUTION WITH APPLICATOR <b>DL</b>	4	PA,QL (4 per 28 days)
KERYDIN 5 % TOPICAL SOLUTION WITH APPLICATOR <b>DL</b>	4	QL (10 per 30 days)
ketoconazole 2% cream <b>MO</b>	1	QL (60 per 30 days)
ketoconazole 2% foam <b>MO</b>	1	QL (100 per 30 days)
ketoconazole 2% shampoo <b>MO</b>	1	QL (120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ketoconazole 200 mg tablet <b>MO</b>	1	PA
ketodan 2 % topical foam <b>MO</b>	1	QL (100 per 30 days)
LOPROX 1 % SHAMPOO <b>MO</b>	3	PA,QL (120 per 30 days)
LOPROX (AS OLAMINE) 0.77 % TOPICAL CREAM <b>MO</b>	3	PA,QL (90 per 30 days)
LOPROX (AS OLAMINE) 0.77 % TOPICAL SUSPENSION <b>MO</b>	3	PA,QL (60 per 30 days)
LOTRISONE CREAM <b>MO</b>	3	PA,QL (180 per 30 days)
luliconazole 1% cream <b>MO</b>	1	ST,QL (60 per 28 days)
LUZU 1 % TOPICAL CREAM <b>MO</b>	3	ST,QL (60 per 28 days)
MENTAX 1 % TOPICAL CREAM <b>MO</b>	3	QL (30 per 30 days)
micafungin 100 mg, 50 mg vial <b>DL</b>	4	
miconazole-zinc-petro 0.25-15% <b>MO</b>	1	
miconazole-3 200 mg vaginal suppository <b>MO</b>	1	
MYCAMINE 100 MG, 50 MG INTRAVENOUS SOLUTION <b>DL</b>	4	
naftifine hcl 1% cream <b>MO</b>	1	ST,QL (90 per 30 days)
naftifine hcl 1% gel <b>MO</b>	1	ST,QL (90 per 30 days)
naftifine hcl 2% cream <b>MO</b>	1	ST,QL (120 per 30 days)
NAFTIN 1 % TOPICAL GEL <b>MO</b>	3	ST,QL (90 per 30 days)
NAFTIN 2 % TOPICAL CREAM <b>MO</b>	3	ST,QL (120 per 30 days)
NAFTIN 2 % TOPICAL GEL <b>MO</b>	3	ST,QL (120 per 30 days)
NIZORAL 2% SHAMPOO <b>MO</b>	3	QL (120 per 30 days)
NOXAFIL 100 MG TABLET,DELAYED RELEASE <b>DL</b>	4	PA
NOXAFIL 200 MG/5 ML (40 MG/ML) ORAL SUSPENSION <b>DL</b>	4	PA,QL (840 per 28 days)
NOXAFIL 300 MG/16.7 ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA
nyamyc 100,000 unit/gram topical powder <b>MO</b>	1	PA
nystatin 100,000 unit/gm cream <b>MO</b>	1	
nystatin 100,000 unit/gm oint <b>MO</b>	1	
nystatin 100,000 unit/gm powd <b>MO</b>	1	PA
nystatin 100,000 unit/ml susp <b>MO</b>	1	
nystatin 500,000 unit oral tab <b>MO</b>	1	
nystatin-triamcinolone cream <b>MO</b>	1	
nystatin-triamcinolone ointm <b>MO</b>	1	
nystop 100,000 unit/gram topical powder <b>MO</b>	1	PA
ONMEL 200 MG TABLET <b>DL</b>	4	QL (28 per 28 days)
ORAVIG 50 MG BUCCAL TABLET <b>DL</b>	4	QL (14 per 30 days)
oxiconazole nitrate 1% cream <b>DL</b>	4	PA
OXISTAT 1 % LOTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OXISTAT 1 % TOPICAL CREAM <b>DL</b>	4	
PENLAC 8% SOLUTION <b>MO</b>	3	QL (13.2 per 30 days)
posaconazole 200 mg/5 ml susp <b>DL</b>	4	PA,QL (840 per 28 days)
posaconazole dr 100 mg tablet <b>DL</b>	4	PA
SPORANOX 10 MG/ML ORAL SOLUTION <b>DL</b>	4	QL (150 per 30 days)
SPORANOX 100 MG CAPSULE <b>DL</b>	4	PA,QL (120 per 30 days)
SPORANOX PULSEPAK 100 MG CAPSULE <b>MO</b>	3	PA,QL (120 per 30 days)
terbinafine hcl 250 mg tablet <b>MO</b>	1	
terconazole 0.4% cream; terconazole 0.8% cream <b>MO</b>	1	
terconazole 80 mg suppository <b>MO</b>	1	
TOLSURA 65 MG ORAL SOLID DISPERSION CAPSULE <b>DL</b>	4	PA,QL (120 per 30 days)
VFEND 200 MG, 50 MG TABLET <b>DL</b>	4	PA,QL (120 per 30 days)
VFEND 200 MG/5 ML (40 MG/ML) ORAL SUSPENSION <b>DL</b>	4	PA,QL (400 per 30 days)
VFEND IV 200 MG INTRAVENOUS SOLUTION <b>DL</b>	4	B vs D
voriconazole 200 mg vial <b>DL</b>	4	PA
voriconazole 200 mg, 50 mg tablet <b>MO</b>	1	PA,QL (120 per 30 days)
voriconazole 40 mg/ml susp <b>DL</b>	4	PA,QL (400 per 30 days)
VUSION 0.25 %-15 %-81.35 % TOPICAL OINTMENT <b>MO</b>	3	
XOLEGEL 2 % TOPICAL <b>DL</b>	4	
<b>Antigout Agents</b>		
allopurinol 100 mg, 300 mg tablet <b>MO</b>	1	
allopurinol sodium 500 mg vial <b>MO</b>	1	
ALOPRIM 500 MG INTRAVENOUS SOLUTION <b>MO</b>	3	
DUZALLO 200 MG-200 MG TABLET; DUZALLO 200 MG-300 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
febuxostat 40 mg, 80 mg tablet <b>MO</b>	1	ST,QL (30 per 30 days)
GLOPERBA 0.6 MG/5 ML ORAL SOLUTION <b>MO</b>	3	PA,QL (300 per 30 days)
MITIGARE 0.6 MG CAPSULE <b>MO</b>	2	
probenecid 500 mg tablet <b>MO</b>	1	
probenecid-colchicine tablet <b>MO</b>	1	
ULORIC 40 MG, 80 MG TABLET <b>MO</b>	3	ST,QL (30 per 30 days)
ZURAMPIC 200 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
ZYLOPRIM 100 MG, 300 MG TABLET <b>MO</b>	3	
<b>Antimigraine Agents</b>		
AIMOVIG AUTOINJECTOR 140 MG/ML SUBCUTANEOUS AUTO-INJECTOR <b>MO</b>	3	PA,QL (1 per 30 days)
AIMOVIG AUTOINJECTOR 70 MG/ML SUBCUTANEOUS AUTO-INJECTOR <b>MO</b>	3	PA,QL (2 per 30 days)
AIMOVIG 140 MG DOSE-2 AUTOINJ <b>MO</b>	3	PA,QL (2 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AJOVY 225 MG/1.5 ML SUBCUTANEOUS AUTO-INJECTOR <b>MO</b>	3	PA,QL (1.5 per 30 days)
AJOVY SYRINGE 225 MG/1.5 ML SUBCUTANEOUS <b>MO</b>	3	PA,QL (1.5 per 30 days)
almotriptan malate 12.5 mg, 6.25 mg tab <b>MO</b>	1	ST,QL (9 per 30 days)
AMERGE 1 MG, 2.5 MG TABLET <b>MO</b>	3	PA,QL (9 per 30 days)
CAFERGOT 1 MG-100 MG TABLET <b>MO</b>	1	QL (40 per 30 days)
D.H.E.45 1 MG/ML INJECTION SOLUTION <b>DL</b>	4	
dihydroergotamine 1 mg/ml amp <b>DL</b>	4	
dihydroergotamine 4 mg/ml spry <b>DL</b>	4	QL (8 per 30 days)
eletriptan hbr 20 mg, 40 mg tablet <b>MO</b>	1	ST,QL (9 per 30 days)
EMGALITY PEN 120 MG/ML SUBCUTANEOUS PEN INJECTOR <b>MO</b>	3	PA,QL (2 per 30 days)
EMGALITY 120 MG/ML SUBCUTANEOUS SYRINGE <b>MO</b>	3	PA,QL (2 per 30 days)
EMGALITY 300 MG/3 ML (100 MG/ML X 3) SUBCUTANEOUS SYRINGE <b>MO</b>	3	PA,QL (3 per 30 days)
ERGOMAR 2 MG SUBLINGUAL TABLET <b>DL</b>	4	QL (20 per 28 days)
ergotamine-caffeine 1-100mg tb <b>MO</b>	1	QL (40 per 30 days)
FROVA 2.5 MG TABLET <b>DL</b>	4	ST,QL (12 per 30 days)
frovatriptan succ 2.5 mg tab <b>MO</b>	1	ST,QL (12 per 30 days)
IMITREX 100 MG, 25 MG, 50 MG TABLET <b>DL</b>	4	PA,QL (9 per 30 days)
IMITREX 20 MG/ACTUATION, 5 MG/ACTUATION NASAL SPRAY <b>DL</b>	4	PA,QL (12 per 30 days)
IMITREX 6 MG/0.5 ML SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (6 per 30 days)
IMITREX STATDOSE PEN 4 MG/0.5 ML, 6 MG/0.5 ML SUBCUTANEOUS PEN INJECTOR <b>MO</b>	3	PA,QL (6 per 30 days)
IMITREX STATDOSE REFILL 4 MG/0.5 ML, 6 MG/0.5 ML SUBCUTANEOUS CARTRIDGE <b>DL</b>	4	PA,QL (6 per 30 days)
MAXALT 10 MG TABLET <b>MO</b>	3	PA,QL (12 per 30 days)
MAXALT MLT 10 MG, 5 MG TABLET; MAXALT-MLT 10 MG, 5 MG DISINTEGRATING TABLET <b>MO</b>	3	PA,QL (12 per 30 days)
migergot 2 mg-100 mg rectal suppository <b>DL</b>	4	QL (20 per 28 days)
MIGRAL 0.5 MG/PUMP ACT. (4 MG/ML) NASAL SPRAY <b>DL</b>	4	QL (8 per 30 days)
naratriptan hcl 1 mg, 2.5 mg tablet <b>MO</b>	1	QL (9 per 30 days)
ONZETRA XSAIL 11 MG POWDER FOR NASAL INHALATION <b>DL</b>	4	ST,QL (16 per 30 days)
RELPAX 20 MG, 40 MG TABLET <b>MO</b>	3	ST,QL (9 per 30 days)
REYVOW 100 MG TABLET <b>MO</b>	3	PA,QL (8 per 30 days)
REYVOW 50 MG TABLET <b>MO</b>	3	PA,QL (4 per 30 days)
rizatriptan 10 mg, 5 mg odt; rizatriptan 10 mg, 5 mg tablet <b>MO</b>	1	QL (12 per 30 days)
sumatriptan 20 mg nasal spray; sumatriptan 5 mg nasal spray <b>MO</b>	1	QL (12 per 30 days)
sumatriptan 4 mg/0.5 ml, 6 mg/0.5 ml cart <b>MO</b>	3	QL (6 per 30 days)
sumatriptan 4 mg/0.5 ml, 6 mg/0.5 ml inject <b>MO</b>	1	QL (6 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
sumatriptan 6 mg/0.5 ml syrng <b>MO</b>	1	QL (6 per 30 days)
sumatriptan 6 mg/0.5 ml vial <b>MO</b>	1	QL (6 per 30 days)
sumatriptan succ 100 mg, 25 mg, 50 mg tablet <b>MO</b>	1	QL (9 per 30 days)
sumatriptan-naproxen 85-500 mg <b>MO</b>	1	ST,QL (18 per 30 days)
SUMAVEL DOSEPRO 6 MG/0.5 ML <b>MO</b>	3	ST,QL (6 per 30 days)
TOSYMRA 10 MG/ACTUATION NASAL SPRAY <b>MO</b>	3	ST,QL (12 per 30 days)
TREXIMET 10-60 MG, 85-500 MG TABLET; TREXIMET 85 MG-500 MG TABLET <b>DL</b>	4	ST,QL (18 per 30 days)
VYEPTI 100 MG/ML INTRAVENOUS SOLUTION <b>MO</b>	3	PA,QL (1 per 90 days)
ZEMBRACE SYMTOUCH 3 MG/0.5 ML SUBCUTANEOUS PEN INJECTOR <b>DL</b>	4	ST,QL (6 per 30 days)
zolmitriptan 2.5 mg, 5 mg odt; zolmitriptan 2.5 mg, 5 mg tablet <b>MO</b>	1	ST,QL (9 per 30 days)
ZOMIG 2.5 MG, 5 MG NASAL SPRAY <b>DL</b>	4	ST,QL (12 per 30 days)
ZOMIG 2.5 MG, 5 MG TABLET <b>DL</b>	4	ST,QL (9 per 30 days)
ZOMIG ZMT 2.5 MG, 5 MG DISINTEGRATING TABLET <b>DL</b>	4	ST,QL (9 per 30 days)
<b>Antimyasthenic Agents</b>		
guanidine hcl 125 mg tablet <b>MO</b>	1	
MESTINON 60 MG TABLET <b>DL</b>	4	PA
MESTINON 60 MG/5 ML ORAL SYRUP <b>DL</b>	4	
MESTINON TIMESPAN 180 MG TABLET,EXTENDED RELEASE <b>DL</b>	4	PA
pyridostigmine 60 mg/5 ml soln <b>DL</b>	4	
pyridostigmine br 30 mg, 60 mg tablet <b>MO</b>	1	
pyridostigmine er 180 mg tab <b>MO</b>	1	
REGONOL 5 MG/ML INJECTION SOLUTION <b>MO</b>	3	
<b>Antimycobacterials</b>		
CAPASTAT 1 GRAM SOLUTION FOR INJECTION <b>MO</b>	3	
cycloserine 250 mg capsule <b>DL</b>	4	
dapsone 100 mg, 25 mg tablet <b>MO</b>	1	
ethambutol hcl 100 mg, 400 mg tablet <b>MO</b>	1	
isoniazid 100 mg, 300 mg tablet <b>MO</b>	1	
isoniazid 100 mg/ml, 50 mg/5 ml solution; isoniazid 100 mg/ml, 50 mg/5 ml vial <b>MO</b>	1	
MYAMBUTOL 400 MG TABLET <b>MO</b>	3	
MYCOBUTIN 150 MG CAPSULE <b>MO</b>	3	
PASER 4 GRAM GRANULES DELAYED-RELEASE PACKET <b>MO</b>	1	
PRETOMANID 200 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
PRIFTIN 150 MG TABLET <b>MO</b>	3	
pyrazinamide 500 mg tablet <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
rifabutin 150 mg capsule <b>MO</b>	1	
RIFADIN 150 MG, 300 MG CAPSULE <b>MO</b>	3	
RIFADIN 600 MG INTRAVENOUS SOLUTION <b>MO</b>	3	
RIFAMATE 300 MG-150 MG CAPSULE <b>MO</b>	1	
rifampin 150 mg, 300 mg capsule <b>MO</b>	1	
rifampin iv 600 mg vial <b>DL</b>	4	
RIFATER 50 MG-120 MG-300 MG TABLET <b>MO</b>	3	
SIRTURO 100 MG TABLET <b>DL</b>	4	PA,QL (68 per 28 days)
SIRTURO 20 MG TABLET <b>DL</b>	4	PA,QL (340 per 28 days)
TRECATOR 250 MG TABLET <b>MO</b>	3	
<b>Antineoplastics</b>		
abiraterone acetate 250 mg tab <b>DL</b>	4	PA,QL (120 per 30 days)
ABRAXANE 100 MG INTRAVENOUS SUSPENSION <b>DL</b>	4	PA
ADCETRIS 50 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
adriamycin 10 mg, 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg/25 ml intravenous solution <b>MO</b>	1	B vs D
ADRIAMYCIN 50 MG INTRAVENOUS SOLUTION <b>MO</b>	1	B vs D
adrucil 2.5 gram/50 ml, 5 gram/100 ml, 500 mg/10 ml intravenous solution; adrucil 2.5 gram/50 ml, 5 gram/100 ml, 500 mg/10 ml vial <b>MO</b>	1	B vs D
AFINITOR 10 MG, 2.5 MG, 5 MG, 7.5 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
AFINITOR DISPERZ 2 MG, 3 MG, 5 MG TABLET FOR ORAL SUSPENSION <b>DL</b>	4	PA
ALECensa 150 MG CAPSULE <b>DL</b>	4	PA,QL (240 per 30 days)
ALIMTA 100 MG, 500 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
ALIQOPA 60 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (3 per 28 days)
ALKERAN 2 MG TABLET <b>MO</b>	3	B vs D
ALKERAN (AS HCL) 50 MG INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
ALUNBRIG 180 MG, 90 MG, 90 MG (7)- 180 MG (23) TABLET; ALUNBRIG 90 MG (7)-180 MG (23) TABLETS IN A DOSE PACK <b>DL</b>	4	PA,QL (30 per 30 days)
ALUNBRIG 30 MG TABLET <b>DL</b>	4	PA,QL (180 per 30 days)
amifostine 500 mg vial <b>DL</b>	4	B vs D
anastrozole 1 mg tablet <b>MO</b>	1	QL (30 per 30 days)
ARIMIDEX 1 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
AROMASIN 25 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
ARRANON 250 MG/50 ML INTRAVENOUS SOLUTION <b>DL</b>	4	
arsenic trioxide 10 mg/10ml vl; arsenic trioxide 12 mg/6 ml vl <b>DL</b>	4	PA
ARZERRA 1,000 MG/50 ML, 100 MG/5 ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (400 per 28 days)
ASPARLAS 750 UNIT/ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AVASTIN 25 MG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA
AYVAKIT 100 MG, 200 MG, 300 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
azacitidine 100 mg vial <b>DL</b>	4	PA
BALVERSA 3 MG TABLET <b>DL</b>	4	PA,QL (90 per 30 days)
BALVERSA 4 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
BALVERSA 5 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
BAVENCIO 20 MG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA
BELEODAQ 500 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
BENDEKA 25 MG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA
BESPONSA 0.9 MG(0.25 MG/ML INITIAL CONCENTRATION) INTRAVENOUS SOLUTION <b>DL</b>	4	PA
bexarotene 75 mg capsule <b>DL</b>	4	PA,QL (300 per 30 days)
bicalutamide 50 mg tablet <b>MO</b>	1	QL (30 per 30 days)
BICNU 100 MG INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
BLENREP 100 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
bleomycin sulfate 15 unit, 30 unit vial <b>MO</b>	1	B vs D
bortezomib 3.5 mg vial <b>DL</b>	4	PA
BOSULIF 100 MG TABLET <b>DL</b>	4	PA,QL (120 per 30 days)
BOSULIF 400 MG, 500 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
BRAFTOVI 50 MG CAPSULE <b>DL</b>	4	PA,QL (120 per 30 days)
BRAFTOVI 75 MG CAPSULE <b>DL</b>	4	PA,QL (180 per 30 days)
BRUKINSA 80 MG CAPSULE <b>DL</b>	4	PA,QL (120 per 30 days)
busulfan 60 mg/10 ml vial <b>MO</b>	1	B vs D
BUSULFEX 60 MG/10 ML INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
CABOMETYX 20 MG, 40 MG, 60 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
CALQUENCE 100 MG CAPSULE <b>DL</b>	4	PA,QL (60 per 30 days)
CAMPTOSAR 100 MG/5 ML, 300 MG/15 ML, 40 MG/2 ML INTRAVENOUS SOLUTION <b>DL</b>	4	B vs D
CAPRELSA 100 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
CAPRELSA 300 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
carboplatin 50 mg/5 ml vial <b>MO</b>	1	B vs D
carmustine 100 mg vial <b>MO</b>	1	B vs D
CASODEX 50 MG TABLET <b>DL</b>	4	QL (30 per 30 days)
cisplatin 100 mg/100 ml vial <b>MO</b>	1	B vs D
cladribine 10 mg/10 ml vial <b>DL</b>	4	B vs D
clofarabine 20 mg/20 ml vial <b>DL</b>	4	B vs D
CLOLAR 20 MG/20 ML INTRAVENOUS SOLUTION <b>DL</b>	4	B vs D

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
COMETRIQ 100 MG/DAY (80 MG X 1-20 MG X 1) CAPSULES <b>DL</b>	4	PA,QL (56 per 28 days)
COMETRIQ 140 MG/DAY (80 MG X 1-20 MG X 3) CAPSULES <b>DL</b>	4	PA,QL (112 per 28 days)
COMETRIQ 60 MG/DAY (20 MG X 3/DAY) CAPSULES <b>DL</b>	4	PA,QL (84 per 28 days)
COPIKTRA 15 MG, 25 MG CAPSULE <b>DL</b>	4	PA,QL (56 per 28 days)
COSMEGEN 0.5 MG INTRAVENOUS SOLUTION <b>DL</b>	4	B vs D
COTELLIC 20 MG TABLET <b>DL</b>	4	PA,QL (63 per 28 days)
cyclophosphamide 1 gm vial; cyclophosphamide 1 gram, 2 gram, 500 mg vial;	1	B vs D
cyclophosphamide 2 gm vial <b>MO</b>		
CYCLOPHOSPHAMIDE 1 GM/5 ML VL <b>MO</b>	1	B vs D
cyclophosphamide 25 mg, 50 mg capsule <b>MO</b>	1	B vs D
CYRAMZA 10 MG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA
cytarabine 20 mg/ml vial <b>MO</b>	1	B vs D
cytarabine 100 mg/5 ml (20 mg/ml), 2 gram/20 ml (100 mg/ml), 20 mg/ml vial; cytarabine 100 mg/5 ml vial; cytarabine 2 g/20 ml vial <b>MO</b>	1	B vs D
dacarbazine 100 mg, 200 mg vial <b>MO</b>	1	B vs D
DACOGEN 50 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
dactinomycin 0.5 mg vial <b>DL</b>	4	B vs D
DARZALEX 20 MG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA
DARZALEX FASPRO 1,800 MG-30,000 UNIT/15 ML SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA
daunorubicin 20 mg/4 ml vial <b>MO</b>	1	B vs D
DAURISMO 100 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
DAURISMO 25 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
decitabine 50 mg vial <b>DL</b>	4	PA
dexrazoxane 250 mg, 500 mg vial <b>MO</b>	1	B vs D
DOCEFREZ 20 MG INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
DOCEFREZ 80 MG INTRAVENOUS SOLUTION <b>DL</b>	4	B vs D
docetaxel 160 mg/16 ml vial; docetaxel 160 mg/8 ml vial; docetaxel 20 mg/2 ml vial; docetaxel 20 mg/ml vial; docetaxel 200 mg/10 ml vial; docetaxel 80 mg/4 ml vial; docetaxel 80 mg/8 ml vial <b>MO</b>	1	B vs D
DOXIL 2 MG/ML INTRAVENOUS SUSPENSION <b>DL</b>	4	B vs D
doxorubicin 10 mg, 10 mg/5 ml, 2 mg/ml, 20 mg/10 ml, 50 mg, 50 mg/25 ml vial; doxorubicin 150 mg/75 ml vial <b>MO</b>	1	B vs D
doxorubicin liposome 20mg/10ml <b>DL</b>	4	PA
ELITEK 1.5 MG, 7.5 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
ELLENCE 200 MG/100 ML, 50 MG/25 ML INTRAVENOUS SOLUTION <b>DL</b>	4	B vs D
ELZONRIS 1,000 MCG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (10 per 21 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EMCYT 140 MG CAPSULE <b>DL</b>	4	
EMPLICITI 300 MG, 400 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
ENHERTU 100 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
epirubicin 200 mg/100 ml, 50 mg/25 ml vial <b>MO</b>	1	B vs D
epirubicin hcl 50 mg vial <b>MO</b>	3	B vs D
ERBITUX 100 MG/50 ML, 200 MG/100 ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA
ERIVEDGE 150 MG CAPSULE <b>DL</b>	4	PA,QL (28 per 28 days)
ERLEADA 60 MG TABLET <b>DL</b>	4	PA,QL (120 per 30 days)
erlotinib hcl 100 mg, 150 mg tablet <b>DL</b>	4	PA,QL (30 per 30 days)
erlotinib hcl 25 mg tablet <b>DL</b>	4	PA,QL (90 per 30 days)
ERWINAZE 10,000 UNIT SOLUTION FOR INJECTION <b>DL</b>	4	PA
ETHYOL 500 MG INTRAVENOUS SOLUTION <b>DL</b>	4	B vs D
ETOPOPHOS 100 MG INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
etoposide 100 mg/5 ml vial <b>MO</b>	1	B vs D
EVOMELA 50 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
exemestane 25 mg tablet <b>MO</b>	1	QL (60 per 30 days)
FARESTON 60 MG TABLET <b>DL</b>	4	QL (30 per 30 days)
FARYDAK 10 MG, 15 MG, 20 MG CAPSULE <b>DL</b>	4	PA,QL (6 per 21 days)
FASLODEX 250 MG/5 ML INTRAMUSCULAR SYRINGE <b>DL</b>	4	PA,QL (30 per 30 days)
FEMARA 2.5 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
flouxuridine 500 mg vial <b>MO</b>	1	B vs D
fludarabine 50 mg, 50 mg/2 ml vial <b>MO</b>	1	B vs D
fluorouracil 1 gram/20 ml, 2.5 gram/50 ml, 5 gram/100 ml, 500 mg/10 ml vial; fluorouracil 1,000 mg/20 ml v; fluorouracil 2,500 mg/50 ml v; fluorouracil 5,000 mg/100 ml <b>MO</b>	1	B vs D
flutamide 125 mg capsule <b>MO</b>	1	
FOLOTYN 20 MG/ML (1 ML), 40 MG/2 ML (20 MG/ML) INTRAVENOUS SOLUTION <b>DL</b>	4	PA
fulvestrant 250 mg/5 ml syring <b>DL</b>	4	PA,QL (30 per 30 days)
FUSILEV 50 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
GAVRETO 100 MG CAPSULE <b>DL</b>	4	PA,QL (120 per 30 days)
GAZYVA 1,000 MG/40 ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (120 per 28 days)
gemcitabine 1 gram/26.3 ml v; gemcitabine 2 gram/52.6 ml v; gemcitabine 200 mg/5.26 ml v; gemcitabine hcl 1 gram, 1 gram/26.3 ml (38 mg/ml), 2 gram, 2 gram/52.6 ml (38 mg/ml), 200 mg, 200 mg/5.26 ml (38 mg/ml) vial <b>MO</b>	1	B vs D
GEMZAR 1 GRAM, 200 MG VIAL <b>DL</b>	4	PA
GILOTRIF 20 MG, 30 MG, 40 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
GLEEVEC 100 MG TABLET <b>DL</b>	4	PA,QL (90 per 30 days)
GLEEVEC 400 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
HALAVEN 1 MG/2 ML (0.5 MG/ML) INTRAVENOUS SOLUTION <b>DL</b>	4	PA
HERCEPTIN 150 MG, 440 MG INTRAVENOUS SOLUTION; HERCEPTIN 150 MG, 440 MG VIAL <b>DL</b>	4	PA
HERCEPTIN HYLECTA 600 MG-10,000 UNIT/5 ML SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (5 per 21 days)
HERZUMA 150 MG, 420 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
HYCAMTIN 4 MG INTRAVENOUS SOLUTION <b>DL</b>	4	B vs D
HYDREA 500 MG CAPSULE <b>MO</b>	3	
<i>hydroxyurea 500 mg capsule</i> <b>MO</b>	1	
IBRANCE 100 MG, 125 MG, 75 MG CAPSULE <b>DL</b>	4	PA,QL (21 per 28 days)
IBRANCE 100 MG, 125 MG, 75 MG TABLET <b>DL</b>	4	PA,QL (21 per 28 days)
ICLUSIG 15 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
ICLUSIG 45 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
IDAMYCIN PFS 1 MG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	B vs D
<i>idarubicin hcl 20 mg/20 ml vial</i> <b>DL</b>	4	B vs D
IDHIFA 100 MG, 50 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
IFEX 1 GRAM, 3 GRAM INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
<i>ifosfamide 1 gm vial; ifosfamide 1 gm/20 ml vial; ifosfamide 3 gm vial; ifosfamide 3 gm/60 ml vial</i> <b>MO</b>	1	B vs D
<i>imatinib mesylate 100 mg tab</i> <b>DL</b>	4	PA,QL (90 per 30 days)
<i>imatinib mesylate 400 mg tab</i> <b>DL</b>	4	PA,QL (60 per 30 days)
IMBRUVICA 140 MG CAPSULE <b>DL</b>	4	PA,QL (90 per 30 days)
IMBRUVICA 420 MG, 560 MG TABLET <b>DL</b>	4	PA,QL (28 per 28 days)
IMBRUVICA 70 MG CAPSULE <b>DL</b>	4	PA,QL (28 per 28 days)
IMFINZI 50 MG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA
IMLYGIC 10EXP6 (1 MILLION) PFU/ML SUSPENSION FOR INJECTION <b>DL</b>	4	PA,QL (4 per 365 days)
IMLYGIC 10EXP8 (100 MILLION) PFU/ML SUSPENSION FOR INJECTION <b>DL</b>	4	PA,QL (8 per 28 days)
INFUGEM 1,200 MG/120 ML (10 MG/ML), 1,300 MG/130 ML (10 MG/ML), 1,400 MG/140 ML (10 MG/ML), 1,500 MG/150 ML (10 MG/ML), 1,600 MG/160 ML (10 MG/ML), 1,700 MG/170 ML (10 MG/ML), 1,800 MG/180 ML (10 MG/ML), 1,900 MG/190 ML (10 MG/ML), 2,000 MG/200 ML (10 MG/ML), 2,200 MG/220 ML (10 MG/ML) INTRAVENOUS PIGGYBACK <b>DL</b>	4	B vs D
INLYTA 1 MG TABLET <b>DL</b>	4	PA,QL (180 per 30 days)
INLYTA 5 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
INQOVI 35 MG-100 MG TABLET <b>DL</b>	4	PA,QL (5 per 28 days)
INREBIC 100 MG CAPSULE <b>DL</b>	4	PA,QL (120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
IRESSA 250 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
irinotecan hcl 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml, 500 mg/25 ml vial;	1	B vs D
irinotecan hcl 100 mg/5 ml, 300 mg/15 ml, 40 mg/2 ml, 500 mg/25 ml v <sup>l</sup> <b>MO</b>		
ISTODAX 10 MG/2 ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA
IXEMpra 15 MG, 45 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
JAKAFI 10 MG, 15 MG, 20 MG, 25 MG, 5 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
JEVTANA 10 MG/ML (FIRST DILUTION) INTRAVENOUS SOLUTION <b>DL</b>	4	PA
KADCYLA 100 MG, 160 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
KANJINTI 150 MG, 420 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
KEYTRUDA 25 MG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA
KHAPZORY 175 MG, 300 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
KISQALI 200 MG/DAY (200 MG X 1) TABLET <b>DL</b>	4	PA,QL (21 per 28 days)
KISQALI 400 MG/DAY (200 MG X 2) TABLET <b>DL</b>	4	PA,QL (42 per 28 days)
KISQALI 600 MG/DAY (200 MG X 3) TABLET <b>DL</b>	4	PA,QL (63 per 28 days)
KISQALI FEMARA CO-PACK 200 MG/DAY(200 MG X 1)-2.5 MG TABLET <b>DL</b>	4	PA,QL (49 per 28 days)
KISQALI FEMARA CO-PACK 400 MG/DAY(200 MG X 2)-2.5 MG TABLET <b>DL</b>	4	PA,QL (70 per 28 days)
KISQALI FEMARA CO-PACK 600 MG/DAY(200 MG X 3)-2.5 MG TABLET <b>DL</b>	4	PA,QL (91 per 28 days)
KOSELUGO 10 MG CAPSULE <b>DL</b>	4	PA,QL (240 per 30 days)
KOSELUGO 25 MG CAPSULE <b>DL</b>	4	PA,QL (120 per 30 days)
KYPROLIS 10 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (6 per 28 days)
KYPROLIS 30 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (3 per 28 days)
KYPROLIS 60 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (12 per 28 days)
LARTRUVO 500 MG/50 ML VIAL <b>DL</b>	4	PA
LENVIMA 10 MG/DAY (10 MG X 1), 4 MG CAPSULE <b>DL</b>	4	PA,QL (30 per 30 days)
LENVIMA 12 MG/DAY (4 MG X 3), 18 MG/DAY (10 MG X 1-4 MG X2), 24 MG/DAY(10 MG X 2-4 MG X 1) CAPSULE; LENVIMA 18 MG/DAY (10 MG X 1 AND 4 MG X 2) CAPSULE; LENVIMA 24 MG PER DAY (10 MG X 2 AND 4 MG X 1) CAPSULE <b>DL</b>	4	PA,QL (90 per 30 days)
LENVIMA 14 MG/DAY(10 MG X 1-4 MG X 1), 20 MG/DAY (10 MG X 2), 8 MG/DAY (4 MG X 2) CAPSULE <b>DL</b>	4	PA,QL (60 per 30 days)
letrozole 2.5 mg tablet <b>MO</b>	1	QL (30 per 30 days)
leucovorin cal 500 mg/50 ml v <sup>l</sup> ; leucovorin calcium 10 mg/ml, 100 mg, 200 mg, 350 mg, 50 mg, 500 mg vial; leucovorin calcium 10 mg/ml, 100 mg, 200 mg, 350 mg, 50 mg, 500 mg v <sup>l</sup> <b>MO</b>	1	B vs D
leucovorin calcium 10 mg, 15 mg, 25 mg, 5 mg tab <b>MO</b>	1	
LEUKERAN 2 MG TABLET <b>MO</b>	3	
levoleucovorin 10 mg/ml, 175 mg, 50 mg vial; levoleucovorin 175 mg/17.5 ml <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LEVULAN 20 % TOPICAL SOLUTION <b>MO</b>	3	
LIBTAYO 50 MG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (7 per 21 days)
<i>lipodox 2 mg/ml vial</i> <b>DL</b>	4	PA
<i>lipodox 50 2 mg/ml vial</i> <b>DL</b>	4	PA
LONSURF 15 MG-6.14 MG TABLET <b>DL</b>	4	PA,QL (100 per 30 days)
LONSURF 20 MG-8.19 MG TABLET <b>DL</b>	4	PA,QL (80 per 30 days)
LORBRENA 100 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
LORBRENA 25 MG TABLET <b>DL</b>	4	PA,QL (90 per 30 days)
LUMOXITI 1 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
LYNPARZA 100 MG, 150 MG TABLET <b>DL</b>	4	PA,QL (120 per 30 days)
MARQIBO 5 MG/31 ML (0.16 MG/ML) (FINAL CONC.) INTRAVENOUS KIT <b>DL</b>	4	PA
MATULANE 50 MG CAPSULE <b>DL</b>	4	
MEKINIST 0.5 MG TABLET <b>DL</b>	4	PA,QL (120 per 30 days)
MEKINIST 2 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
MEKTOVI 15 MG TABLET <b>DL</b>	4	PA,QL (180 per 30 days)
<i>melphalan 2 mg tablet</i> <b>MO</b>	1	B vs D
<i>melphalan hcl 50 mg vial</i> <b>MO</b>	1	B vs D
<i>mercaptopurine 50 mg tablet</i> <b>MO</b>	1	
<i>mesna 1 gram/10 ml vial</i> <b>MO</b>	1	B vs D
MESNEX 100 MG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	B vs D
MESNEX 400 MG TABLET <b>DL</b>	4	
<i>mitomycin 20 mg, 40 mg, 5 mg vial</i> <b>DL</b>	4	B vs D
<i>mitoxantrone 30 mg/15 ml vial</i> <b>MO</b>	1	B vs D
<i>MUSTARGEN 10 MG VIAL</i> <b>MO</b>	3	B vs D
MUTAMYCIN 20 MG, 40 MG, 5 MG INTRAVENOUS SOLUTION <b>DL</b>	4	B vs D
MVASI 25 MG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA
MYLOTARG 4.5 MG (1 MG/ML INITIAL CONCENTRATION) INTRAVENOUS SOLUTION <b>DL</b>	4	PA
NAVELBINE 10 MG/ML, 50 MG/5 ML INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
NERLYNX 40 MG TABLET <b>DL</b>	4	PA,QL (180 per 30 days)
NEXAVAR 200 MG TABLET <b>DL</b>	4	PA,QL (120 per 30 days)
NILANDRON 150 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
<i>nilutamide 150 mg tablet</i> <b>DL</b>	4	QL (60 per 30 days)
NINLARO 2.3 MG, 3 MG, 4 MG CAPSULE <b>DL</b>	4	PA,QL (3 per 28 days)
NIPENT 10 MG INTRAVENOUS SOLUTION <b>DL</b>	4	B vs D
NUBEQA 300 MG TABLET <b>DL</b>	4	PA,QL (120 per 30 days)
ODOMZO 200 MG CAPSULE <b>DL</b>	4	PA,QL (30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OGIVRI 150 MG, 420 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
ONCASPAR 750 UNIT/ML INJECTION SOLUTION <b>DL</b>	4	PA
ONIVYDE 4.3 MG/ML INTRAVENOUS DISPERSION <b>DL</b>	4	PA
ONTRUZANT 150 MG, 420 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
ONUREG 200 MG, 300 MG TABLET <b>DL</b>	4	PA,QL (14 per 28 days)
OPDIVO 100 MG/10 ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (40 per 28 days)
OPDIVO 240 MG/24 ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (48 per 28 days)
OPDIVO 40 MG/4 ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (16 per 28 days)
oxaliplatin 100 mg, 100 mg/20 ml, 200 mg/40 ml, 50 mg, 50 mg/10 ml (5 mg/ml) vial; oxaliplatin 50 mg/10 ml vial <b>MO</b>	1	B vs D
paclitaxel 100 mg/16.7 ml vial <b>MO</b>	1	B vs D
PADCEV 20 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (21 per 28 days)
PADCEV 30 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (15 per 28 days)
PANRETIN 0.1 % TOPICAL GEL <b>DL</b>	4	
paraplatin 10 mg/ml intravenous solution <b>MO</b>	1	B vs D
PEMAZYRE 13.5 MG, 4.5 MG, 9 MG TABLET <b>DL</b>	4	PA,QL (14 per 21 days)
PERJETA 420 MG/14 ML (30 MG/ML) INTRAVENOUS SOLUTION <b>DL</b>	4	PA
PHESGO 1,200 MG-600 MG-30,000 UNIT/15 ML SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (15 per 21 days)
PHESGO 600 MG-600 MG-20,000 UNIT/10 ML SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (10 per 21 days)
PIQRAY 200 MG/DAY (200 MG X 1) TABLET <b>DL</b>	4	PA,QL (28 per 28 days)
PIQRAY 250 MG/DAY (200 MG X 1-50 MG X 1) TABLET; PIQRAY 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2) TABLET <b>DL</b>	4	PA,QL (56 per 28 days)
POLIVY 140 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (2 per 21 days)
POLIVY 30 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (8 per 21 days)
POMALYST 1 MG, 2 MG, 3 MG, 4 MG CAPSULE <b>DL</b>	4	PA,QL (21 per 28 days)
PORTRAZZA 800 MG/50 ML (16 MG/ML) INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (100 per 21 days)
POTELIGEO 4 MG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA
PROLEUKIN 22 MILLION UNIT INTRAVENOUS SOLUTION <b>DL</b>	4	
PURIXAN 20 MG/ML ORAL SUSPENSION <b>DL</b>	4	QL (300 per 30 days)
QINLOCK 50 MG TABLET <b>DL</b>	4	PA,QL (90 per 30 days)
RETEVMO 40 MG CAPSULE <b>DL</b>	4	PA,QL (180 per 30 days)
RETEVMO 80 MG CAPSULE <b>DL</b>	4	PA,QL (120 per 30 days)
REVLIMID 10 MG, 15 MG, 2.5 MG, 20 MG, 25 MG, 5 MG CAPSULE <b>DL</b>	4	PA,QL (28 per 28 days)
RITUXAN 10 MG/ML CONCENTRATE,INTRAVENOUS <b>DL</b>	4	PA
RITUXAN HYCELA 1,400 MG/11.7 ML (120 MG/ML) SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (46.8 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RITUXAN HYCELA 1,600 MG/13.4 ML (120 MG/ML) SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (13.4 per 28 days)
<i>romidepsin 10 mg kit</i> <b>DL</b>	4	PA
ROMIDEPSIN 27.5 MG/5.5 ML VIAL <b>DL</b>	4	PA
ROZLYTREK 100 MG, 200 MG CAPSULE <b>DL</b>	4	PA,QL (90 per 30 days)
RUBRACA 200 MG, 250 MG, 300 MG TABLET <b>DL</b>	4	PA,QL (120 per 30 days)
RUXIENCE 10 MG/ML CONCENTRATE,INTRAVENOUS <b>DL</b>	4	PA
RYDAPT 25 MG CAPSULE <b>DL</b>	4	PA,QL (224 per 28 days)
SARCLISA 20 MG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (16 per 28 days)
SOLTAMOX 20 MG/10 ML ORAL SOLUTION <b>DL</b>	4	
SPRYCEL 100 MG, 50 MG, 70 MG, 80 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
SPRYCEL 140 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
SPRYCEL 20 MG TABLET <b>DL</b>	4	PA,QL (90 per 30 days)
STIVARGA 40 MG TABLET <b>DL</b>	4	PA,QL (84 per 28 days)
SUTENT 12.5 MG, 25 MG, 37.5 MG, 50 MG CAPSULE <b>DL</b>	4	PA,QL (28 per 28 days)
SYNRIBO 3.5 MG SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (28 per 28 days)
TABLOID 40 MG TABLET <b>MO</b>	3	
TABRECTA 150 MG, 200 MG TABLET <b>DL</b>	4	PA,QL (112 per 28 days)
TAFINLAR 50 MG CAPSULE <b>DL</b>	4	PA,QL (180 per 30 days)
TAFINLAR 75 MG CAPSULE <b>DL</b>	4	PA,QL (120 per 30 days)
TAGRISSO 40 MG, 80 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
TALZENNA 0.25 MG CAPSULE <b>DL</b>	4	PA,QL (90 per 30 days)
TALZENNA 1 MG CAPSULE <b>DL</b>	4	PA,QL (30 per 30 days)
<i>tamoxifen 10 mg, 20 mg tablet</i> <b>MO</b>	1	
TARCEVA 100 MG, 150 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
TARCEVA 25 MG TABLET <b>DL</b>	4	PA,QL (90 per 30 days)
TARGETIN 1 % TOPICAL GEL <b>DL</b>	4	PA
TARGETIN 75 MG CAPSULE <b>DL</b>	4	PA,QL (300 per 30 days)
TASIGNA 150 MG, 200 MG, 50 MG CAPSULE <b>DL</b>	4	PA,QL (120 per 30 days)
TAXOTERE 20 MG/ML (1 ML), 80 MG/4 ML (20 MG/ML) INTRAVENOUS SOLUTION <b>DL</b>	4	B vs D
TAZVERIK 200 MG TABLET <b>DL</b>	4	PA,QL (240 per 30 days)
TECENTRIQ 1,200 MG/20 ML (60 MG/ML) INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (20 per 21 days)
TECENTRIQ 840 MG/14 ML (60 MG/ML) INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (28 per 28 days)
TEMODAR 100 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (27 per 30 days)
<i>temsirolimus 25 mg vial</i> <b>DL</b>	4	PA,QL (8 per 28 days)
<i>teniposide 50 mg/5 ml ampule</i> <b>MO</b>	1	B vs D

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
THALOMID 100 MG, 200 MG, 50 MG CAPSULE <b>DL</b>	4	PA,QL (30 per 30 days)
THALOMID 150 MG CAPSULE <b>DL</b>	4	PA,QL (60 per 30 days)
thiotepa 100 mg vial <b>DL</b>	4	B vs D
thiotepa 15 mg vial <b>MO</b>	1	B vs D
TIBSOVO 250 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
toposar 20 mg/ml intravenous solution <b>MO</b>	1	B vs D
topotecan hcl 1 mg/ml (1 ml), 4 mg, 4 mg/4 ml (1 mg/ml) vial; topotecan hcl 1 mg/ml vial; topotecan hcl 4 mg/4 ml vial <b>DL</b>	4	B vs D
toremifene citrate 60 mg tab <b>DL</b>	4	QL (30 per 30 days)
TORISEL 30 MG/3 ML (10 MG/ML) (FIRST DILUTION) INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (8 per 28 days)
TOTECT 500 MG INTRAVENOUS SOLUTION <b>DL</b>	4	B vs D
TRAZIMERA 420 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
TREANDA 100 MG, 25 MG INTRAVENOUS POWDER FOR SOLUTION <b>DL</b>	4	PA
tretinoin 10 mg capsule <b>DL</b>	4	
TRISENOX 2 MG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA
TRUXIMA 10 MG/ML CONCENTRATE,INTRAVENOUS <b>DL</b>	4	PA
TUKYSA 150 MG TABLET <b>DL</b>	4	PA,QL (120 per 30 days)
TUKYSA 50 MG TABLET <b>DL</b>	4	PA,QL (300 per 30 days)
TURALIO 200 MG CAPSULE <b>DL</b>	4	PA,QL (120 per 30 days)
TYKERB 250 MG TABLET <b>DL</b>	4	PA,QL (180 per 30 days)
UNITUXIN 3.5 MG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA
VALCHLOR 0.016 % TOPICAL GEL <b>DL</b>	4	PA,QL (60 per 28 days)
valrubicin 200 mg/5 ml vial <b>DL</b>	4	PA,QL (80 per 28 days)
VALSTAR 40 MG/ML INTRAVESICAL SOLUTION <b>DL</b>	4	PA,QL (80 per 28 days)
VECTIBIX 100 MG/5 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML) INTRAVENOUS SOLUTION <b>DL</b>	4	PA
VELCADE 3.5 MG SOLUTION FOR INJECTION <b>DL</b>	4	PA
VENCLEXTA 10 MG TABLET <b>MO</b>	2	PA,QL (56 per 28 days)
VENCLEXTA 100 MG TABLET <b>DL</b>	4	PA,QL (180 per 30 days)
VENCLEXTA 50 MG TABLET <b>MO</b>	2	PA,QL (28 per 28 days)
VENCLEXTA STARTING PACK 10 MG-50 MG-100 MG TABLETS IN A DOSE PACK <b>DL</b>	4	PA,QL (42 per 28 days)
VERZENIO 100 MG, 150 MG, 200 MG, 50 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
VIDAZA 100 MG SOLUTION FOR INJECTION <b>DL</b>	4	PA
vinblastine 1 mg/ml vial <b>MO</b>	1	B vs D
vincasar pfs 1 mg/ml, 2 mg/2 ml intravenous solution <b>MO</b>	1	B vs D

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
vincristine 1 mg/ml, 2 mg/2 ml vial <b>MO</b>	1	B vs D
vinorelbine 10 mg/ml, 50 mg/5 ml vial <b>MO</b>	1	B vs D
VISTOGARD 10 GRAM ORAL GRANULES IN PACKET <b>DL</b>	4	QL (20 per 365 days)
VITRAKVI 100 MG CAPSULE <b>DL</b>	4	PA,QL (60 per 30 days)
VITRAKVI 20 MG/ML ORAL SOLUTION <b>DL</b>	4	PA,QL (300 per 30 days)
VITRAKVI 25 MG CAPSULE <b>DL</b>	4	PA,QL (180 per 30 days)
VIZIMPRO 15 MG, 30 MG, 45 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
VOTRIENT 200 MG TABLET <b>DL</b>	4	PA,QL (120 per 30 days)
VYXEOS 44 MG-100 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
XALKORI 200 MG, 250 MG CAPSULE <b>DL</b>	4	PA,QL (60 per 30 days)
XOSPATA 40 MG TABLET <b>DL</b>	4	PA,QL (90 per 30 days)
XPOVIO 100 MG/WEEK (20 MG X 5) TABLET <b>DL</b>	4	PA,QL (20 per 28 days)
XPOVIO 40 MG TWICE WEEKLY (80 MG/WEEK) (20 MG X 4) TABLET; XPOVIO 40MG TWICE WEEK (80 MG/WEEK), 80 MG/WEEK (20 MG X 4) TABLET <b>DL</b>	4	PA,QL (16 per 28 days)
XPOVIO 40 MG/WEEK (20 MG X 2) TABLET <b>DL</b>	4	PA,QL (8 per 28 days)
XPOVIO 60 MG TWICE WEEKLY (120 MG/WEEK) (20 MG X 6) TABLET <b>DL</b>	4	PA,QL (24 per 28 days)
XPOVIO 60 MG/WEEK (20 MG X 3) TABLET <b>DL</b>	4	PA,QL (12 per 28 days)
XPOVIO 80 MG TWICE WEEKLY (160 MG/WEEK) (20 MG X 8) TABLET <b>DL</b>	4	PA,QL (32 per 28 days)
XTANDI 40 MG CAPSULE <b>DL</b>	4	PA,QL (120 per 30 days)
YEROVY 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML) INTRAVENOUS SOLUTION <b>DL</b>	4	PA
YONDELIS 1 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
YONSA 125 MG TABLET <b>DL</b>	4	PA,QL (120 per 30 days)
ZALTRAP 100 MG/4 ML (25 MG/ML), 200 MG/8 ML (25 MG/ML) INTRAVENOUS SOLUTION <b>DL</b>	4	PA
ZANOSAR 1 GRAM INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
ZEJULA 100 MG CAPSULE <b>DL</b>	4	PA,QL (90 per 30 days)
ZELBORAF 240 MG TABLET <b>DL</b>	4	PA,QL (240 per 30 days)
ZEPZELCA 4 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
ZINECARD 250 MG, 500 MG VIAL <b>DL</b>	4	B vs D
ZIRABEV 25 MG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA
ZOLINZA 100 MG CAPSULE <b>DL</b>	4	PA,QL (120 per 30 days)
ZYDELIG 100 MG, 150 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
ZYKADIA 150 MG CAPSULE <b>DL</b>	4	PA,QL (150 per 30 days)
ZYKADIA 150 MG TABLET <b>DL</b>	4	PA,QL (150 per 30 days)
ZYTIGA 250 MG TABLET <b>DL</b>	4	PA,QL (120 per 30 days)
ZYTIGA 500 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Antiparasitics</b>		
albendazole 200 mg tablet <b>DL</b>	4	
ALBENZA 200 MG TABLET <b>DL</b>	4	
ALINIA 100 MG/5 ML ORAL SUSPENSION <b>DL</b>	4	QL (150 per 30 days)
ALINIA 500 MG TABLET <b>DL</b>	4	QL (40 per 30 days)
atovaquone 750 mg/5 ml susp <b>DL</b>	4	
atovaquone-proguanil 250-100; atovaquone-proguanil 62.5-25 <b>MO</b>	1	
benznidazole 100 mg tablet <b>MO</b>	3	QL (240 per 365 days)
benznidazole 12.5 mg tablet <b>MO</b>	3	QL (720 per 365 days)
BILTRICIDE 600 MG TABLET <b>DL</b>	4	PA
chloroquine ph 250 mg, 500 mg tablet <b>MO</b>	1	
COARTEM 20 MG-120 MG TABLET <b>MO</b>	3	QL (24 per 30 days)
DARAPRIM 25 MG TABLET <b>DL</b>	4	PA,QL (90 per 30 days)
EGATEN 250 MG TABLET <b>MO</b>	3	
emverm 100 mg chewable tablet <b>DL</b>	4	
hydroxychloroquine 200 mg tab <b>MO</b>	1	
IMPAVIDO 50 MG CAPSULE <b>DL</b>	4	QL (84 per 28 days)
ivermectin 3 mg tablet <b>MO</b>	1	
KRINTAFEL 150 MG TABLET <b>MO</b>	2	QL (4 per 180 days)
LAMPIT 120 MG, 30 MG TABLET <b>MO</b>	3	
MALARONE 250 MG-100 MG TABLET <b>MO</b>	3	PA
MALARONE PEDIATRIC 62.5 MG-25 MG TABLET <b>MO</b>	3	PA
mefloquine hcl 250 mg tablet <b>MO</b>	1	
MEPRON 750 MG/5 ML ORAL SUSPENSION <b>DL</b>	4	
NEBUPENT 300 MG SOLUTION FOR INHALATION <b>MO</b>	3	B vs D
PENTAM 300 MG SOLUTION FOR INJECTION <b>MO</b>	3	
pentamidine 300 mg inhal powdr <b>MO</b>	1	B vs D
pentamidine 300 mg vial <b>MO</b>	1	
PLAQUENIL 200 MG TABLET <b>MO</b>	3	PA
praziquantel 600 mg tablet <b>MO</b>	1	
primaquine 26.3 mg tablet <b>MO</b>	1	
pyrimethamine 25 mg tablet <b>DL</b>	4	QL (90 per 30 days)
QUALAQUIN 324 MG CAPSULE <b>MO</b>	3	PA,QL (42 per 7 days)
quinine sulfate 324 mg capsule <b>MO</b>	1	PA,QL (42 per 7 days)
SKLICE 0.5 % LOTION <b>MO</b>	3	QL (117 per 30 days)
STROMECTOL 3 MG TABLET <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Antiparkinson Agents</b>		
amantadine 100 mg capsule <b>MO</b>	1	
amantadine 100 mg tablet <b>MO</b>	1	
amantadine 50 mg/5 ml solution <b>MO</b>	1	
APOKYN 10 MG/ML SUBCUTANEOUS CARTRIDGE <b>DL</b>	4	PA,QL (84 per 28 days)
AZILECT 0.5 MG, 1 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
benztropine 2 mg/2 ml ampule <b>MO</b>	1	
benztropine mes 0.5 mg, 1 mg, 2 mg tab; benztropine mes 0.5 mg, 1 mg, 2 mg tablet <b>MO</b>	1	
bromocriptine 2.5 mg tablet <b>MO</b>	1	
bromocriptine 5 mg capsule <b>MO</b>	1	QL (600 per 30 days)
carbidopa 25 mg tablet <b>MO</b>	1	
carbidopa-levo 10-100 mg, 25-100 mg, 25-250 mg odt; carbidopa-levodopa 10-100 tab; carbidopa-levodopa 25-100 tab; carbidopa-levodopa 25-250 tab <b>MO</b>	1	
carbidopa-levo er 25-100 tab; carbidopa-levo er 50-200 tab <b>MO</b>	1	
carbidopa-levodopa 100 mg-enta; carbidopa-levodopa 125 mg-enta; carbidopa-levodopa 150 mg-enta; carbidopa-levodopa 50 mg-enta; carbidopa-levodopa 75 mg-enta <b>MO</b>	1	QL (240 per 30 days)
carbidopa-levodopa 200 mg-enta <b>MO</b>	1	
COGENTIN 1 MG/ML INJECTION SOLUTION <b>MO</b>	3	
COMTAN 200 MG TABLET <b>DL</b>	4	PA,QL (300 per 30 days)
DUOPA 4.63 MG-20 MG/ML SUSPENSION IN J-TUBE PUMP <b>DL</b>	4	PA,QL (2800 per 28 days)
entacapone 200 mg tablet <b>MO</b>	1	QL (300 per 30 days)
GOCOVRI 137 MG CAPSULE, EXTENDED RELEASE <b>DL</b>	4	PA,QL (60 per 30 days)
GOCOVRI 68.5 MG CAPSULE, EXTENDED RELEASE <b>DL</b>	4	PA,QL (30 per 30 days)
INBRIJA 42 MG CAPSULE WITH INHALATION DEVICE; INBRIJA 42 MG CAPSULES FOR INHALATION <b>DL</b>	4	PA,QL (300 per 30 days)
KYNMOBI 10 MG, 10-15-20-25-30 MG, 15 MG, 20 MG, 25 MG, 30 MG SUBLINGUAL FILM; KYNMOBI 10 MG-15 MG-20 MG-25 MG-30 MG SUBLINGUAL FILM <b>DL</b>	4	PA,QL (150 per 30 days)
LODOSYN 25 MG TABLET <b>DL</b>	4	PA
MIRAPEX 0.125 MG, 0.25 MG, 0.5 MG, 0.75 MG, 1 MG, 1.5 MG TABLET <b>MO</b>	3	ST
MIRAPEX ER 0.375 MG, 0.75 MG, 1.5 MG, 2.25 MG, 3 MG, 3.75 MG, 4.5 MG TABLET, EXTENDED RELEASE <b>DL</b>	4	ST,QL (30 per 30 days)
NEUPRO 1 MG/24 HOUR, 2 MG/24 HOUR, 3 MG/24 HOUR, 4 MG/24 HOUR, 6 MG/24 HOUR, 8 MG/24 HOUR TRANSDERMAL 24 HOUR PATCH <b>MO</b>	3	QL (30 per 30 days)
NOURIANZ 20 MG, 40 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ONGENTYS 50 MG CAPSULE <b>MO</b>	3	PA,QL (30 per 30 days)
OSMOLEX ER 129 MG, 193 MG, 258 MG TABLET, EXTENDED RELEASE <b>MO</b>	3	PA,QL (30 per 30 days)
OSMOLEX ER 322 MG/DAY (129 MG AND 193 MG) TABLET, EXTENDED RELEASE <b>MO</b>	3	PA,QL (60 per 30 days)
PARLODEL 2.5 MG TABLET <b>MO</b>	3	PA
PARLODEL 5 MG CAPSULE <b>MO</b>	3	PA,QL (600 per 30 days)
<i>pramipexole 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg tablet <b>MO</b></i>	1	
<i>pramipexole er 0.375 mg, 0.75 mg, 1.5 mg, 2.25 mg, 3 mg, 3.75 mg, 4.5 mg tablet <b>MO</b></i>	1	ST,QL (30 per 30 days)
<i>rasagiline mesylate 0.5 mg, 1 mg tab <b>MO</b></i>	1	QL (30 per 30 days)
REQUIP 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG, 5 MG TABLET <b>MO</b>	3	ST
REQUIP XL 12 MG, 2 MG, 4 MG, 6 MG, 8 MG TABLET; REQUIP XL 12 MG, 2 MG, 4 MG, 6 MG, 8 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	ST,QL (90 per 30 days)
<i>ropinirole hcl 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg tablet <b>MO</b></i>	1	
<i>ropinirole hcl er 12 mg, 2 mg, 4 mg, 6 mg, 8 mg tablet <b>MO</b></i>	1	ST,QL (90 per 30 days)
RYTARY 23.75 MG-95 MG CAPSULE,EXTENDED RELEASE; RYTARY 48.75 MG-195 MG CAPSULE,EXTENDED RELEASE <b>MO</b>	3	ST,QL (360 per 30 days)
RYTARY 36.25 MG-145 MG CAPSULE,EXTENDED RELEASE <b>MO</b>	3	ST,QL (270 per 30 days)
RYTARY 61.25 MG-245 MG CAPSULE,EXTENDED RELEASE <b>MO</b>	3	ST,QL (300 per 30 days)
<i>selegiline hcl 5 mg capsule <b>MO</b></i>	1	
<i>selegiline hcl 5 mg tablet <b>MO</b></i>	1	
SINEMET 10 MG-100 MG TABLET; SINEMET 25 MG-100 MG TABLET; SINEMET 25 MG-250 MG TABLET <b>MO</b>	3	PA
SINEMET CR 25-100 TABLET; SINEMET CR 50-200 TABLET <b>MO</b>	3	PA
STALEVO 100 25 MG-100 MG-200 MG TABLET <b>DL</b>	4	PA,QL (240 per 30 days)
STALEVO 125 31.25 MG-125 MG-200 MG TABLET <b>DL</b>	4	PA,QL (240 per 30 days)
STALEVO 150 37.5 MG-150 MG-200 MG TABLET <b>DL</b>	4	PA,QL (240 per 30 days)
STALEVO 200 50 MG-200 MG-200 MG TABLET <b>DL</b>	4	PA
STALEVO 50 12.5 MG-50 MG-200 MG TABLET <b>DL</b>	4	PA,QL (240 per 30 days)
STALEVO 75 18.75 MG-75 MG-200 MG TABLET <b>DL</b>	4	PA,QL (240 per 30 days)
TASMAR 100 MG TABLET <b>DL</b>	4	PA
<i>tolcapone 100 mg tablet <b>DL</b></i>	4	PA
<i>trihexyphenidyl 2 mg, 5 mg tablet <b>MO</b></i>	1	
<i>trihexyphenidyl 2 mg/5 ml elx <b>MO</b></i>	1	
XADAGO 100 MG, 50 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
ZELAPAR 1.25 MG DISINTEGRATING TABLET <b>DL</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Antipsychotics</b>		
ABILIFY 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET <b>DL</b>	4	PA
ABILIFY MAINTENA 300 MG, 400 MG INTRAMUSCULAR SUSPENSION,EXTENDED RELEASE <b>DL</b>	4	QL (1 per 28 days)
ABILIFY MAINTENA 300 MG, 400 MG SUSPENSION,EXTENDED REL. INTRAMUSCULAR SYRINGE <b>DL</b>	4	QL (1 per 28 days)
ABILIFY MYCITE 10 MG, 15 MG, 2 MG, 20 MG, 30 MG, 5 MG TABLET WITH SENSOR AND PATCH <b>DL</b>	4	PA,QL (30 per 30 days)
ariPIPRAZOLE 1 mg/ml solution <b>DL</b>	4	QL (750 per 30 days)
ariPIPRAZOLE 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg tablet <b>MO</b>	1	
ariPIPRAZOLE odt 10 mg, 15 mg tablet <b>DL</b>	4	QL (60 per 30 days)
ARISTADA 1,064 MG/3.9 ML SUSPENSION, EXTEND.REL. IM SYRINGE <b>MO</b>	4	QL (3.9 per 56 days)
ARISTADA 441 MG/1.6 ML SUSPENSION, EXTEND.REL. IM SYRINGE <b>DL</b>	4	QL (1.6 per 28 days)
ARISTADA 662 MG/2.4 ML SUSPENSION, EXTEND.REL. IM SYRINGE <b>DL</b>	4	QL (2.4 per 28 days)
ARISTADA 882 MG/3.2 ML SUSPENSION, EXTEND.REL. IM SYRINGE <b>DL</b>	4	QL (3.2 per 28 days)
ARISTADA INITIO 675 MG/2.4 ML SUSPENSION, EXTEND.REL. IM SYRINGE <b>DL</b>	4	QL (2.4 per 42 days)
CAPLYTA 42 MG CAPSULE <b>DL</b>	4	PA,QL (30 per 30 days)
chlorpromazine 10 mg, 25 mg tablet <b>MO</b>	1	B vs D
chlorpromazine 100 mg, 200 mg, 50 mg tablet <b>MO</b>	1	
chlorpromazine 25 mg/ml amp <b>MO</b>	1	
clozapine 100 mg tablet <b>MO</b>	1	QL (270 per 30 days)
clozapine 200 mg tablet <b>MO</b>	1	QL (135 per 30 days)
clozapine 25 mg tablet <b>MO</b>	1	QL (1080 per 30 days)
clozapine 50 mg tablet <b>MO</b>	1	
clozapine odt 100 mg tablet <b>MO</b>	1	PA,QL (270 per 30 days)
clozapine odt 12.5 mg tablet <b>MO</b>	1	PA
clozapine odt 150 mg tablet <b>MO</b>	1	PA,QL (180 per 30 days)
clozapine odt 200 mg tablet <b>MO</b>	1	PA,QL (135 per 30 days)
clozapine odt 25 mg tablet <b>MO</b>	1	PA,QL (1080 per 30 days)
CLOZARIL 100 MG TABLET <b>DL</b>	4	QL (270 per 30 days)
CLOZARIL 200 MG TABLET <b>DL</b>	4	QL (135 per 30 days)
CLOZARIL 25 MG TABLET <b>DL</b>	4	QL (1080 per 30 days)
CLOZARIL 50 MG TABLET <b>DL</b>	4	
droperidol 5 mg/2 ml vial <b>MO</b>	1	
FANAPT 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
FANAPT 1MG(2)-2 MG(2)-4MG(2)-6 MG(2) TABLETS IN A DOSE PACK <b>DL</b>	3	PA,QL (60 per 30 days)
FAZACLO 100 MG ODT <b>DL</b>	4	PA,QL (270 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FAZACLO 12.5 MG ODT <b>DL</b>	4	PA
FAZACLO 150 MG ODT <b>DL</b>	4	PA,QL (180 per 30 days)
FAZACLO 200 MG ODT <b>DL</b>	4	PA,QL (135 per 30 days)
FAZACLO 25 MG ODT <b>DL</b>	4	PA,QL (1080 per 30 days)
fluphenazine dec 125 mg/5 ml <b>MO</b>	1	
fluphenazine 1 mg, 10 mg, 2.5 mg, 5 mg tablet <b>MO</b>	1	
fluphenazine 2.5 mg/5 ml elix <b>MO</b>	1	
fluphenazine 2.5 mg/ml vial <b>MO</b>	1	
fluphenazine 5 mg/ml conc <b>MO</b>	1	
GEODON 20 MG, 40 MG, 60 MG, 80 MG CAPSULE <b>DL</b>	4	PA
GEODON 20 MG/ML (FINAL CONCENTRATION) INTRAMUSCULAR SOLUTION <b>MO</b>	3	PA
HALDOL 5 MG/ML INJECTION SOLUTION <b>MO</b>	3	
HALDOL DECANOATE 100 MG/ML, 50 MG/ML INTRAMUSCULAR SOLUTION <b>MO</b>	3	PA
haloperidol 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg tablet <b>MO</b>	1	
haloperidol dec 100 mg/ml, 50 mg/ml amp; haloperidol decan 100 mg/ml, 50 mg/ml amp <b>MO</b>	1	
haloperidol lac 2 mg/ml conc <b>MO</b>	1	
haloperidol lac 5 mg/ml syring <b>MO</b>	1	
haloperidol lac 5 mg/ml vial <b>MO</b>	1	
INVEGA 1.5 MG, 3 MG, 9 MG TABLET,EXTENDED RELEASE <b>DL</b>	4	PA,QL (30 per 30 days)
INVEGA 6 MG TABLET,EXTENDED RELEASE <b>DL</b>	4	PA,QL (60 per 30 days)
INVEGA SUSTENNA 117 MG/0.75 ML, 234 MG/1.5 ML, 78 MG/0.5 ML INTRAMUSCULAR SYRINGE <b>DL</b>	4	QL (1.5 per 28 days)
INVEGA SUSTENNA 156 MG/ML INTRAMUSCULAR SYRINGE <b>DL</b>	4	QL (1 per 28 days)
INVEGA SUSTENNA 39 MG/0.25 ML INTRAMUSCULAR SYRINGE <b>MO</b>	3	QL (1.5 per 28 days)
INVEGA TRINZA 273 MG/0.875 ML INTRAMUSCULAR SYRINGE <b>MO</b>	4	QL (0.87 per 90 days)
INVEGA TRINZA 410 MG/1.315 ML INTRAMUSCULAR SYRINGE <b>MO</b>	4	QL (1.31 per 90 days)
INVEGA TRINZA 546 MG/1.75 ML INTRAMUSCULAR SYRINGE <b>MO</b>	4	QL (1.75 per 90 days)
INVEGA TRINZA 819 MG/2.625 ML INTRAMUSCULAR SYRINGE <b>MO</b>	4	QL (2.62 per 90 days)
LATUDA 120 MG, 20 MG, 40 MG, 60 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
LATUDA 80 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
loxapine 10 mg, 25 mg, 5 mg, 50 mg capsule <b>MO</b>	1	
molindone hcl 10 mg tablet <b>MO</b>	1	PA,QL (240 per 30 days)
molindone hcl 25 mg tablet <b>MO</b>	1	PA,QL (270 per 30 days)
molindone hcl 5 mg tablet <b>MO</b>	1	PA,QL (360 per 30 days)
NUPLAZID 10 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NUPLAZID 17 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
NUPLAZID 34 MG CAPSULE <b>DL</b>	4	PA,QL (30 per 30 days)
olanzapine 10 mg vial <b>MO</b>	1	
olanzapine 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg tablet <b>MO</b>	1	
olanzapine odt 10 mg, 5 mg tablet <b>MO</b>	1	QL (30 per 30 days)
olanzapine odt 15 mg, 20 mg tablet <b>MO</b>	1	QL (60 per 30 days)
ORAP 2 MG TABLET <b>MO</b>	3	
paliperidone er 1.5 mg, 3 mg, 9 mg tablet <b>MO</b>	1	QL (30 per 30 days)
paliperidone er 6 mg tablet <b>MO</b>	1	QL (60 per 30 days)
perphenazine 16 mg, 2 mg, 4 mg, 8 mg tablet <b>MO</b>	1	
PERSERIS 120 MG, 90 MG ABDOMINAL SUBCUTANEOUS EXTEND RELEASE SUSP SYRINGE KIT <b>DL</b>	4	QL (1 per 28 days)
pimozide 1 mg, 2 mg tablet <b>MO</b>	1	
quetiapine er 150 mg tablet <b>MO</b>	1	QL (90 per 30 days)
quetiapine er 200 mg tablet <b>MO</b>	1	QL (30 per 30 days)
quetiapine er 300 mg, 400 mg tablet <b>MO</b>	1	QL (60 per 30 days)
quetiapine er 50 mg tablet <b>MO</b>	1	QL (120 per 30 days)
quetiapine fumarate 100 mg tab <b>MO</b>	1	QL (90 per 30 days)
quetiapine fumarate 200 mg, 25 mg, 50 mg tab <b>MO</b>	1	QL (120 per 30 days)
quetiapine fumarate 300 mg, 400 mg tab <b>MO</b>	1	QL (60 per 30 days)
REXULTI 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
RISPERDAL 0.25 MG, 1 MG, 2 MG, 3 MG, 4 MG TABLET <b>DL</b>	4	QL (60 per 30 days)
RISPERDAL 0.5 MG TABLET <b>DL</b>	4	QL (120 per 30 days)
RISPERDAL 1 MG/ML ORAL SOLUTION <b>DL</b>	4	
RISPERDAL CONSTA 12.5 MG/2 ML, 25 MG/2 ML INTRAMUSCULAR SUSP,EXTENDED RELEASE <b>MO</b>	3	QL (2 per 28 days)
RISPERDAL CONSTA 37.5 MG/2 ML, 50 MG/2 ML INTRAMUSCULAR SUSP,EXTENDED RELEASE <b>DL</b>	4	QL (2 per 28 days)
risperidone 0.25 mg, 1 mg, 2 mg, 3 mg, 4 mg odt; risperidone 0.25 mg, 1 mg, 2 mg, 3 mg, 4 mg tablet <b>MO</b>	1	QL (60 per 30 days)
risperidone 0.5 mg odt; risperidone 0.5 mg tablet <b>MO</b>	1	QL (120 per 30 days)
risperidone 1 mg/ml solution <b>MO</b>	1	
SAPHRIS 10 MG, 2.5 MG, 5 MG SUBLINGUAL TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
SECUADO 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR TRANSDERMAL 24 HOUR PATCH <b>DL</b>	4	PA,QL (30 per 30 days)
SEROQUEL 100 MG TABLET <b>MO</b>	3	QL (90 per 30 days)
SEROQUEL 200 MG, 25 MG, 50 MG TABLET <b>MO</b>	3	QL (120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SEROQUEL 300 MG, 400 MG TABLET <b>MO</b>	3	QL (60 per 30 days)
SEROQUEL XR 150 MG TABLET, EXTENDED RELEASE <b>MO</b>	3	PA, QL (90 per 30 days)
SEROQUEL XR 200 MG TABLET, EXTENDED RELEASE <b>MO</b>	3	PA, QL (30 per 30 days)
SEROQUEL XR 300 MG, 400 MG TABLET, EXTENDED RELEASE <b>MO</b>	3	PA, QL (60 per 30 days)
SEROQUEL XR 50 MG TABLET, EXTENDED RELEASE <b>MO</b>	3	PA, QL (120 per 30 days)
SEROQUEL XR 50 MG(3)-200 MG(1)-300 MG(11) TABLET, ER 24 HR DOSE PACK <b>MO</b>	3	PA, QL (15 per 30 days)
thioridazine 10 mg, 100 mg, 25 mg, 50 mg tablet <b>MO</b>	1	
thiothixene 1 mg, 10 mg, 2 mg, 5 mg capsule <b>MO</b>	1	
trifluoperazine 1 mg, 10 mg, 2 mg, 5 mg tablet <b>MO</b>	1	
VERSACLOZ 50 MG/ML ORAL SUSPENSION <b>DL</b>	4	PA, QL (540 per 30 days)
VRAYLAR 1.5 MG (1)-3 MG (6) CAPSULES IN A DOSE PACK <b>MO</b>	3	PA
VRAYLAR 1.5 MG, 3 MG, 4.5 MG, 6 MG CAPSULE <b>DL</b>	4	PA, QL (30 per 30 days)
ziprasidone hcl 20 mg, 40 mg, 60 mg, 80 mg capsule <b>MO</b>	1	
ziprasidone 20 mg/ml vial <b>MO</b>	1	
ZYPREXA 10 MG INTRAMUSCULAR SOLUTION <b>MO</b>	3	
ZYPREXA 10 MG, 15 MG, 2.5 MG, 20 MG, 5 MG, 7.5 MG TABLET <b>DL</b>	4	
ZYPREXA RELPREVV 210 MG INTRAMUSCULAR SUSPENSION <b>DL</b>	4	QL (4 per 28 days)
ZYPREXA RELPREVV 300 MG INTRAMUSCULAR SUSPENSION <b>DL</b>	4	QL (2 per 28 days)
ZYPREXA RELPREVV 405 MG INTRAMUSCULAR SUSPENSION <b>DL</b>	4	QL (1 per 28 days)
ZYPREXA ZYDIS 10 MG, 5 MG DISINTEGRATING TABLET <b>DL</b>	4	QL (30 per 30 days)
ZYPREXA ZYDIS 15 MG, 20 MG DISINTEGRATING TABLET <b>DL</b>	4	QL (60 per 30 days)
<b>Antispasticity Agents</b>		
baclofen 10 mg, 20 mg tablet <b>MO</b>	1	
baclofen 5 mg tablet <b>MO</b>	1	QL (90 per 30 days)
DANTRIUM 20 MG INTRAVENOUS SOLUTION <b>MO</b>	3	
DANTRIUM 25 MG, 50 MG CAPSULE <b>MO</b>	3	
dantrolene sodium 100 mg, 25 mg, 50 mg cap <b>MO</b>	1	
dantrolene sodium 20 mg vial <b>MO</b>	1	
revonto 20 mg intravenous solution <b>MO</b>	1	
tizanidine hcl 2 mg, 4 mg tablet <b>MO</b>	1	
tizanidine hcl 2 mg, 4 mg, 6 mg capsule <b>MO</b>	1	ST
ZANAFLEX 2 MG, 4 MG, 6 MG CAPSULE <b>MO</b>	3	ST
ZANAFLEX 4 MG TABLET <b>MO</b>	3	ST
<b>Antivirals</b>		
abacavir 20 mg/ml solution <b>MO</b>	1	QL (960 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
abacavir 300 mg tablet <b>MO</b>	1	QL (60 per 30 days)
abacavir-lamivudine 600-300 mg <b>MO</b>	1	QL (30 per 30 days)
abacavir-lamivudine-zidov tab <b>DL</b>	4	QL (60 per 30 days)
acyclovir 200 mg capsule <b>MO</b>	1	
acyclovir 200 mg/5 ml susp <b>MO</b>	1	
acyclovir 400 mg, 800 mg tablet <b>MO</b>	1	
acyclovir 5% cream <b>DL</b>	4	PA,QL (5 per 30 days)
acyclovir 5% ointment <b>MO</b>	1	PA,QL (30 per 30 days)
acyclovir 1,000 mg/20 ml vial; acyclovir sodium 1 gm vial; acyclovir sodium 1,000 mg, 50 mg/ml, 500 mg vial <b>MO</b>	1	B vs D
adefovir dipivoxil 10 mg tab <b>DL</b>	4	
APTIVUS 250 MG CAPSULE <b>DL</b>	4	QL (120 per 30 days)
APTIVUS (WITH VITAMIN E) 100 MG/ML ORAL SOLUTION <b>DL</b>	4	QL (285 per 28 days)
atazanavir sulfate 150 mg, 200 mg cap <b>MO</b>	1	QL (60 per 30 days)
atazanavir sulfate 300 mg cap <b>MO</b>	1	QL (30 per 30 days)
ATRIPLA 600 MG-200 MG-300 MG TABLET <b>DL</b>	4	QL (30 per 30 days)
BARACLUDE 0.05 MG/ML ORAL SOLUTION <b>MO</b>	3	QL (630 per 30 days)
BARACLUDE 0.5 MG, 1 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
BIKTARVY 50 MG-200 MG-25 MG TABLET <b>DL</b>	4	QL (30 per 30 days)
cidofovir 375 mg/5 ml vial <b>MO</b>	1	
CIMDUO 300 MG-300 MG TABLET <b>DL</b>	4	QL (30 per 30 days)
COMBIVIR 150 MG-300 MG TABLET <b>DL</b>	4	QL (60 per 30 days)
COMPLERA 200 MG-25 MG-300 MG TABLET <b>DL</b>	4	QL (30 per 30 days)
CRIXIVAN 200 MG CAPSULE <b>MO</b>	2	QL (450 per 30 days)
CRIXIVAN 400 MG CAPSULE <b>MO</b>	3	QL (270 per 30 days)
CYTOVENE 500 MG INTRAVENOUS SOLUTION <b>DL</b>	4	B vs D
DAKLINZA 30 MG, 60 MG, 90 MG TABLET <b>DL</b>	4	PA,QL (28 per 28 days)
DELSTRIGO 100 MG-300 MG-300 MG TABLET <b>DL</b>	4	QL (30 per 30 days)
DENAVIR 1 % TOPICAL CREAM <b>DL</b>	4	PA
DESCOZY 200 MG-25 MG TABLET <b>DL</b>	4	QL (30 per 30 days)
didanosine dr 125 mg capsule <b>MO</b>	1	QL (90 per 30 days)
didanosine dr 200 mg capsule <b>MO</b>	1	QL (60 per 30 days)
didanosine dr 250 mg, 400 mg capsule <b>MO</b>	1	QL (30 per 30 days)
DOVATO 50 MG-300 MG TABLET <b>DL</b>	4	QL (30 per 30 days)
EDURANT 25 MG TABLET <b>DL</b>	4	QL (30 per 30 days)
efavirenz 200 mg capsule <b>MO</b>	1	QL (120 per 30 days)
efavirenz 50 mg capsule <b>MO</b>	1	QL (480 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
efavirenz 600 mg tablet <b>MO</b>	1	QL (30 per 30 days)
efavir-lamiv-tenof 400-300-300; efavir-lamiv-tenof 600-300-300 <b>DL</b>	4	QL (30 per 30 days)
emtricitabine 200 mg capsule <b>MO</b>	1	QL (30 per 30 days)
EMTRIVA 10 MG/ML ORAL SOLUTION <b>MO</b>	3	QL (680 per 28 days)
EMTRIVA 200 MG CAPSULE <b>MO</b>	3	QL (30 per 30 days)
entecavir 0.5 mg, 1 mg tablet <b>MO</b>	1	QL (30 per 30 days)
EPCLUSA 400 MG-100 MG TABLET <b>DL</b>	4	PA,QL (28 per 28 days)
EPIVIR 10 MG/ML ORAL SOLUTION <b>MO</b>	3	QL (900 per 30 days)
EPIVIR 150 MG TABLET <b>MO</b>	3	QL (60 per 30 days)
EPIVIR 300 MG TABLET <b>MO</b>	3	QL (30 per 30 days)
EPIVIR HBV 100 MG TABLET <b>MO</b>	3	QL (90 per 30 days)
EPIVIR HBV 25 MG/5 ML (5 MG/ML) ORAL SOLUTION <b>MO</b>	3	
EPZICOM 600 MG-300 MG TABLET <b>DL</b>	4	QL (30 per 30 days)
EVOTAZ 300 MG-150 MG TABLET <b>DL</b>	4	QL (30 per 30 days)
famciclovir 125 mg, 250 mg, 500 mg tablet <b>MO</b>	1	QL (90 per 30 days)
FLUMADINE 100 MG TABLET <b>MO</b>	3	
fosamprenavir 700 mg tablet <b>DL</b>	4	QL (120 per 30 days)
FOSCAVIR 24 MG/ML INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
FUZEON 90 MG SUBCUTANEOUS SOLUTION <b>DL</b>	4	QL (60 per 30 days)
ganciclovir 50 mg/ml, 500 mg vial; ganciclovir 500 mg/10 ml vial <b>DL</b>	4	B vs D
GENVOYA 150 MG-150 MG-200 MG-10 MG TABLET <b>DL</b>	4	QL (30 per 30 days)
HARVONI 33.75 MG-150 MG ORAL PELLETS IN PACKET <b>DL</b>	4	PA,QL (28 per 28 days)
HARVONI 45 MG-200 MG ORAL PELLETS IN PACKET <b>DL</b>	4	PA,QL (56 per 28 days)
HARVONI 45 MG-200 MG TABLET; HARVONI 90 MG-400 MG TABLET <b>DL</b>	4	PA,QL (28 per 28 days)
HEPSERA 10 MG TABLET <b>DL</b>	4	
INTELENCE 100 MG, 25 MG TABLET <b>DL</b>	4	QL (120 per 30 days)
INTELENCE 200 MG TABLET <b>DL</b>	4	QL (60 per 30 days)
INVIRASE 500 MG TABLET <b>DL</b>	4	QL (120 per 30 days)
ISENTRESS 100 MG CHEWABLE TABLET <b>DL</b>	4	QL (180 per 30 days)
ISENTRESS 100 MG ORAL POWDER PACKET <b>MO</b>	2	QL (300 per 30 days)
ISENTRESS 25 MG CHEWABLE TABLET <b>MO</b>	3	QL (180 per 30 days)
ISENTRESS 400 MG TABLET <b>DL</b>	4	QL (120 per 30 days)
ISENTRESS HD 600 MG TABLET <b>DL</b>	4	QL (60 per 30 days)
JULUCA 50 MG-25 MG TABLET <b>DL</b>	4	QL (30 per 30 days)
KALETRA 100 MG-25 MG TABLET <b>DL</b>	3	QL (300 per 30 days)
KALETRA 200 MG-50 MG TABLET <b>DL</b>	4	QL (150 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
KALETRA 400 MG-100 MG/5 ML ORAL SOLUTION <b>DL</b>	4	
lamivudine 10 mg/ml oral soln <b>MO</b>	1	QL (900 per 30 days)
lamivudine 150 mg tablet <b>MO</b>	1	QL (60 per 30 days)
lamivudine 300 mg tablet <b>MO</b>	1	QL (30 per 30 days)
lamivudine hbv 100 mg tablet <b>MO</b>	1	QL (90 per 30 days)
lamivudine-zidovudine tablet <b>MO</b>	1	QL (60 per 30 days)
ledipasvir-sofosbuvir 90-400mg <b>DL</b>	4	PA,QL (28 per 28 days)
LEXIVA 50 MG/ML ORAL SUSPENSION <b>MO</b>	3	QL (1575 per 28 days)
LEXIVA 700 MG TABLET <b>DL</b>	4	QL (120 per 30 days)
lopinavir-ritonavir 80-20mg/ml <b>MO</b>	1	
MAVYRET 100 MG-40 MG TABLET <b>DL</b>	4	PA,QL (84 per 28 days)
moderiba 200 mg tablet <b>DL</b>	4	QL (168 per 28 days)
nevirapine 200 mg tablet <b>MO</b>	1	QL (60 per 30 days)
nevirapine 50 mg/5 ml susp <b>MO</b>	1	QL (1200 per 30 days)
nevirapine er 100 mg tablet <b>MO</b>	1	QL (120 per 30 days)
nevirapine er 400 mg tablet <b>MO</b>	1	QL (30 per 30 days)
NORVIR 100 MG ORAL POWDER PACKET <b>MO</b>	3	QL (360 per 30 days)
NORVIR 100 MG TABLET <b>MO</b>	3	QL (360 per 30 days)
NORVIR 80 MG/ML ORAL SOLUTION <b>MO</b>	3	QL (480 per 30 days)
ODEFSEY 200 MG-25 MG-25 MG TABLET <b>DL</b>	4	QL (30 per 30 days)
oseltamivir 6 mg/ml suspension <b>MO</b>	1	QL (1440 per 365 days)
oseltamivir phos 30 mg capsule <b>MO</b>	1	QL (224 per 365 days)
oseltamivir phos 45 mg, 75 mg capsule <b>MO</b>	1	QL (112 per 365 days)
PIFELTRO 100 MG TABLET <b>DL</b>	4	QL (60 per 30 days)
PREVYMIS 240 MG, 480 MG TABLET <b>DL</b>	4	PA,QL (28 per 28 days)
PREVYMIS 240 MG/12 ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (336 per 28 days)
PREVYMIS 480 MG/24 ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (672 per 28 days)
PREZCOBIX 800 MG-150 MG TABLET <b>DL</b>	4	QL (30 per 30 days)
PREZISTA 100 MG/ML ORAL SUSPENSION <b>DL</b>	4	QL (360 per 30 days)
PREZISTA 150 MG TABLET <b>DL</b>	4	QL (240 per 30 days)
PREZISTA 600 MG TABLET <b>DL</b>	4	QL (60 per 30 days)
PREZISTA 75 MG TABLET <b>MO</b>	3	QL (480 per 30 days)
PREZISTA 800 MG TABLET <b>DL</b>	4	QL (30 per 30 days)
REBETOL 40 MG/ML SOLUTION <b>MO</b>	3	QL (1000 per 30 days)
RELENZA DISKHALER 5 MG/ACTUATION POWDER FOR INHALATION <b>MO</b>	3	QL (60 per 180 days)
RESRIPTOR 100 MG TABLET <b>MO</b>	3	QL (360 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RESCRIPTOR 200 MG TABLET <b>MO</b>	3	QL (180 per 30 days)
RETROVIR 10 MG/ML INTRAVENOUS SOLUTION <b>MO</b>	3	
RETROVIR 10 MG/ML ORAL SYRUP <b>MO</b>	3	QL (1680 per 28 days)
RETROVIR 100 MG CAPSULE <b>MO</b>	3	QL (180 per 30 days)
REYATAZ 150 MG, 200 MG CAPSULE <b>DL</b>	4	QL (60 per 30 days)
REYATAZ 300 MG CAPSULE <b>DL</b>	4	QL (30 per 30 days)
REYATAZ 50 MG ORAL POWDER PACKET <b>MO</b>	3	
<i>ribasphere 200 mg capsule</i> <b>DL</b>	4	QL (168 per 28 days)
<i>ribasphere 200 mg tablet</i> <b>MO</b>	1	QL (168 per 28 days)
<i>ribasphere 400 mg tablet</i> <b>MO</b>	1	QL (112 per 30 days)
<i>ribasphere 600 mg tablet</i> <b>MO</b>	1	
RIBASPHERE RIBAPAK 600-400 MG; RIBASPHERE RIBAPAK 600-600 MG <b>DL</b>	4	
<i>ribavirin 200 mg capsule</i> <b>MO</b>	1	QL (168 per 28 days)
<i>ribavirin 200 mg tablet</i> <b>MO</b>	1	QL (168 per 28 days)
<i>rimantadine hcl 100 mg tablet</i> <b>MO</b>	1	
<i>ritonavir 100 mg tablet</i> <b>MO</b>	1	QL (360 per 30 days)
RUKOBIA 600 MG TABLET, EXTENDED RELEASE <b>DL</b>	4	QL (60 per 30 days)
SELZENTRY 150 MG, 25 MG TABLET <b>DL</b>	4	QL (240 per 30 days)
SELZENTRY 20 MG/ML ORAL SOLUTION <b>DL</b>	4	QL (1800 per 30 days)
SELZENTRY 300 MG, 75 MG TABLET <b>DL</b>	4	QL (120 per 30 days)
SITAVIG 50 MG BUCCAL TABLET <b>MO</b>	3	PA,QL (1 per 28 days)
SOVALDI 150 MG ORAL PELLETS IN PACKET <b>DL</b>	4	PA,QL (28 per 28 days)
SOVALDI 200 MG ORAL PELLETS IN PACKET <b>DL</b>	4	PA,QL (56 per 28 days)
SOVALDI 200 MG, 400 MG TABLET <b>DL</b>	4	PA,QL (28 per 28 days)
<i>stavudine 15 mg, 20 mg capsule</i> <b>MO</b>	1	QL (120 per 30 days)
<i>stavudine 30 mg, 40 mg capsule</i> <b>MO</b>	1	QL (60 per 30 days)
STRIBILD 150 MG-150 MG-200 MG-300 MG TABLET <b>DL</b>	4	QL (30 per 30 days)
SUSTIVA 200 MG CAPSULE <b>DL</b>	4	QL (120 per 30 days)
SUSTIVA 50 MG CAPSULE <b>DL</b>	4	QL (480 per 30 days)
SUSTIVA 600 MG TABLET <b>DL</b>	4	QL (30 per 30 days)
SYMFI 600 MG-300 MG-300 MG TABLET <b>DL</b>	4	QL (30 per 30 days)
SYMFI LO 400 MG-300 MG-300 MG TABLET <b>DL</b>	4	QL (30 per 30 days)
SYMTUZA 800 MG-150 MG-200 MG-10 MG TABLET <b>DL</b>	4	QL (30 per 30 days)
TAMIFLU 30 MG CAPSULE <b>MO</b>	3	PA,QL (224 per 365 days)
TAMIFLU 45 MG, 75 MG CAPSULE <b>MO</b>	3	PA,QL (112 per 365 days)
TAMIFLU 6 MG/ML ORAL SUSPENSION <b>MO</b>	3	PA,QL (1440 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TEMIXYS 300 MG-300 MG TABLET <b>DL</b>	4	QL (30 per 30 days)
tenofovir disop fum 300 mg tb <b>MO</b>	1	QL (30 per 30 days)
TIVICAY 10 MG TABLET <b>DL</b>	3	QL (60 per 30 days)
TIVICAY 25 MG, 50 MG TABLET <b>DL</b>	4	QL (60 per 30 days)
TIVICAY PD 5 MG TABLET FOR ORAL SUSPENSION <b>DL</b>	4	QL (180 per 30 days)
TRIUMEQ 600 MG-50 MG-300 MG TABLET <b>DL</b>	4	QL (30 per 30 days)
TRIZIVIR 300 MG-150 MG-300 MG TABLET <b>DL</b>	4	QL (60 per 30 days)
TROGARZO 200 MG/1.33 ML (150 MG/ML) INTRAVENOUS SOLUTION <b>DL</b>	4	
TRUVADA 100 MG-150 MG TABLET; TRUVADA 133 MG-200 MG TABLET; TRUVADA 167 MG-250 MG TABLET; TRUVADA 200 MG-300 MG TABLET <b>DL</b>	4	QL (30 per 30 days)
TYBOST 150 MG TABLET <b>MO</b>	3	QL (30 per 30 days)
valacyclovir hcl 1 gram, 500 mg tablet <b>MO</b>	1	
VALCYTE 450 MG TABLET <b>DL</b>	4	PA,QL (120 per 30 days)
VALCYTE 50 MG/ML ORAL SOLUTION <b>DL</b>	4	PA,QL (1056 per 30 days)
valganciclovir 450 mg tablet <b>DL</b>	4	QL (120 per 30 days)
valganciclovir hcl 50 mg/ml <b>DL</b>	4	QL (1056 per 30 days)
VALTREX 1 GRAM, 500 MG TABLET <b>MO</b>	3	PA
VEMLIDY 25 MG TABLET <b>DL</b>	4	QL (30 per 30 days)
VIDEX 2 GM PEDIATRIC SOLN <b>MO</b>	3	QL (1200 per 30 days)
VIDEX 4 GM PEDIATRIC SOLN <b>MO</b>	3	QL (1200 per 30 days)
VIDEX EC 125 MG CAPSULE <b>MO</b>	3	QL (90 per 30 days)
VIDEX EC 200 MG CAPSULE <b>MO</b>	3	QL (60 per 30 days)
VIDEX EC 250 MG, 400 MG CAPSULE <b>MO</b>	3	QL (30 per 30 days)
VIEKIRA PAK 12.5 MG-75 MG-50 MG/250 MG TABLETS IN A DOSE PACK <b>DL</b>	4	PA,QL (112 per 28 days)
VIRACEPT 250 MG TABLET <b>DL</b>	4	QL (300 per 30 days)
VIRACEPT 625 MG TABLET <b>DL</b>	4	QL (120 per 30 days)
VIRAMUNE 200 MG TABLET <b>DL</b>	4	QL (60 per 30 days)
VIRAMUNE 50 MG/5 ML ORAL SUSPENSION <b>DL</b>	4	QL (1200 per 30 days)
VIRAMUNE XR 100 MG TABLET <b>DL</b>	4	QL (120 per 30 days)
VIRAMUNE XR 400 MG TABLET,EXTENDED RELEASE <b>DL</b>	4	QL (30 per 30 days)
VIREAD 150 MG, 200 MG, 250 MG, 300 MG TABLET <b>DL</b>	4	QL (30 per 30 days)
VIREAD 40 MG/SCOOP (40 MG/GRAM) ORAL POWDER <b>DL</b>	4	QL (240 per 30 days)
VOSEVI 400 MG-100 MG-100 MG TABLET <b>DL</b>	4	PA,QL (28 per 28 days)
XERESE 5 %-1 % TOPICAL CREAM <b>DL</b>	4	QL (5 per 30 days)
XOFLUZA 20 MG, 40 MG TABLET <b>MO</b>	3	QL (10 per 365 days)
ZEPATIER 50 MG-100 MG TABLET <b>DL</b>	4	PA,QL (28 per 28 days)
ZERIT 15 MG, 20 MG CAPSULE <b>MO</b>	3	QL (120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZERIT 30 MG, 40 MG CAPSULE <b>MO</b>	3	QL (60 per 30 days)
ZIAGEN 20 MG/ML ORAL SOLUTION <b>MO</b>	3	QL (960 per 30 days)
ZIAGEN 300 MG TABLET <b>MO</b>	3	QL (60 per 30 days)
zidovudine 100 mg capsule <b>MO</b>	1	QL (180 per 30 days)
zidovudine 300 mg tablet <b>MO</b>	1	QL (60 per 30 days)
zidovudine 50 mg/5 ml syrup <b>MO</b>	1	QL (1680 per 28 days)
ZIRGAN 0.15 % EYE GEL <b>MO</b>	3	QL (5 per 30 days)
ZOVIRAX 200 MG CAPSULE <b>MO</b>	3	PA
ZOVIRAX 200 MG/5 ML ORAL SUSPENSION <b>MO</b>	3	PA
ZOVIRAX 400 MG, 800 MG TABLET <b>MO</b>	3	PA
ZOVIRAX 5 % TOPICAL CREAM <b>DL</b>	4	PA,QL (5 per 30 days)
ZOVIRAX 5 % TOPICAL OINTMENT <b>DL</b>	4	PA,QL (30 per 30 days)
<b>Anxiolytics</b>		
alprazolam 0.25 mg, 0.5 mg, 1 mg tablet <b>DL</b>	1	QL (120 per 30 days)
alprazolam 2 mg tablet <b>DL</b>	1	QL (150 per 30 days)
alprazolam er 0.5 mg, 1 mg, 2 mg, 3 mg tablet <b>DL</b>	1	QL (60 per 30 days)
alprazolam odt 0.25 mg, 0.5 mg, 1 mg, 2 mg tab <b>DL</b>	1	
alprazolam intensol 1 mg/ml oral concentrate <b>DL</b>	1	
ATIVAN 0.5 MG, 1 MG TABLET <b>DL</b>	4	PA,QL (90 per 30 days)
ATIVAN 2 MG TABLET <b>DL</b>	4	PA,QL (150 per 30 days)
ATIVAN 2 MG/ML, 4 MG/ML INJECTION SOLUTION <b>DL</b>	3	PA
buspirone hcl 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg tablet <b>MO</b>	1	
chlordiazepoxide 10 mg, 25 mg, 5 mg capsule <b>DL</b>	1	QL (120 per 30 days)
clonazepam 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg dis tab; clonazepam 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg dis tablet; clonazepam 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg odt; clonazepam 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg tablet <b>DL</b>	1	
clorazepate 15 mg, 3.75 mg, 7.5 mg tablet <b>DL</b>	1	
diazepam 10 mg tablet <b>DL</b>	1	QL (120 per 30 days)
diazepam 10 mg/2 ml syringe <b>DL</b>	1	
diazepam 2 mg, 5 mg tablet <b>DL</b>	1	QL (90 per 30 days)
diazepam 5 mg/5 ml solution <b>DL</b>	1	QL (1200 per 30 days)
diazepam 5 mg/ml oral conc <b>DL</b>	1	QL (240 per 30 days)
diazepam 50 mg/10 ml vial <b>DL</b>	1	
diazepam intensol 5 mg/ml oral concentrate <b>DL</b>	1	QL (240 per 30 days)
doxepin 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg capsule <b>MO</b>	1	
doxepin 10 mg/ml oral conc <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
hydroxyzine 10 mg/5 ml, 25 mg/ml, 50 mg/ml soln; hydroxyzine 10 mg/5 ml, 25 mg/ml, 50 mg/ml vial <b>MO</b>	1	
hydroxyzine hcl 10 mg, 25 mg, 50 mg tablet <b>MO</b>	1	
KLONOPIN 0.5 MG, 1 MG, 2 MG TABLET <b>DL</b>	3	PA
lorazepam 0.5 mg, 1 mg tablet <b>DL</b>	1	QL (90 per 30 days)
lorazepam 2 mg tablet <b>DL</b>	1	QL (150 per 30 days)
lorazepam 2 mg/ml oral concnet <b>DL</b>	1	QL (150 per 30 days)
lorazepam 2 mg/ml, 4 mg/ml carpuject <b>DL</b>	1	
lorazepam 2 mg/ml, 4 mg/ml vial <b>DL</b>	1	
lorazepam intensol 2 mg/ml oral concentrate <b>DL</b>	1	QL (150 per 30 days)
meprobamate 200 mg, 400 mg tablet <b>MO</b>	1	
oxazepam 10 mg, 15 mg, 30 mg capsule <b>DL</b>	1	
TRANXENE T-TAB 7.5 MG TABLET <b>DL</b>	4	PA
VALIUM 10 MG TABLET <b>DL</b>	3	PA,QL (120 per 30 days)
VALIUM 2 MG, 5 MG TABLET <b>DL</b>	3	PA,QL (90 per 30 days)
XANAX 0.25 MG, 0.5 MG, 1 MG TABLET <b>DL</b>	4	PA,QL (120 per 30 days)
XANAX 2 MG TABLET <b>DL</b>	4	PA,QL (150 per 30 days)
XANAX XR 0.5 MG, 1 MG, 2 MG, 3 MG TABLET,EXTENDED RELEASE <b>DL</b>	3	PA,QL (60 per 30 days)
<b>Bipolar Agents</b>		
lithium carbonate 150 mg, 300 mg, 600 mg cap <b>MO</b>	1	
lithium carbonate 300 mg tab <b>MO</b>	1	
lithium carbonate er 300 mg, 450 mg tb <b>MO</b>	1	
lithium 8 meq/5 ml solution <b>MO</b>	1	
LITHOBID 300 MG TABLET,EXTENDED RELEASE <b>DL</b>	4	
<b>Blood Glucose Regulators</b>		
acarbose 100 mg, 25 mg, 50 mg tablet <b>MO</b>	1	
ACTOPLUS MET 15 MG-500 MG TABLET; ACTOPLUS MET 15 MG-850 MG TABLET <b>MO</b>	3	PA,QL (90 per 30 days)
ACTOPLUS MET XR 15-1,000 MG TB <b>MO</b>	3	QL (60 per 30 days)
ACTOPLUS MET XR 30-1,000 MG TB <b>MO</b>	3	QL (30 per 30 days)
ACTOS 15 MG, 30 MG, 45 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
ADLYXIN 10 MCG/0.2 ML- 20 MCG/0.2 ML, 20 MCG/0.2 ML SUBCUTANEOUS PEN INJECTOR; ADLYXIN 10 MCG/0.2 ML-20 MCG/0.2 ML SUBCUTANEOUS PEN INJECTOR <b>MO</b>	3	ST,QL (6 per 28 days)
ADMELOG SOLOSTAR U-100 INSULIN LISPRO 100 UNIT/ML SUBCUTANEOUS PEN <b>MO</b>	3	ST

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ADMELOG U-100 INSULIN LISPRO 100 UNIT/ML SUBCUTANEOUS SOLUTION <b>MO</b>	3	ST
AFREZZA (REGULAR INSULIN) 8 UNIT (90)/12 UNIT (90) CARTRIDGE, INHALER; AFREZZA 4 UNIT (60)/8 UNIT (60)/12 UNIT (60) CARTRIDGE WITH INHALER; AFREZZA 4 UNIT (90)/8 UNIT (90) CARTRIDGE WITH INHALER <b>DL</b>	4	PA,QL (180 per 30 days)
AFREZZA 12 UNIT, 4 UNIT, 8 UNIT CARTRIDGE WITH INHALER <b>DL</b>	4	PA,QL (90 per 30 days)
AMARYL 1 MG, 2 MG, 4 MG TABLET <b>MO</b>	3	PA
APIDRA SOLOSTAR U-100 INSULIN 100 UNIT/ML SUBCUTANEOUS PEN <b>MO</b>	3	ST
APIDRA U-100 INSULIN 100 UNIT/ML SUBCUTANEOUS SOLUTION <b>MO</b>	3	ST
AVANDIA 2 MG, 4 MG TABLET <b>MO</b>	3	QL (60 per 30 days)
BAQSIMI 3 MG/ACTUATION NASAL SPRAY <b>MO</b>	2	
BASAGLAR KWIKPEN U-100 INSULIN 100 UNIT/ML (3 ML) SUBCUTANEOUS <b>MO</b>	3	PA
BYDUREON 2 MG VIAL <b>MO</b>	3	QL (4 per 28 days)
BYDUREON 2 MG/0.65 ML SUBCUTANEOUS PEN INJECTOR <b>MO</b>	3	QL (4 per 28 days)
BYDUREON BCISE 2 MG/0.85 ML SUBCUTANEOUS AUTO-INJECTOR <b>MO</b>	3	QL (3.4 per 28 days)
BYETTA 10 MCG/DOSE(250 MCG/ML)2.4 ML SUBCUTANEOUS PEN INJECTOR; BYETTA 5 MCG/DOSE (250 MCG/ML)1.2 ML SUBCUTANEOUS PEN INJECTOR <b>DL</b>	4	ST,QL (2.4 per 30 days)
chlorpropamide 100 mg, 250 mg tablet <b>MO</b>	1	
CYCLOSET 0.8 MG TABLET <b>MO</b>	3	ST,QL (180 per 30 days)
diazoxide 50 mg/ml oral susp <b>DL</b>	4	
DUETACT 30 MG-2 MG TABLET; DUETACT 30 MG-4 MG TABLET <b>MO</b>	3	QL (30 per 30 days)
FARXIGA 10 MG, 5 MG TABLET <b>MO</b>	3	QL (30 per 30 days)
FIASP FLEXTOUCH U-100 INSULIN 100 UNIT/ML (3 ML) SUBCUTANEOUS PEN <b>MO</b>	2	
FIASP PENFILL U-100 INSULIN 100 UNIT/ML (3 ML) SUBCUTANEOUS CARTRIDGE <b>MO</b>	2	
FIASP U-100 INSULIN 100 UNIT/ML SUBCUTANEOUS SOLUTION <b>MO</b>	2	
FORTAMET 1,000 MG TABLET, EXTENDED RELEASE <b>DL</b>	4	ST,QL (60 per 30 days)
FORTAMET 500 MG TABLET, EXTENDED RELEASE <b>DL</b>	4	ST,QL (150 per 30 days)
glimepiride 1 mg, 2 mg, 4 mg tablet <b>MO</b>	1	
glipizide 10 mg, 5 mg tablet <b>MO</b>	1	
glipizide er 10 mg, 2.5 mg, 5 mg tablet <b>MO</b>	1	
glipizide-metformin 2.5-250 mg, 2.5-500 mg, 5-500 mg <b>MO</b>	1	
GLUCAGEN HYPOKIT 1 MG INJECTION <b>MO</b>	2	
GLUCAGON (HCL) EMERGENCY KIT 1 MG SOLUTION FOR INJECTION <b>MO</b>	3	ST

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
GLUCAGON EMERGENCY KIT (HUMAN-RECOMB) 1 MG SOLUTION FOR INJECTION <b>MO</b>	3	ST
GLUCOPHAGE 1,000 MG, 500 MG, 850 MG TABLET <b>MO</b>	3	PA
GLUCOPHAGE XR 500 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	PA,QL (120 per 30 days)
GLUCOPHAGE XR 750 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	PA,QL (60 per 30 days)
GLUCOTROL 10 MG, 5 MG TABLET <b>MO</b>	3	
GLUCOTROL XL 10 MG, 2.5 MG, 5 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	
GLUMETZA 1,000 MG TABLET,EXTENDED RELEASE <b>DL</b>	4	ST,QL (60 per 30 days)
GLUMETZA 500 MG TABLET,EXTENDED RELEASE <b>DL</b>	4	ST,QL (120 per 30 days)
glyburide 1.25 mg, 2.5 mg, 5 mg tablet <b>MO</b>	1	
glyburide micro 1.5 mg, 3 mg, 6 mg tab; glyburide micro 1.5 mg, 3 mg, 6 mg tablet <b>MO</b>	1	
glyburid-metformin 1.25-250 mg, 2.5-500 mg, 5-500 mg; glyburide-metformin 1.25-250 mg, 2.5-500 mg, 5-500 mg <b>MO</b>	1	
GLYNASE 1.5 MG, 3 MG, 6 MG TABLET <b>MO</b>	3	
GLYSET 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	3	
GLYXAMBI 10 MG-5 MG TABLET; GLYXAMBI 25 MG-5 MG TABLET <b>MO</b>	2	QL (30 per 30 days)
GVOKE HYPOPEN 1-PACK 0.5 MG/0.1 ML, 1 MG/0.2 ML SUBCUTANEOUS AUTO-INJECTOR <b>MO</b>	2	
GVOKE HYPOPEN 2-PACK 0.5 MG/0.1 ML, 1 MG/0.2 ML SUBCUTANEOUS AUTO-INJECTOR <b>MO</b>	2	
GVOKE PFS 1-PACK 0.5 MG/0.1 ML, 1 MG/0.2 ML SUBCUTANEOUS SYRINGE <b>MO</b>	2	
GVOKE PFS 2-PACK 0.5 MG/0.1 ML, 1 MG/0.2 ML SUBCUTANEOUS SYRINGE <b>MO</b>	2	
HUMALOG JUNIOR KWIKPEN (U-100) 100 UNIT/ML SUBCUTANEOUS HALF-UNIT PEN <b>MO</b>	3	ST
HUMALOG KWIKPEN (U-100) INSULIN 100 UNIT/ML, 200 UNIT/ML (3 ML) SUBCUTANEOUS; HUMALOG KWIKPEN U-200 INSULIN 100 UNIT/ML, 200 UNIT/ML (3 ML) SUBCUTANEOUS <b>MO</b>	3	ST
HUMALOG MIX 50-50 (U-100) INSULIN 100 UNIT/ML SUBCUTANEOUS SUSPENSION <b>MO</b>	3	ST
HUMALOG MIX 50-50 KWIKPEN U-100 INSULIN 100 UNIT/ML SUBCUTANEOUS PEN <b>MO</b>	3	ST
HUMALOG MIX 75-25 KWIKPEN U-100 INSULIN 100 UNIT/ML SUBCUTANEOUS PEN <b>MO</b>	3	ST
HUMALOG MIX 75-25 (U-100) INSULIN 100 UNIT/ML SUBCUTANEOUS SUSPENSION <b>MO</b>	3	ST
HUMALOG U-100 INSULIN 100 UNIT/ML SUBCUTANEOUS CARTRIDGE <b>MO</b>	3	ST
HUMALOG U-100 INSULIN 100 UNIT/ML SUBCUTANEOUS SOLUTION <b>MO</b>	3	ST

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HUMULIN 70/30 U-100 INSULIN 100 UNIT/ML SUBCUTANEOUS SUSPENSION <b>MO</b>	3	ST
HUMULIN 70/30 U-100 INSULIN KWIKPEN 100 UNIT/ML SUBCUTANEOUS <b>MO</b>	3	ST
HUMULIN N NPH U-100 INSULIN KWIKPEN 100 UNIT/ML (3 ML) SUBCUTANEOUS <b>MO</b>	3	ST
HUMULIN N NPH U-100 INSULIN (ISOPHANE SUSP) 100 UNIT/ML SUBCUTANEOUS <b>MO</b>	3	ST
HUMULIN R REGULAR U-100 INSULIN 100 UNIT/ML INJECTION SOLUTION <b>MO</b>	3	ST
HUMULIN R U-500 (CONCENTRATED) INSULIN 500 UNIT/ML SUBCUTANEOUS SOLN <b>DL</b>	4	
HUMULIN R U-500 (CONC) INSULIN KWIKPEN 500 UNIT/ML (3 ML) SUBCUTANEOUS <b>DL</b>	4	
INSULIN ASPART PROT-INSULIN ASP <b>MO</b>	2	
INSULIN ASPART 100 UNIT/ML CRT <b>MO</b>	2	
INSULIN ASPART 100 UNIT/ML PEN <b>MO</b>	2	
INSULIN ASPART 100 UNIT/ML VL <b>MO</b>	2	
INSULIN LISPRO 100 UNIT/ML PEN; INSULIN LISPRO JR 100 UNIT/ML <b>MO</b>	3	ST
INSULIN LISPRO 100 UNIT/ML VL <b>MO</b>	3	ST
INSULIN LISPRO MIX 75-25 KWKPEN <b>MO</b>	3	ST
INVOKAMET 150 MG-1,000 MG TABLET; INVOKAMET 150 MG-500 MG TABLET; INVOKAMET 50 MG-1,000 MG TABLET; INVOKAMET 50 MG-500 MG TABLET <b>MO</b>	2	QL (60 per 30 days)
INVOKAMET XR 150 MG-1,000 MG TABLET, EXTENDED RELEASE; INVOKAMET XR 150 MG-500 MG TABLET, EXTENDED RELEASE; INVOKAMET XR 50 MG-1,000 MG TABLET, EXTENDED RELEASE; INVOKAMET XR 50 MG-500 MG TABLET, EXTENDED RELEASE <b>MO</b>	2	QL (60 per 30 days)
INVOKANA 100 MG, 300 MG TABLET <b>MO</b>	2	QL (30 per 30 days)
JANUMET 50 MG-1,000 MG TABLET; JANUMET 50 MG-500 MG TABLET <b>MO</b>	2	QL (60 per 30 days)
JANUMET XR 100 MG-1,000 MG TABLET, EXTENDED RELEASE <b>MO</b>	2	QL (30 per 30 days)
JANUMET XR 50 MG-1,000 MG TABLET, EXTENDED RELEASE; JANUMET XR 50 MG-500 MG TABLET, EXTENDED RELEASE <b>MO</b>	2	QL (60 per 30 days)
JANUVIA 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	2	QL (30 per 30 days)
JARDIANCE 10 MG, 25 MG TABLET <b>MO</b>	2	QL (30 per 30 days)
JENTADUETO 2.5 MG-1,000 MG TABLET; JENTADUETO 2.5 MG-500 MG TABLET; JENTADUETO 2.5 MG-850 MG TABLET <b>MO</b>	2	QL (60 per 30 days)
JENTADUETO XR 2.5 MG-1,000 MG TABLET, EXTENDED RELEASE <b>MO</b>	2	QL (60 per 30 days)
JENTADUETO XR 5 MG-1,000 MG TABLET, EXTENDED RELEASE <b>MO</b>	2	QL (30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
KAZANO 12.5 MG-1,000 MG TABLET; KAZANO 12.5 MG-500 MG TABLET <b>MO</b>	3	PA,QL (60 per 30 days)
KOMBIGLYZE XR 2.5 MG-1,000 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	QL (60 per 30 days)
KOMBIGLYZE XR 5 MG-1,000 MG TABLET,EXTENDED RELEASE; KOMBIGLYZE XR 5 MG-500 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	QL (30 per 30 days)
LANTUS SOLOSTAR U-100 INSULIN 100 UNIT/ML (3 ML) SUBCUTANEOUS PEN <b>MO</b>	2	
LANTUS U-100 INSULIN 100 UNIT/ML SUBCUTANEOUS SOLUTION <b>MO</b>	2	
LEVEMIR FLEXTOUCH U-100 INSULIN 100 UNIT/ML (3 ML) SUBCUTANEOUS PEN <b>MO</b>	2	
LEVEMIR U-100 INSULIN 100 UNIT/ML SUBCUTANEOUS SOLUTION <b>MO</b>	2	
LYUMJEV KWIKPEN U-100 INSULIN 100 UNIT/ML SUBCUTANEOUS <b>MO</b>	3	ST
LYUMJEV KWIKPEN U-200 INSULIN 200 UNIT/ML (3 ML) SUBCUTANEOUS <b>MO</b>	3	ST
LYUMJEV U-100 INSULIN 100 UNIT/ML SUBCUTANEOUS SOLUTION <b>MO</b>	3	ST
<i>metformin er 1,000 mg gastr-tb; metformin er 1,000 mg osm-tab <b>DL</b></i>	4	ST,QL (60 per 30 days)
<i>metformin er 500 mg gastrc-tb <b>DL</b></i>	4	ST,QL (120 per 30 days)
<i>metformin er 500 mg osmotic tb <b>DL</b></i>	4	ST,QL (150 per 30 days)
<i>metformin hcl 1,000 mg, 500 mg, 850 mg tablet <b>MO</b></i>	1	
<i>metformin hcl er 500 mg tablet <b>MO</b></i>	1	QL (120 per 30 days)
<i>metformin hcl er 750 mg tablet <b>MO</b></i>	1	QL (60 per 30 days)
<i>miglitol 100 mg, 25 mg, 50 mg tablet <b>MO</b></i>	1	
<i>nateglinide 120 mg, 60 mg tablet <b>MO</b></i>	1	
NESINA 12.5 MG, 25 MG, 6.25 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
NOVOLIN 70-30 FLEXPEN U-100 INSULIN 100 UNIT/ML (70-30) SUBCUTANEOUS <b>MO</b>	2	
NOVOLIN 70/30 U-100 INSULIN 100 UNIT/ML SUBCUTANEOUS SUSPENSION <b>MO</b>	2	
NOVOLIN N FLEXPEN 100 UNIT/ML (3 ML) SUBCUTANEOUS INSULIN PEN <b>MO</b>	2	
NOVOLIN N NPH U-100 INSULIN ISOPHANE 100 UNIT/ML SUBCUTANEOUS SUSP <b>MO</b>	2	
NOVOLIN R FLEXPEN 100 UNIT/ML (3 ML) SUBCUTANEOUS INSULIN PEN <b>MO</b>	2	
NOVOLIN R REGULAR U-100 INSULIN 100 UNIT/ML INJECTION SOLUTION <b>MO</b>	2	
NOVOLOG FLEXPEN U-100 INSULIN ASPART 100 UNIT/ML (3 ML) SUBCUTANEOUS <b>MO</b>	2	
NOVOLOG MIX 70-30 U-100 INSULIN 100 UNIT/ML SUBCUTANEOUS SOLUTION <b>MO</b>	2	
NOVOLOG MIX 70-30 FLEXPEN U-100 INSULIN 100 UNIT/ML SUBCUTANEOUS PEN <b>MO</b>	2	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NOVOLOG PENFILL U-100 INSULIN ASPART 100 UNIT/ML SUBCUTANEOUS CARTRIDG <b>MO</b>	2	
NOVOLOG U-100 INSULIN ASPART 100 UNIT/ML SUBCUTANEOUS SOLUTION <b>MO</b>	2	
ONGLYZA 2.5 MG, 5 MG TABLET <b>MO</b>	3	QL (30 per 30 days)
OSENI 12.5 MG-15 MG TABLET; OSENI 12.5 MG-30 MG TABLET; OSENI 12.5 MG-45 MG TABLET; OSENI 25 MG-15 MG TABLET; OSENI 25 MG-30 MG TABLET; OSENI 25 MG-45 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
OZEMPIK 0.25 MG OR 0.5 MG (2 MG/1.5 ML) SUBCUTANEOUS PEN INJECTOR <b>MO</b>	2	QL (1.5 per 28 days)
OZEMPIK 1 MG/DOSE (2 MG/1.5 ML) SUBCUTANEOUS PEN INJECTOR <b>MO</b>	2	QL (3 per 28 days)
pioglitazone hcl 15 mg, 30 mg, 45 mg tablet <b>MO</b>	1	QL (30 per 30 days)
pioglitazone-glimepiride 30-2; pioglitazone-glimepiride 30-4 <b>MO</b>	1	QL (30 per 30 days)
pioglitazone-metformin 15-500; pioglitazone-metformin 15-850 <b>MO</b>	1	QL (90 per 30 days)
PRANDIN 1 MG, 2 MG TABLET <b>MO</b>	3	
PRECOSE 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	3	
PROGLYCEM 50 MG/ML ORAL SUSPENSION <b>DL</b>	4	
QTERN 10 MG-5 MG TABLET; QTERN 5 MG-5 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
repaglinide 0.5 mg, 1 mg, 2 mg tablet <b>MO</b>	1	
repaglinide-metformin 1-500 mg, 2-500 mg <b>MO</b>	1	
RIOMET 500 MG/5 ML ORAL SOLUTION <b>MO</b>	3	QL (750 per 30 days)
RIOMET ER 500 MG/5 ML ORAL SUSPENSION, EXTENDED RELEASE <b>MO</b>	3	QL (750 per 30 days)
RYBELSUS 14 MG, 3 MG, 7 MG TABLET <b>MO</b>	2	QL (30 per 30 days)
SEGLUROMET 2.5 MG-1,000 MG TABLET; SEGLUROMET 2.5 MG-500 MG TABLET; SEGLUROMET 7.5 MG-1,000 MG TABLET; SEGLUROMET 7.5 MG-500 MG TABLET <b>MO</b>	3	PA,QL (60 per 30 days)
SEMGLEE PEN U-100 INSULIN 100 UNIT/ML (3 ML) SUBCUTANEOUS <b>MO</b>	3	PA
SEMGLEE U-100 INSULIN 100 UNIT/ML SUBCUTANEOUS SOLUTION <b>MO</b>	3	PA
SOLIQUA 100/33 100 UNIT-33 MCG/ML SUBCUTANEOUS INSULIN PEN <b>MO</b>	2	QL (15 per 24 days)
STARLIX 120 MG, 60 MG TABLET <b>MO</b>	3	PA
STEGLATRO 15 MG, 5 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
STEGLUJAN 15 MG-100 MG TABLET; STEGLUJAN 5 MG-100 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
SYMLINPEN 120 2,700 MCG/2.7 ML SUBCUTANEOUS PEN INJECTOR <b>DL</b>	4	QL (10.8 per 30 days)
SYMLINPEN 60 1,500 MCG/1.5 ML SUBCUTANEOUS PEN INJECTOR <b>DL</b>	4	QL (10.5 per 28 days)
SYNJARDY 12.5 MG-1,000 MG TABLET; SYNJARDY 12.5 MG-500 MG TABLET; SYNJARDY 5 MG-1,000 MG TABLET; SYNJARDY 5 MG-500 MG TABLET <b>MO</b>	2	QL (60 per 30 days)
SYNJARDY XR 10 MG-1,000 MG TABLET, EXTENDED RELEASE; SYNJARDY XR 25 MG-1,000 MG TABLET, EXTENDED RELEASE <b>MO</b>	2	QL (30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SYNJARDY XR 12.5 MG-1,000 MG TABLET, EXTENDED RELEASE; SYNJARDY XR 5 MG-1,000 MG TABLET, EXTENDED RELEASE <b>MO</b>	2	QL (60 per 30 days)
tolazamide 250 mg, 500 mg tablet <b>MO</b>	1	
tolbutamide 500 mg tablet <b>MO</b>	1	
TOUJEO MAX U-300 SOLOSTAR 300 UNIT/ML (3 ML) SUBCUTANEOUS INSULIN PEN <b>MO</b>	2	
TOUJEO SOLOSTAR U-300 INSULIN 300 UNIT/ML (1.5 ML) SUBCUTANEOUS PEN <b>MO</b>	2	
TRADJENTA 5 MG TABLET <b>MO</b>	2	QL (30 per 30 days)
TRESIBA FLEXTOUCH U-100 INSULIN 100 UNIT/ML (3 ML) SUBCUTANEOUS PEN <b>MO</b>	2	
TRESIBA FLEXTOUCH U-200 INSULIN 200 UNIT/ML (3 ML) SUBCUTANEOUS PEN <b>MO</b>	2	
TRESIBA U-100 INSULIN 100 UNIT/ML SUBCUTANEOUS SOLUTION <b>MO</b>	2	
TRIJARDY XR 10 MG-5 MG-1,000 MG TABLET, EXTENDED RELEASE; TRIJARDY XR 25 MG-5 MG-1,000 MG TABLET, EXTENDED RELEASE <b>MO</b>	2	QL (30 per 30 days)
TRIJARDY XR 12.5 MG-2.5 MG-1,000 MG TABLET, EXTENDED RELEASE; TRIJARDY XR 5 MG-2.5 MG-1,000 MG TABLET, EXTENDED RELEASE <b>MO</b>	2	QL (60 per 30 days)
TRULICITY 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML SUBCUTANEOUS PEN INJECTOR <b>MO</b>	2	QL (2 per 28 days)
VICTOZA 2-PAK 0.6 MG/0.1 ML (18 MG/3 ML) SUBCUTANEOUS PEN INJECTOR <b>MO</b>	2	QL (9 per 30 days)
VICTOZA 3-PAK 0.6 MG/0.1 ML (18 MG/3 ML) SUBCUTANEOUS PEN INJECTOR <b>MO</b>	2	QL (9 per 30 days)
XIGDUO XR 10 MG-1,000 MG TABLET,EXTENDED RELEASE; XIGDUO XR 10 MG-500 MG TABLET,EXTENDED RELEASE; XIGDUO XR 5 MG-500 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	QL (30 per 30 days)
XIGDUO XR 2.5 MG-1,000 MG TABLET,EXTENDED RELEASE; XIGDUO XR 5 MG-1,000 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	QL (60 per 30 days)
XULTOPHY 100/3.6 100 UNIT-3.6 MG/ML (3 ML) SUBCUTANEOUS INSULIN PEN <b>MO</b>	2	QL (15 per 30 days)
<b>BLOOD PRODUCTS AND MODIFIERS</b>		
AGGRASTAT CONCENTRATE 250 MCG/ML INTRAVENOUS <b>MO</b>	3	
AGGRASTAT 12.5 MG/250 ML (50 MCG/ML), 5 MG/100 ML (50 MCG/ML) IN 0.9 % SODIUM CHLORIDE IV; AGGRASTAT 12.5 MG/250 ML (50 MCG/ML), 5 MG/100 ML (50 MCG/ML) IN ISO-OSMOTIC SODIUM CHLORIDE IV <b>MO</b>	3	
AGGRENOX 25 MG-200 MG CAPSULE, EXTENDED RELEASE <b>MO</b>	3	ST,QL (60 per 30 days)
AGRYLIN 0.5 MG CAPSULE <b>MO</b>	3	PA
AMICAR 1,000 MG, 500 MG TABLET <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AMICAR 250 MG/ML (25 %) ORAL SOLUTION <b>DL</b>	4	
aminocaproic acid 0.25 gram/ml <b>DL</b>	4	
aminocaproic acid 1,000 mg, 500 mg tab <b>DL</b>	4	
aminocaproic acid 5 g/20 ml v/ <b>MO</b>	1	
anagrelide hcl 0.5 mg, 1 mg capsule <b>MO</b>	1	
ARANESP 10 MCG/0.4 ML, 40 MCG/0.4 ML (IN POLYSORBATE) INJECTION SYRINGE <b>MO</b>	3	PA,QL (1.6 per 30 days)
ARANESP 100 MCG/0.5 ML (IN POLYSORBATE) INJECTION SYRINGE <b>DL</b>	4	PA,QL (2 per 30 days)
ARANESP 100 MCG/ML, 200 MCG/ML, 300 MCG/ML (IN POLYSORBATE) INJECTION <b>DL</b>	4	PA,QL (4 per 30 days)
ARANESP 150 MCG/0.3 ML (IN POLYSORBATE) INJECTION SYRINGE <b>DL</b>	4	PA,QL (1.2 per 30 days)
ARANESP 150 MCG/0.75 ML (IN POLYSORBATE) INJECTION <b>DL</b>	4	PA,QL (3 per 30 days)
ARANESP 200 MCG/0.4 ML (IN POLYSORBATE) INJECTION SYRINGE <b>DL</b>	4	PA,QL (1.6 per 30 days)
ARANESP 25 MCG/0.42 ML (IN POLYSORBATE) INJECTION SYRINGE <b>MO</b>	3	PA,QL (1.68 per 30 days)
ARANESP 25 MCG/ML, 40 MCG/ML, 60 MCG/ML (IN POLYSORBATE) INJECTION <b>MO</b>	3	PA,QL (4 per 30 days)
ARANESP 300 MCG/0.6 ML (IN POLYSORBATE) INJECTION SYRINGE <b>DL</b>	4	PA,QL (2.4 per 30 days)
ARANESP 500 MCG/ML (IN POLYSORBATE) INJECTION SYRINGE <b>DL</b>	4	PA,QL (4 per 30 days)
ARANESP 60 MCG/0.3 ML (IN POLYSORBATE) INJECTION SYRINGE <b>MO</b>	3	PA,QL (1.2 per 30 days)
ARIIXTRA 10 MG/0.8 ML SUBCUTANEOUS SOLUTION SYRINGE <b>DL</b>	4	PA,QL (24 per 30 days)
ARIIXTRA 2.5 MG/0.5 ML SUBCUTANEOUS SOLUTION SYRINGE <b>DL</b>	4	PA,QL (15 per 30 days)
ARIIXTRA 5 MG/0.4 ML SUBCUTANEOUS SOLUTION SYRINGE <b>DL</b>	4	PA,QL (12 per 30 days)
ARIIXTRA 7.5 MG/0.6 ML SUBCUTANEOUS SOLUTION SYRINGE <b>DL</b>	4	PA,QL (18 per 30 days)
aspirin-dipyridam er 25-200 mg <b>MO</b>	1	ST,QL (60 per 30 days)
BEVYXXA 40 MG, 80 MG CAPSULE <b>MO</b>	3	PA,QL (41 per 41 days)
BRILINTA 60 MG, 90 MG TABLET <b>MO</b>	2	QL (60 per 30 days)
CABLIVI 11 MG INJECTION KIT <b>DL</b>	4	PA,QL (30 per 30 days)
cilostazol 100 mg, 50 mg tablet <b>MO</b>	1	
clopidogrel 300 mg tablet <b>MO</b>	1	
clopidogrel 75 mg tablet <b>MO</b>	1	QL (30 per 30 days)
COUMADIN 1 MG, 10 MG, 2 MG, 2.5 MG, 3 MG, 4 MG, 5 MG, 6 MG, 7.5 MG TABLET <b>MO</b>	3	
CYKLOKAPRON 1,000 MG/10 ML (100 MG/ML) INTRAVENOUS SOLUTION <b>DL</b>	4	PA
dipyridamole 25 mg, 50 mg, 75 mg tablet <b>MO</b>	1	
DOPTELET (10 TAB PACK) 20 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
DOPTELET (15 TAB PACK) 20 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
DOPTELET (30 TAB PACK) 20 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EFFIENT 10 MG, 5 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
ELIQUIS 2.5 MG TABLET <b>MO</b>	2	QL (60 per 30 days)
ELIQUIS 5 MG TABLET <b>MO</b>	2	QL (74 per 30 days)
ELIQUIS DVT-PE TREATMENT 30-DAY STARTER 5 MG (74 TABLETS) IN DOSE PACK <b>MO</b>	2	QL (74 per 30 days)
enoxaparin 100 mg/ml, 150 mg/ml syringe <b>MO</b>	1	QL (28 per 28 days)
enoxaparin 120 mg/0.8 ml, 80 mg/0.8 ml syr <b>MO</b>	1	QL (22.4 per 28 days)
enoxaparin 30 mg/0.3 ml, 60 mg/0.6 ml syr <b>MO</b>	1	QL (16.8 per 28 days)
enoxaparin 300 mg/3 ml vial <b>MO</b>	1	QL (84 per 28 days)
enoxaparin 40 mg/0.4 ml syr <b>MO</b>	1	QL (11.2 per 28 days)
EPOGEN 10,000 UNIT/ML, 20,000 UNIT/ML INJECTION SOLUTION <b>DL</b>	4	PA,QL (14 per 30 days)
EPOGEN 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML INJECTION SOLUTION <b>MO</b>	3	PA,QL (14 per 30 days)
EPOGEN 20,000 UNIT/2 ML INJECTION SOLUTION <b>MO</b>	3	PA,QL (28 per 30 days)
eftifibatide 200 mg/100 ml vl; eftifibatide 75 mg/100 ml vial <b>MO</b>	1	
fondaparinux 10 mg/0.8 ml syr <b>DL</b>	4	QL (24 per 30 days)
fondaparinux 2.5 mg/0.5 ml syr <b>DL</b>	4	QL (15 per 30 days)
fondaparinux 5 mg/0.4 ml syr <b>DL</b>	4	QL (12 per 30 days)
fondaparinux 7.5 mg/0.6 ml syr <b>DL</b>	4	QL (18 per 30 days)
FRAGMIN 10,000 ANTI-XA UNIT/ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	QL (30 per 30 days)
FRAGMIN 12,500 ANTI-XA UNIT/0.5 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	QL (15 per 30 days)
FRAGMIN 15,000 ANTI-XA UNIT/0.6 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	QL (18 per 30 days)
FRAGMIN 18,000 ANTI-XA UNIT/0.72 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	QL (21.6 per 30 days)
FRAGMIN 2,500 ANTI-XA UNIT/0.2 ML, 5,000 ANTI-XA UNIT/0.2 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	QL (6 per 30 days)
FRAGMIN 25,000 ANTI-XA UNIT/ML SUBCUTANEOUS SOLUTION <b>DL</b>	4	QL (22.8 per 30 days)
FRAGMIN 7,500 ANTI-XA UNIT/0.3 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	QL (9 per 30 days)
FULPHILA 6 MG/0.6 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (1.2 per 28 days)
GRANIX 300 MCG/0.5 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (7 per 28 days)
GRANIX 300 MCG/ML SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (14 per 28 days)
GRANIX 480 MCG/0.8 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (11.2 per 28 days)
GRANIX 480 MCG/1.6 ML SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (22.4 per 28 days)
heparin 5,000 unit/ml carpujct <b>MO</b>	1	
heparin sod 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml vial; heparin sod 1,000 unit/ml, 10,000 unit/ml, 20,000 unit/ml, 5,000 unit/ml vl <b>MO</b>	1	
heparin sod 5,000 unit/ml syrg <b>MO</b>	1	
heparin 2,000 unit/2 ml vial; heparin sod 1,000 unit/ml, 5,000 unit/0.5 ml <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
heparin sod 5,000 unit/0.5 ml, 5,000 unit/ml; heparin sod 5,000 unit/0.5 ml, 5,000 unit/ml syrg <b>MO</b>	1	
INTEGRILIN 0.75 MG/ML, 2 MG/ML INTRAVENOUS SOLUTION <b>MO</b>	3	
jantoven 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg tablet <b>MO</b>	1	
KENGREAL 50 MG INTRAVENOUS SOLUTION <b>DL</b>	4	
LEUKINE 250 MCG SOLUTION FOR INJECTION <b>DL</b>	4	PA
LOVENOX 100 MG/ML, 150 MG/ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (28 per 28 days)
LOVENOX 120 MG/0.8 ML, 80 MG/0.8 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (22.4 per 28 days)
LOVENOX 30 MG/0.3 ML, 60 MG/0.6 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (16.8 per 28 days)
LOVENOX 300 MG/3 ML SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (84 per 28 days)
LOVENOX 40 MG/0.4 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (11.2 per 28 days)
LYSTEDA 650 MG TABLET <b>MO</b>	3	QL (30 per 5 days)
MIRCERA 100 MCG/0.3 ML INJECTION SYRINGE <b>DL</b>	4	PA,QL (1.2 per 28 days)
MIRCERA 150 MCG/0.3 ML, 200 MCG/0.3 ML, 30 MCG/0.3 ML INJECTION SYRINGE <b>DL</b>	4	PA,QL (0.6 per 28 days)
MIRCERA 50 MCG/0.3 ML, 75 MCG/0.3 ML INJECTION SYRINGE <b>DL</b>	4	PA,QL (0.9 per 28 days)
MOZOBIL 24 MG/1.2 ML (20 MG/ML) SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (9.6 per 30 days)
MULPLETA 3 MG TABLET <b>DL</b>	4	PA,QL (7 per 30 days)
NEULASTA 6 MG/0.6 ML SUBCUTANEOUS SYRINGE; NEULASTA 6 MG/0.6 ML WITH WEARABLE SUBCUTANEOUS INJECTOR <b>DL</b>	4	PA,QL (1.2 per 28 days)
NEUPOGEN 300 MCG/0.5 ML INJECTION SYRINGE <b>DL</b>	4	PA,QL (7 per 30 days)
NEUPOGEN 300 MCG/ML INJECTION SOLUTION <b>DL</b>	4	PA,QL (14 per 30 days)
NEUPOGEN 480 MCG/0.8 ML INJECTION SYRINGE <b>DL</b>	4	PA,QL (11.2 per 30 days)
NEUPOGEN 480 MCG/1.6 ML INJECTION SOLUTION <b>DL</b>	4	PA,QL (22.4 per 30 days)
NIVESTYM 300 MCG/0.5 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (7 per 30 days)
NIVESTYM 300 MCG/ML INJECTION SOLUTION <b>DL</b>	4	PA,QL (14 per 30 days)
NIVESTYM 480 MCG/0.8 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (11.2 per 30 days)
NIVESTYM 480 MCG/1.6 ML INJECTION SOLUTION <b>DL</b>	4	PA,QL (22.4 per 30 days)
PLAVIX 300 MG TABLET <b>MO</b>	3	PA
PLAVIX 75 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
PRADAXA 110 MG, 150 MG, 75 MG CAPSULE <b>MO</b>	3	QL (60 per 30 days)
prasugrel 10 mg, 5 mg tablet <b>MO</b>	1	QL (30 per 30 days)
PROCRIT 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML, 40,000 UNIT/ML INJECTION SOLUTION <b>MO</b>	3	PA,QL (14 per 30 days)
PROCRIT 20,000 UNIT/2 ML INJECTION SOLUTION <b>MO</b>	3	PA,QL (28 per 30 days)
PROMACTA 12.5 MG ORAL POWDER PACKET <b>DL</b>	4	PA,QL (360 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PROMACTA 12.5 MG, 75 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
PROMACTA 25 MG ORAL POWDER PACKET <b>DL</b>	4	PA,QL (180 per 30 days)
PROMACTA 25 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
PROMACTA 50 MG TABLET <b>DL</b>	4	PA,QL (90 per 30 days)
REBLOZYL 25 MG, 75 MG SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA
REOPRO 10 MG/5 ML VIAL <b>DL</b>	4	
RETACRIT 10,000 UNIT/ML, 2,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML, 40,000 UNIT/ML INJECTION SOLUTION <b>MO</b>	3	PA,QL (14 per 30 days)
RIASTAP 1 GRAM (900 MG-1,300 MG) INTRAVENOUS SOLUTION <b>MO</b>	3	
SAVAYSA 15 MG, 30 MG, 60 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
TAVALISSE 100 MG, 150 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
tranexamic acid 1,000 mg/10 ml <b>MO</b>	1	PA
tranexamic acid 650 mg tablet <b>MO</b>	1	QL (30 per 5 days)
UDENYCA 6 MG/0.6 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (1.2 per 28 days)
warfarin sodium 1 mg, 10 mg, 2 mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg, 7.5 mg tablet <b>MO</b>	1	
XARELTO 10 MG, 20 MG TABLET <b>MO</b>	2	QL (30 per 30 days)
XARELTO 15 MG, 2.5 MG TABLET <b>MO</b>	2	QL (60 per 30 days)
XARELTO DVT-PE TREATMENT 30-DAY STARTER 15 MG(42)-20 MG(9) TABLET PACK <b>MO</b>	2	QL (51 per 30 days)
YOSPRALA 325 MG-40 MG TABLET,IMMEDIATE AND DELAY RELEASE; YOSPRALA 81 MG-40 MG TABLET,IMMEDIATE AND DELAY RELEASE <b>MO</b>	3	PA,QL (30 per 30 days)
ZARXIO 300 MCG/0.5 ML INJECTION SYRINGE <b>DL</b>	4	PA,QL (7 per 30 days)
ZARXIO 480 MCG/0.8 ML INJECTION SYRINGE <b>DL</b>	4	PA,QL (11.2 per 30 days)
ZIEXTENZO 6 MG/0.6 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (1.2 per 28 days)
ZONTIVITY 2.08 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
<b>Cardiovascular Agents</b>		
ACCUPRIL 10 MG, 20 MG, 40 MG, 5 MG TABLET <b>MO</b>	3	
ACCURETIC 10 MG-12.5 MG TABLET; ACCURETIC 20 MG-12.5 MG TABLET; ACCURETIC 20 MG-25 MG TABLET <b>MO</b>	3	
acebutolol 200 mg, 400 mg capsule <b>MO</b>	1	
acetazolamide 125 mg, 250 mg tablet <b>MO</b>	1	
acetazolamide er 500 mg cap <b>MO</b>	1	
acetazolamide sod 500 mg vial <b>MO</b>	1	
ADALAT CC 30 MG, 60 MG, 90 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	QL (60 per 30 days)
adenosine 12 mg/4 ml vial <b>MO</b>	1	
adenosine 6 mg/2 ml syringe <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
afeditab cr 30 mg, 60 mg tablet <b>MO</b>	1	QL (60 per 30 days)
ALDACTAZIDE 25 MG-25 MG TABLET; ALDACTAZIDE 50 MG-50 MG TABLET <b>MO</b>	3	
ALDACTONE 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	3	
aliskiren 150 mg, 300 mg tablet <b>MO</b>	1	QL (30 per 30 days)
ALTACE 1.25 MG, 10 MG, 2.5 MG, 5 MG CAPSULE <b>MO</b>	3	PA
ALTOPREV 20 MG, 40 MG, 60 MG TABLET,EXTENDED RELEASE <b>DL</b>	4	ST,QL (30 per 30 days)
amiloride hcl 5 mg tablet <b>MO</b>	1	
amiloride hcl-hctz 5-50 mg tab <b>MO</b>	1	
amiodarone 150 mg/3 ml syringe <b>MO</b>	1	
amiodarone 900 mg/18 ml vial <b>MO</b>	1	
amiodarone hcl 100 mg, 200 mg tablet <b>MO</b>	1	
amiodarone hcl 400 mg tablet <b>MO</b>	1	QL (60 per 30 days)
amlodipine besylate 10 mg tab <b>MO</b>	1	QL (60 per 30 days)
amlodipine besylate 2.5 mg, 5 mg tab <b>MO</b>	1	QL (30 per 30 days)
amlodipine-atorvast 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg, 2.5-10 mg, 2.5-20 mg, 2.5-40 mg, 5-10 mg, 5-20 mg, 5-40 mg, 5-80 mg <b>MO</b>	1	QL (30 per 30 days)
amlodipine-benazepril 10-20 mg, 2.5-10 mg, 5-10 mg, 5-20 mg; amlodipine-benazepril 2.5-10 <b>MO</b>	1	QL (60 per 30 days)
amlodipine-benazepril 10-40 mg, 5-40 mg <b>MO</b>	1	QL (30 per 30 days)
amlodipine-olmesartan 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg <b>MO</b>	1	QL (30 per 30 days)
amlodipine-valszartan 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg <b>MO</b>	1	QL (30 per 30 days)
amlod-valsa-hctz 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-12.5 mg, 5-160-25 mg; amlod-valsa-hctz 10-160-12.5mg <b>MO</b>	1	QL (30 per 30 days)
ANTARA 30 MG, 90 MG CAPSULE <b>MO</b>	3	QL (30 per 30 days)
ATACAND 16 MG, 4 MG, 8 MG TABLET <b>MO</b>	3	ST,QL (60 per 30 days)
ATACAND 32 MG TABLET <b>MO</b>	3	ST,QL (30 per 30 days)
ATACAND HCT 16 MG-12.5 MG TABLET; ATACAND HCT 32 MG-12.5 MG TABLET; ATACAND HCT 32 MG-25 MG TABLET <b>MO</b>	3	ST,QL (30 per 30 days)
atenolol 100 mg, 25 mg, 50 mg tablet <b>MO</b>	1	
atenolol-chlorthalidone 100-25; atenolol-chlorthalidone 50-25 <b>MO</b>	1	
atorvastatin 10 mg, 20 mg, 40 mg, 80 mg tablet <b>MO</b>	1	
AVALIDE 150 MG-12.5 MG TABLET <b>MO</b>	3	PA,QL (60 per 30 days)
AVALIDE 300 MG-12.5 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
AVAPRO 150 MG, 300 MG, 75 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
AZOR 10 MG-20 MG TABLET; AZOR 10 MG-40 MG TABLET; AZOR 5 MG-20 MG TABLET; AZOR 5 MG-40 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
benazepril hcl 10 mg, 20 mg, 40 mg, 5 mg tablet <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
benazepril-hctz 10-12.5 mg, 20-12.5 mg, 20-25 mg, 5-6.25 mg tab <b>MO</b>	1	
BENICAR 20 MG, 40 MG, 5 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
BENICAR HCT 20 MG-12.5 MG TABLET; BENICAR HCT 40 MG-12.5 MG TABLET; BENICAR HCT 40 MG-25 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
BETAPACE 120 MG, 160 MG, 240 MG, 80 MG TABLET <b>DL</b>	4	PA
BETAPACE AF 120 MG, 160 MG, 80 MG TABLET <b>DL</b>	4	PA
betaxolol 10 mg, 20 mg tablet <b>MO</b>	1	
BIDIL 20 MG-37.5 MG TABLET <b>MO</b>	3	QL (180 per 30 days)
BIORPHEN 0.1 MG/ML INTRAVENOUS SOLUTION <b>MO</b>	3	
bisoprolol fumarate 10 mg, 5 mg tab <b>MO</b>	1	
bisoprolol-hctz 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg tab; bisoprolol-hctz 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg tb <b>MO</b>	1	
bretylium 500 mg/10 ml vial <b>MO</b>	1	
BREVIBLOC 100 MG/10 ML (10 MG/ML) INTRAVENOUS SOLUTION <b>MO</b>	3	
BREVIBLOC 2,000 MG/100 ML, 2,500 MG/250 ML (10 MG/ML) (20 MG/ML) IN SODIUM CHLORIDE (ISO-OSM) IV; BREVIBLOC 2,000 MG/100 ML, 2,500 MG/250 ML (10 MG/ML) IN SODIUM CHLORIDE (ISO-OSM) IV <b>MO</b>	3	
bumetanide 0.5 mg, 1 mg, 2 mg tablet <b>MO</b>	1	
bumetanide 1 mg/4 ml vial <b>MO</b>	1	
BYSTOLIC 10 MG TABLET <b>MO</b>	2	QL (120 per 30 days)
BYSTOLIC 2.5 MG, 5 MG TABLET <b>MO</b>	2	QL (30 per 30 days)
BYSTOLIC 20 MG TABLET <b>MO</b>	2	QL (60 per 30 days)
BYVALSON 5 MG-80 MG TABLET <b>MO</b>	3	ST,QL (30 per 30 days)
CADUET 10 MG-10 MG TABLET; CADUET 10 MG-20 MG TABLET; CADUET 10 MG-40 MG TABLET; CADUET 10 MG-80 MG TABLET; CADUET 5 MG-10 MG TABLET; CADUET 5 MG-20 MG TABLET; CADUET 5 MG-40 MG TABLET; CADUET 5 MG-80 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
CALAN 120 MG TABLET <b>MO</b>	3	QL (120 per 30 days)
CALAN SR 120 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	QL (30 per 30 days)
CALAN SR 180 MG, 240 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	
candesartan cilexetil 16 mg, 4 mg, 8 mg tab; candesartan cilexetil 16 mg, 4 mg, 8 mg tb <b>MO</b>	1	QL (60 per 30 days)
candesartan cilexetil 32 mg tb <b>MO</b>	1	QL (30 per 30 days)
candesartan-hctz 16-12.5 mg, 32-12.5 mg, 32-25 mg tab; candesartan-hctz 16-12.5 mg, 32-12.5 mg, 32-25 mg tb <b>MO</b>	1	QL (30 per 30 days)
captopril 100 mg, 12.5 mg, 25 mg, 50 mg tablet <b>MO</b>	1	
captopril-hctz 25-15 mg, 25-25 mg, 50-15 mg, 50-25 mg tablet <b>MO</b>	1	
CARDIZEM 120 MG, 30 MG, 60 MG TABLET <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CARDIZEM CD 120 MG, 180 MG, 240 MG CAPSULE,EXTENDED RELEASE <b>DL</b>	4	PA,QL (60 per 30 days)
CARDIZEM CD 300 MG, 360 MG CAPSULE,EXTENDED RELEASE <b>DL</b>	4	PA,QL (30 per 30 days)
CARDIZEM LA 120 MG, 300 MG, 360 MG, 420 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	QL (30 per 30 days)
CARDIZEM LA 180 MG, 240 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	QL (60 per 30 days)
CARDURA 1 MG, 2 MG, 4 MG, 8 MG TABLET <b>MO</b>	3	
CARDURA XL 4 MG, 8 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	QL (30 per 30 days)
CAROSPIR 25 MG/5 ML ORAL SUSPENSION <b>DL</b>	4	PA,QL (450 per 30 days)
cartia xt 120 mg, 180 mg, 240 mg capsule,extended release <b>MO</b>	1	QL (60 per 30 days)
cartia xt 300 mg capsule,extended release <b>MO</b>	1	QL (30 per 30 days)
carvedilol 12.5 mg, 25 mg, 3.125 mg, 6.25 mg tablet <b>MO</b>	1	
carvedilol er 10 mg, 20 mg, 40 mg, 80 mg capsule <b>MO</b>	1	QL (30 per 30 days)
CATAPRES 0.1 MG, 0.2 MG, 0.3 MG TABLET <b>MO</b>	3	
CATAPRES-TTS-1 0.1 MG/24 HR TRANSDERMAL PATCH <b>MO</b>	3	PA,QL (4 per 28 days)
CATAPRES-TTS-2 0.2 MG/24 HR TRANSDERMAL PATCH <b>MO</b>	3	PA,QL (4 per 28 days)
CATAPRES-TTS-3 0.3 MG/24 HR TRANSDERMAL PATCH <b>MO</b>	3	PA,QL (4 per 28 days)
chlorothiazide 250 mg, 500 mg tablet <b>MO</b>	1	
chlorothiazide sod 500 mg vial <b>MO</b>	1	
chlorthalidone 25 mg, 50 mg tablet <b>MO</b>	1	
cholestyramine packet; cholestyramine powder <b>MO</b>	1	
cholestyramine light 4 gram oral powder; cholestyramine light 4 gram powder for susp in a packet <b>MO</b>	1	
CLEVIPREX 25 MG/50 ML, 50 MG/100 ML INTRAVENOUS EMULSION <b>MO</b>	3	
clonidine 0.1 mg/day patch; clonidine 0.2 mg/day patch; clonidine 0.3 mg/day patch <b>MO</b>	1	QL (4 per 28 days)
clonidine hcl 0.1 mg, 0.2 mg, 0.3 mg tablet <b>MO</b>	1	
colesevelam 625 mg tablet <b>MO</b>	1	QL (180 per 30 days)
colesevelam hcl 3.75 g packet <b>MO</b>	1	QL (30 per 30 days)
COLESTID 1 GRAM TABLET <b>MO</b>	3	
COLESTID 5 GRAM ORAL GRANULES <b>MO</b>	3	QL (1000 per 30 days)
COLESTID 5 GRAM ORAL PACKET <b>MO</b>	3	
COLESTID FLAVORED 5 GRAM ORAL GRANULES <b>MO</b>	3	QL (1000 per 30 days)
COLESTID FLAVORED 7.5 GRAM PACKET <b>MO</b>	3	
colestipol hcl granules <b>MO</b>	1	QL (1000 per 30 days)
colestipol hcl granules packet <b>MO</b>	1	
colestipol micronized 1 gm tab <b>MO</b>	1	
COREG 12.5 MG, 25 MG, 3.125 MG, 6.25 MG TABLET <b>MO</b>	3	PA

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
COREG CR 10 MG, 20 MG, 40 MG, 80 MG CAPSULE, EXTENDED RELEASE <b>MO</b>	3	PA,QL (30 per 30 days)
CORGARD 20 MG, 40 MG, 80 MG TABLET <b>MO</b>	3	PA
CORLANOR 5 MG, 7.5 MG TABLET <b>MO</b>	3	PA,QL (60 per 30 days)
CORLANOR 5 MG/5 ML ORAL SOLUTION <b>MO</b>	3	PA,QL (560 per 28 days)
CORLOPAM 10 MG/ML INTRAVENOUS SOLUTION <b>MO</b>	3	
CORVERT 0.1 MG/ML INTRAVENOUS SOLUTION <b>MO</b>	3	
CORZIDE 40-5 TABLET; CORZIDE 80-5 TABLET <b>MO</b>	3	
COZAAR 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	3	PA,QL (60 per 30 days)
CRESTOR 10 MG, 20 MG, 40 MG, 5 MG TABLET <b>MO</b>	3	PA
DEMADEX 10 MG TABLET <b>MO</b>	3	
DEMSER 250 MG CAPSULE <b>DL</b>	4	
DIBENZYLINE 10 MG CAPSULE <b>DL</b>	4	
digitek 125 mcg (0.125 mg), 250 mcg (0.25 mg) tablet <b>MO</b>	1	QL (30 per 30 days)
digox 125 mcg (0.125 mg), 250 mcg (0.25 mg) tablet <b>MO</b>	1	QL (30 per 30 days)
digoxin 0.05 mg/ml solution; digoxin 500 mcg/2 ml ampule <b>MO</b>	1	
digoxin 125 mcg tablet; digoxin 250 mcg tablet <b>MO</b>	1	QL (30 per 30 days)
DILATRATE-SR 40 MG CAPSULE,EXTENDED RELEASE <b>MO</b>	3	
dilt-xr 120 mg, 180 mg, 240 mg capsule, extended release <b>MO</b>	1	QL (60 per 30 days)
diltiazem 100 mg, 5 mg/ml add-van vial; diltiazem 125 mg/25 ml vial <b>MO</b>	1	
diltiazem 120 mg, 30 mg, 60 mg, 90 mg tablet <b>MO</b>	1	
diltiazem 12hr er 120 mg cap <b>MO</b>	1	QL (90 per 30 days)
diltiazem 12hr er 60 mg, 90 mg cap <b>MO</b>	1	QL (180 per 30 days)
diltiazem 24h er(cd) 120 mg, 180 mg, 240 mg cp; diltiazem 24hr er 120 mg, 180 mg, 240 mg cap <b>MO</b>	1	QL (60 per 30 days)
diltiazem 24h er(cd) 300 mg, 360 mg, 420 mg cp; diltiazem 24hr er 300 mg, 360 mg, 420 mg cap <b>MO</b>	1	QL (30 per 30 days)
diltiazem 24h er(la) 180 mg, 240 mg tb <b>MO</b>	1	QL (60 per 30 days)
diltiazem 24h er(la) 300 mg, 360 mg, 420 mg tb <b>MO</b>	1	QL (30 per 30 days)
diltiazem 24h er(xr) 120 mg, 180 mg, 240 mg cp <b>MO</b>	1	QL (60 per 30 days)
DIOVAN 160 MG, 320 MG, 40 MG, 80 MG TABLET <b>MO</b>	3	PA,QL (60 per 30 days)
DIOVAN HCT 160 MG-12.5 MG TABLET; DIOVAN HCT 160 MG-25 MG TABLET; DIOVAN HCT 320 MG-12.5 MG TABLET; DIOVAN HCT 320 MG-25 MG TABLET; DIOVAN HCT 80 MG-12.5 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
disopyramide 100 mg, 150 mg capsule <b>MO</b>	1	
DIURIL 250 MG/5 ML ORAL SUSPENSION <b>MO</b>	3	
DIURIL 500 MG INTRAVENOUS SOLUTION <b>MO</b>	3	
dobutamine 12.5 mg/ml vial; dobutamine 250 mg/20 ml vial <b>MO</b>	1	B vs D

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
dobutamine 1,000 mg/250 ml d5w; dobutamine 250 mg/250 ml-d5w; dobutamine 500 mg/250 ml d5w <b>MO</b>	1	B vs D
dofetilide 125 mcg, 250 mcg, 500 mcg capsule <b>MO</b>	1	
dopamine 160 mg/ml vial; dopamine 200 mg/5 ml vial; dopamine 400 mg/10 ml vial; dopamine 80 mg/ml vial <b>MO</b>	1	B vs D
dopamine 200 mg-d5w 250 ml; dopamine 400 mg-d5w 500 ml; dopamine 400 mg/250 ml-d5w bag; dopamine 800 mg/250 ml-d5w bag; dopamine 800 mg/500 ml-d5w bag <b>MO</b>	1	B vs D
doxazosin mesylate 1 mg, 2 mg, 4 mg, 8 mg tab <b>MO</b>	1	
DUTOPROL 100 MG-12.5 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	QL (120 per 30 days)
DUTOPROL 25 MG-12.5 MG TABLET,EXTENDED RELEASE; DUTOPROL 50 MG-12.5 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	QL (60 per 30 days)
DYAZIDE 37.5 MG-25 MG CAPSULE <b>MO</b>	3	
DYRENIUM 100 MG, 50 MG CAPSULE <b>MO</b>	3	
EDARBI 40 MG, 80 MG TABLET <b>MO</b>	3	ST,QL (30 per 30 days)
EDARBYCLOR 40 MG-12.5 MG TABLET; EDARBYCLOR 40 MG-25 MG TABLET <b>MO</b>	3	ST,QL (30 per 30 days)
EDECIN 25 MG TABLET <b>DL</b>	4	QL (480 per 30 days)
enalapril maleate 10 mg, 2.5 mg, 20 mg, 5 mg tab; enalapril maleate 10 mg, 2.5 mg, 20 mg, 5 mg tablet <b>MO</b>	1	
enalapril-hctz 10-25 mg, 5-12.5 mg tab; enalapril-hctz 10-25 mg, 5-12.5 mg tablet <b>MO</b>	1	
enalaprilat 1.25 mg/ml vial <b>MO</b>	1	
ENTRESTO 24 MG-26 MG TABLET; ENTRESTO 49 MG-51 MG TABLET; ENTRESTO 97 MG-103 MG TABLET <b>MO</b>	2	QL (60 per 30 days)
EPANED 1 MG/ML ORAL SOLUTION <b>MO</b>	3	
eplerenone 25 mg, 50 mg tablet <b>MO</b>	1	
eprosartan mesylate 600 mg tab <b>MO</b>	1	QL (60 per 30 days)
esmolol hcl 100 mg/10 ml vial <b>MO</b>	1	
esmolol 2,000 mg/100 ml, 2,500 mg/250 ml (10 mg/ml)-nacl; esmolol 2,500 mg/250 ml-nacl <b>MO</b>	1	
ethacrynat sodium 50 mg vial <b>MO</b>	1	
ethacrynic acid 25 mg tablet <b>DL</b>	4	QL (480 per 30 days)
EXFORGE 10 MG-160 MG TABLET; EXFORGE 10 MG-320 MG TABLET; EXFORGE 5 MG-160 MG TABLET; EXFORGE 5 MG-320 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
EXFORGE HCT 10 MG-160 MG-12.5 MG TABLET; EXFORGE HCT 10 MG-160 MG-25 MG TABLET; EXFORGE HCT 10 MG-320 MG-25 MG TABLET; EXFORGE HCT 5 MG-160 MG-12.5 MG TABLET; EXFORGE HCT 5 MG-160 MG-25 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
EZALLOR SPRINKLE 10 MG, 20 MG, 40 MG, 5 MG CAPSULE <b>MO</b>	3	ST,QL (30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ezetimibe 10 mg tablet <b>MO</b>	1	QL (30 per 30 days)
ezetimibe-simvastatin 10-10 mg, 10-20 mg, 10-40 mg, 10-80 mg <b>MO</b>	1	QL (30 per 30 days)
felodipine er 10 mg, 2.5 mg, 5 mg tablet <b>MO</b>	1	QL (30 per 30 days)
fenofibrate 120 mg, 160 mg tablet <b>MO</b>	1	QL (30 per 30 days)
fenofibrate 150 mg capsule <b>MO</b>	1	QL (30 per 30 days)
fenofibrate 40 mg, 54 mg tablet <b>MO</b>	1	QL (60 per 30 days)
fenofibrate 50 mg capsule <b>MO</b>	1	QL (60 per 30 days)
fenofibrate 130 mg, 43 mg capsule <b>MO</b>	1	ST,QL (30 per 30 days)
fenofibrate 134 mg, 200 mg capsule <b>MO</b>	1	QL (30 per 30 days)
fenofibrate 67 mg capsule <b>MO</b>	1	QL (60 per 30 days)
fenofibrate 145 mg, 160 mg tablet <b>MO</b>	1	QL (30 per 30 days)
fenofibrate 48 mg tablet <b>MO</b>	1	QL (60 per 30 days)
fenofibric acid 105 mg, 35 mg tablet <b>MO</b>	2	QL (30 per 30 days)
fenofibric acid dr 135 mg, 45 mg cap <b>MO</b>	1	QL (30 per 30 days)
FENOGLIDE 120 MG TABLET <b>DL</b>	4	QL (30 per 30 days)
FENOGLIDE 40 MG TABLET <b>DL</b>	4	QL (60 per 30 days)
FIBRICOR 105 MG, 35 MG TABLET <b>MO</b>	3	QL (30 per 30 days)
flecainide acetate 100 mg, 150 mg, 50 mg tab <b>MO</b>	1	
FLOLIPID 20 MG/5 ML (4 MG/ML), 40 MG/5 ML (8 MG/ML) ORAL SUSPENSION <b>MO</b>	3	ST,QL (150 per 30 days)
fluvastatin er 80 mg tablet <b>MO</b>	1	ST,QL (30 per 30 days)
fluvastatin sodium 20 mg, 40 mg cap <b>MO</b>	1	ST,QL (60 per 30 days)
fosinopril sodium 10 mg, 20 mg, 40 mg tab <b>MO</b>	1	
fosinopril-hctz 10-12.5 mg, 20-12.5 mg tab <b>MO</b>	1	
furosemide 10 mg/ml, 40 mg/5 ml (8 mg/ml) solution; furosemide 40 mg/4 ml vial; furosemide 40 mg/5 ml soln <b>MO</b>	1	
furosemide 20 mg, 40 mg, 80 mg tablet <b>MO</b>	1	
furosemide 40 mg/4 ml syringe <b>MO</b>	1	
gemfibrozil 600 mg tablet <b>MO</b>	1	QL (60 per 30 days)
GONITRO 400 MCG SUBLINGUAL POWDER IN A PACKET <b>MO</b>	3	
guanfacine 1 mg, 2 mg tablet <b>MO</b>	1	
HEMANGEOL 4.28 MG/ML ORAL SOLUTION <b>MO</b>	3	
hydralazine 10 mg, 100 mg, 25 mg, 50 mg tablet <b>MO</b>	1	
hydralazine 20 mg/ml vial <b>MO</b>	1	
hydrochlorothiazide 12.5 mg cp <b>MO</b>	1	
hydrochlorothiazide 12.5 mg, 25 mg, 50 mg tab; hydrochlorothiazide 12.5 mg, 25 mg, 50 mg tb <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
HYZAAR 100 MG-12.5 MG TABLET; HYZAAR 100 MG-25 MG TABLET; HYZAAR 50 MG-12.5 MG TABLET <b>MO</b>	3	PA,QL (60 per 30 days)
<i>ibutilide fum 1 mg/10 ml vial</i> <b>MO</b>	1	
<i>indapamide 1.25 mg, 2.5 mg tablet</i> <b>MO</b>	1	
INDERAL LA 120 MG, 160 MG, 60 MG, 80 MG CAPSULE,EXTENDED RELEASE <b>DL</b>	4	PA
INNOPRAN XL 120 MG, 80 MG CAPSULE,EXTENDED RELEASE <b>DL</b>	4	
INSPRA 25 MG, 50 MG TABLET <b>MO</b>	3	PA
<i>irbesartan 150 mg, 300 mg, 75 mg tablet</i> <b>MO</b>	1	QL (30 per 30 days)
<i>irbesartan-hctz 150-12.5 mg tb</i> <b>MO</b>	1	QL (60 per 30 days)
<i>irbesartan-hctz 300-12.5 mg tb</i> <b>MO</b>	1	QL (30 per 30 days)
<i>isochron 40 mg tablet,extended release</i> <b>MO</b>	1	
ISORDIL 40 MG TABLET <b>DL</b>	4	
ISORDIL TITRADOSE 5 MG TABLET <b>DL</b>	4	PA
<i>isosorbide dinitr er 40 mg tab</i> <b>MO</b>	1	
<i>isosorbide dinitrate 10 mg, 20 mg, 30 mg, 5 mg tab</i> <b>MO</b>	1	
<i>isosorbide dinitrate 40 mg tab</i> <b>DL</b>	4	
<i>isosorbide mononit 10 mg, 20 mg tab</i> <b>MO</b>	1	
<i>isosorbide mononit er 120 mg, 30 mg, 60 mg; isosorbide mononit er 120 mg, 30 mg, 60 mg tb</i> <b>MO</b>	1	
<i>isradipine 2.5 mg, 5 mg capsule</i> <b>MO</b>	1	
ISUPREL 0.2 MG/ML INJECTION SOLUTION <b>MO</b>	3	
JUXTAPID 10 MG, 30 MG, 40 MG, 5 MG, 60 MG CAPSULE <b>DL</b>	4	PA,QL (28 per 28 days)
JUXTAPID 20 MG CAPSULE <b>DL</b>	4	PA,QL (84 per 28 days)
KAPSPARGO SPRINKLE 100 MG, 25 MG, 50 MG CAPSULE,EXTENDED RELEASE <b>MO</b>	3	ST,QL (30 per 30 days)
KAPSPARGO SPRINKLE 200 MG CAPSULE,EXTENDED RELEASE <b>MO</b>	3	ST,QL (60 per 30 days)
KATERZIA 1 MG/ML ORAL SUSPENSION <b>MO</b>	3	QL (300 per 30 days)
<i>labetalol hcl 100 mg, 200 mg, 300 mg tablet</i> <b>MO</b>	1	
<i>labetalol hcl 100 mg/20 ml vl</i> <b>MO</b>	1	
LANOXIN 125 MCG (0.125 MG), 187.5 MCG (0.1875 MG), 250 MCG (0.25 MG), 62.5 MCG (0.0625 MG) TABLET; LANOXIN 187.5 MCG TABLET <b>MO</b>	3	QL (30 per 30 days)
LANOXIN 250 MCG/ML (0.25 MG/ML), 500 MCG/2 ML (0.5 MG/2 ML) INJECTION SOLUTION; LANOXIN 500 MCG/2 ML (250 MCG/ML) (0.5 MG/2 ML) INJECTION SOLUTION <b>MO</b>	3	
LANOXIN PEDIATRIC 100 MCG/ML (0.1 MG/ML) INJECTION SOLUTION <b>MO</b>	3	
LASIX 20 MG, 40 MG, 80 MG TABLET <b>MO</b>	3	
LESCOL 20 MG, 40 MG CAPSULE <b>MO</b>	3	ST,QL (60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LESCOL XL 80 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	ST,QL (30 per 30 days)
LEVOPHED 1 MG/ML INTRAVENOUS SOLUTION <b>MO</b>	3	
<i>lidocaine hcl 2% vial</i> <b>MO</b>	1	
<i>lidocaine 0.4% in d5w 250 ml; lidocaine 0.8% in d5w soln</i> <b>MO</b>	1	
LIPITOR 10 MG, 20 MG, 40 MG, 80 MG TABLET <b>MO</b>	3	PA
LIPOFEN 150 MG CAPSULE <b>MO</b>	3	QL (30 per 30 days)
LIPOFEN 50 MG CAPSULE <b>MO</b>	3	QL (60 per 30 days)
<i>lisinopril 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg tablet</i> <b>MO</b>	1	
<i>lisinopril-hctz 10-12.5 mg, 20-12.5 mg, 20-25 mg tab</i> <b>MO</b>	1	
LIVALO 1 MG, 2 MG, 4 MG TABLET <b>MO</b>	3	ST,QL (30 per 30 days)
LOPID 600 MG TABLET <b>MO</b>	3	PA,QL (60 per 30 days)
LOPRESSOR 100 MG, 50 MG TABLET <b>MO</b>	3	
LOPRESSOR 5 MG/5 ML INTRAVENOUS SOLUTION <b>MO</b>	3	
LOPRESSOR HCT 50 MG-25 MG TABLET <b>MO</b>	3	
<i>losartan potassium 100 mg, 25 mg, 50 mg tab</i> <b>MO</b>	1	QL (60 per 30 days)
<i>losartan-hctz 100-12.5 mg, 100-25 mg, 50-12.5 mg tab</i> <b>MO</b>	1	QL (60 per 30 days)
LOTENSIN 10 MG, 20 MG, 40 MG TABLET <b>MO</b>	3	
LOTENSIN HCT 10 MG-12.5 MG TABLET; LOTENSIN HCT 20 MG-12.5 MG TABLET; LOTENSIN HCT 20 MG-25 MG TABLET <b>MO</b>	3	
LOTREL 10 MG-20 MG CAPSULE; LOTREL 5 MG-10 MG CAPSULE; LOTREL 5 MG-20 MG CAPSULE <b>MO</b>	3	PA,QL (60 per 30 days)
LOTREL 10 MG-40 MG CAPSULE; LOTREL 5 MG-40 MG CAPSULE <b>MO</b>	3	PA,QL (30 per 30 days)
<i>lovastatin 10 mg, 20 mg, 40 mg tablet</i> <b>MO</b>	1	
LOVAZA 1 GRAM CAPSULE <b>MO</b>	3	PA,QL (120 per 30 days)
<i>mannitol 10% iv solution</i> <b>MO</b>	1	
<i>mannitol 20% iv solution</i> <b>MO</b>	1	
<i>mannitol 25% vial</i> <b>MO</b>	1	
<i>mannitol 5% iv solution</i> <b>MO</b>	1	
<i>matzim la 180 mg, 240 mg tablet,extended release</i> <b>MO</b>	1	QL (60 per 30 days)
<i>matzim la 300 mg, 360 mg, 420 mg tablet,extended release</i> <b>MO</b>	1	QL (30 per 30 days)
MAXZIDE 75 MG-50 MG TABLET <b>MO</b>	3	PA
MAXZIDE-25MG 37.5 MG-25 MG TABLET <b>MO</b>	3	PA
<i>methazolamide 25 mg, 50 mg tablet</i> <b>MO</b>	1	
<i>methyclothiazide 5 mg tablet</i> <b>MO</b>	1	
<i>methyldopa 250 mg, 500 mg tablet</i> <b>MO</b>	1	
<i>methyldopa-hctz 250-15 mg, 250-25 mg tab</i> <b>MO</b>	1	
<i>methyldopate 250 mg/5 ml vial</i> <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
metolazone 10 mg, 2.5 mg, 5 mg tablet <b>MO</b>	1	
metoprolol succ er 100 mg, 200 mg, 25 mg, 50 mg tab <b>MO</b>	1	QL (60 per 30 days)
metoprolol-hctz 100-25 mg, 100-50 mg, 50-25 mg tab <b>MO</b>	1	
metoprolol 5 mg/5 ml carpuject <b>MO</b>	1	
metoprolol tart 5 mg/5 ml vial <b>MO</b>	1	
metoprolol tartrate 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg tab; metoprolol tartrate 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg tb <b>MO</b>	1	
metyrosine 250 mg capsule <b>DL</b>	4	
mexiletine 150 mg, 200 mg, 250 mg capsule <b>MO</b>	1	
MICARDIS 20 MG, 40 MG TABLET <b>MO</b>	3	ST,QL (30 per 30 days)
MICARDIS 80 MG TABLET <b>MO</b>	3	ST,QL (60 per 30 days)
MICARDIS HCT 40 MG-12.5 MG TABLET; MICARDIS HCT 80 MG-25 MG TABLET <b>MO</b>	3	ST,QL (30 per 30 days)
MICARDIS HCT 80 MG-12.5 MG TABLET <b>MO</b>	3	ST,QL (60 per 30 days)
MICROZIDE 12.5 MG CAPSULE <b>MO</b>	3	
midodrine hcl 10 mg, 2.5 mg, 5 mg tablet <b>MO</b>	1	
milrinone lact 20 mg/20 ml vl <b>MO</b>	1	B vs D
milrinone-d5w 20 mg/100 ml; milrinone-d5w 40 mg/200 ml <b>MO</b>	1	B vs D
MINIPRESS 1 MG, 2 MG, 5 MG CAPSULE <b>MO</b>	3	
minitran 0.1 mg/hr, 0.2 mg/hr, 0.6 mg/hr transdermal 24 hour patch <b>MO</b>	1	QL (30 per 30 days)
minitran 0.4 mg/hr transdermal 24 hour patch <b>MO</b>	1	QL (60 per 30 days)
minoxidil 10 mg, 2.5 mg tablet <b>MO</b>	1	
moexipril hcl 15 mg, 7.5 mg tablet <b>MO</b>	1	
moexipril-hctz 15-12.5 mg, 15-25 mg, 7.5-12.5 mg tab; moexipril-hctz 15-12.5 mg, 15-25 mg, 7.5-12.5 mg tablet <b>MO</b>	1	
MULTAQ 400 MG TABLET <b>MO</b>	2	QL (60 per 30 days)
nadolol 20 mg, 40 mg, 80 mg tablet <b>MO</b>	1	
nadolol-bendroflu 40-5 mg, 80-5 mg tab <b>MO</b>	1	
NATRECOR 1.5 MG VIAL <b>MO</b>	3	
NEXLETOL 180 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
NEXLIZET 180 MG-10 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
NEXTERONE 150 MG/100 ML (1.5 MG/ML), 360 MG/200 ML (1.8 MG/ML) INTRAVENOUS SOLUTION <b>MO</b>	3	
niacin er 1,000 mg, 500 mg, 750 mg tablet <b>MO</b>	1	
niacor 500 mg tablet <b>MO</b>	1	
NIASPAN 1,000 MG, 500 MG, 750 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	PA
nicardipine 20 mg, 30 mg capsule <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
nicardipine 25 mg/10 ml ampule <b>MO</b>	1	
nifedipine 10 mg, 20 mg capsule <b>MO</b>	1	
nifedipine er 30 mg, 60 mg, 90 mg tablet <b>MO</b>	1	QL (60 per 30 days)
nimodipine 30 mg capsule <b>MO</b>	1	
nisoldipine er 17 mg, 20 mg, 34 mg, 40 mg, 8.5 mg tablet <b>MO</b>	1	QL (30 per 30 days)
nisoldipine er 25.5 mg, 30 mg tablet <b>MO</b>	1	QL (60 per 30 days)
NITRO-BID 2 % TRANSDERMAL OINTMENT <b>MO</b>	1	
NITRO-DUR 0.1 MG/HR, 0.2 MG/HR, 0.6 MG/HR TRANSDERMAL 24 HOUR PATCH <b>DL</b>	4	QL (30 per 30 days)
NITRO-DUR 0.3 MG/HR, 0.8 MG/HR TRANSDERMAL 24 HOUR PATCH <b>DL</b>	4	
NITRO-DUR 0.4 MG/HR TRANSDERMAL 24 HOUR PATCH <b>DL</b>	4	QL (60 per 30 days)
nitroglycerin 0.1 mg/hr, 0.2 mg/hr, 0.6 mg/hr patch <b>MO</b>	1	QL (30 per 30 days)
nitroglycerin 0.3 mg, 0.4 mg, 0.6 mg tablet <b>SL MO</b>	1	
nitroglycerin 0.4 mg/hr patch <b>MO</b>	1	QL (60 per 30 days)
nitroglycerin 5 mg/ml vial <b>MO</b>	1	
nitroglycerin lingual 400 mcg <b>MO</b>	1	
ntg 0.2 mg/ml in d5w; ntg 100 mg/250 ml in d5w; ntg 200 mg/500 ml in d5w; ntg 25 mg/250 ml in d5w; ntg 50 mg/500 ml in d5w <b>MO</b>	1	
NITROLINGUAL 400 MCG/SPRAY <b>MO</b>	3	
NITROSTAT 0.3 MG, 0.4 MG, 0.6 MG SUBLINGUAL TABLET <b>MO</b>	2	
norepinephrine 4 mg/4 ml vial <b>MO</b>	1	
NORPACE 100 MG, 150 MG CAPSULE <b>MO</b>	3	
NORPACE CR 100 MG, 150 MG CAPSULE, EXTENDED RELEASE <b>MO</b>	3	
NORTHERA 100 MG, 200 MG CAPSULE <b>DL</b>	4	PA,QL (90 per 30 days)
NORTHERA 300 MG CAPSULE <b>DL</b>	4	PA,QL (180 per 30 days)
NORVASC 10 MG TABLET <b>MO</b>	3	PA,QL (60 per 30 days)
NORVASC 2.5 MG, 5 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
NYMALIZE 30 MG/10 ML SOLUTION <b>DL</b>	4	QL (1260 per 28 days)
NYMALIZE 30 MG/5 ML ORAL SYRINGE (FOR ORAL USE ONLY) <b>DL</b>	4	QL (630 per 28 days)
NYMALIZE 60 MG/10 ML ORAL SYRINGE (FOR ORAL USE ONLY) <b>DL</b>	4	QL (1260 per 28 days)
NYMALIZE 60 MG/20 ML SOLUTION <b>DL</b>	4	QL (2838 per 28 days)
olmesartan medoxomil 20 mg, 40 mg, 5 mg tab <b>MO</b>	1	QL (30 per 30 days)
olmsrtn-amldpn-hctz 20-5-12.5; olmsrtn-amldpn-hctz 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg; olmsrtn-amldpn-hctz 40-10-12.5; olmsrtn-amldpn-hctz 40-10-25mg; olmsrtn-amldpn-hctz 40-5-12.5 <b>MO</b>	1	QL (30 per 30 days)
olmesartan-hctz 20-12.5 mg, 40-12.5 mg, 40-25 mg tab <b>MO</b>	1	QL (30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
omega-3 ethyl esters 1 gm cap <b>MO</b>	1	QL (120 per 30 days)
OSMITROL 10 % INTRAVENOUS SOLUTION <b>MO</b>	3	
OSMITROL 15 % INTRAVENOUS SOLUTION <b>MO</b>	3	
OSMITROL 20 % INTRAVENOUS SOLUTION <b>MO</b>	3	
OSMITROL 5 % INTRAVENOUS SOLUTION <b>MO</b>	3	
PACERONE 100 MG TABLET <b>MO</b>	1	
pacerone 200 mg tablet <b>MO</b>	1	
PACERONE 400 MG TABLET <b>MO</b>	1	QL (60 per 30 days)
pentoxifylline er 400 mg tab <b>MO</b>	1	
perindopril erbumine 2 mg, 4 mg, 8 mg tab <b>MO</b>	1	
phenoxybenzamine hcl 10 mg cap <b>DL</b>	4	
phenylephrine 100 mg/10 ml vl <b>MO</b>	1	
pindolol 10 mg, 5 mg tablet <b>MO</b>	1	
PRALUENT PEN 150 MG/ML, 75 MG/ML SUBCUTANEOUS PEN INJECTOR <b>MO</b>	3	PA,QL (2 per 28 days)
PRAVACHOL 20 MG, 40 MG, 80 MG TABLET <b>MO</b>	3	PA
pravastatin sodium 10 mg, 20 mg, 40 mg, 80 mg tab <b>MO</b>	1	
prazosin 1 mg, 2 mg, 5 mg capsule <b>MO</b>	1	
PRESTALIA 14 MG-10 MG TABLET; PRESTALIA 3.5 MG-2.5 MG TABLET; PRESTALIA 7 MG-5 MG TABLET <b>MO</b>	3	QL (30 per 30 days)
prevalite 4 gram oral powder; prevalite 4 gram powder for susp in a packet <b>MO</b>	1	
PRINIVIL 10 MG, 20 MG, 5 MG TABLET <b>MO</b>	3	
procainamide 1,000 mg/10 ml vl; procainamide 1,000 mg/2 ml vl <b>MO</b>	1	
PROCARDIA 10 MG CAPSULE <b>MO</b>	3	PA
PROCARDIA XL 30 MG, 60 MG, 90 MG TABLET, EXTENDED RELEASE <b>MO</b>	3	PA,QL (60 per 30 days)
propafenone hcl 150 mg, 225 mg, 300 mg tab; propafenone hcl 150 mg, 225 mg, 300 mg tablet <b>MO</b>	1	
propafenone hcl er 225 mg, 325 mg cap <b>MO</b>	1	QL (60 per 30 days)
propafenone hcl er 425 mg cap <b>MO</b>	1	
propranolol 1 mg/ml, 20 mg/5 ml (4 mg/ml), 40 mg/5 ml (8 mg/ml) vial; propranolol 20 mg/5 ml soln; propranolol 40 mg/5 ml soln <b>MO</b>	1	
propranolol 10 mg, 20 mg, 40 mg, 60 mg, 80 mg tablet <b>MO</b>	1	
propranolol er 120 mg, 160 mg, 60 mg, 80 mg capsule <b>MO</b>	1	
propranolol-hctz 40-25 mg, 80-25 mg tab <b>MO</b>	1	
QBRELIS 1 MG/ML ORAL SOLUTION <b>DL</b>	4	QL (1200 per 30 days)
QUESTRAN 4 GRAM ORAL POWDER; QUESTRAN 4 GRAM POWDER FOR SUSP IN A PACKET <b>MO</b>	1	
QUESTRAN LIGHT 4 GRAM ORAL POWDER <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
quinapril 10 mg, 20 mg, 40 mg, 5 mg tablet <b>MO</b>	1	
quinapril-hctz 10-12.5 mg, 20-12.5 mg, 20-25 mg tab <b>MO</b>	1	
quinidine gluc 80 mg/ml vial <b>MO</b>	1	
quinidine gluc er 324 mg tab <b>MO</b>	1	
quinidine sulfate 200 mg, 300 mg tab <b>MO</b>	1	
ramipril 1.25 mg, 10 mg, 2.5 mg, 5 mg capsule <b>MO</b>	1	
RANEXA 1,000 MG, 500 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	PA,QL (120 per 30 days)
ranolazine er 1,000 mg, 500 mg tablet <b>MO</b>	1	QL (120 per 30 days)
REPATHA PUSHTRONEX 420 MG/3.5 ML SUBCUTANEOUS WEARABLE INJECTOR <b>MO</b>	2	PA,QL (3.5 per 28 days)
REPATHA SURECLICK 140 MG/ML SUBCUTANEOUS PEN INJECTOR <b>MO</b>	2	PA,QL (3 per 28 days)
REPATHA SYRINGE 140 MG/ML SUBCUTANEOUS SYRINGE <b>MO</b>	2	PA,QL (3 per 28 days)
RESECTISOL 5% SOLUTION <b>MO</b>	3	
rosuvastatin calcium 10 mg, 20 mg, 40 mg, 5 mg tab <b>MO</b>	1	
RYTHMOL SR 225 MG CAPSULE,EXTENDED RELEASE <b>MO</b>	3	PA,QL (60 per 30 days)
RYTHMOL SR 325 MG CAPSULE,EXTENDED RELEASE <b>DL</b>	4	PA,QL (60 per 30 days)
RYTHMOL SR 425 MG CAPSULE,EXTENDED RELEASE <b>DL</b>	4	PA
simvastatin 10 mg, 20 mg, 40 mg, 5 mg, 80 mg tablet <b>MO</b>	1	
SODIUM EDECRIN 50 MG INTRAVENOUS SOLUTION <b>MO</b>	3	
sorine 120 mg, 160 mg, 240 mg, 80 mg tablet <b>MO</b>	1	
sotalol 120 mg, 160 mg, 240 mg, 80 mg tablet <b>MO</b>	1	
sotalol hcl 150 mg/10 ml vial <b>MO</b>	1	
sotalol af 120 mg, 160 mg, 80 mg tablet <b>MO</b>	1	
SOTYLIZE 5 MG/ML ORAL SOLUTION <b>MO</b>	3	
spironolactone-hctz 25-25 tab <b>MO</b>	1	
spironolactone 100 mg, 25 mg, 50 mg tablet <b>MO</b>	1	
SULAR 17 MG, 34 MG, 8.5 MG TABLET,EXTENDED RELEASE <b>DL</b>	4	PA,QL (30 per 30 days)
TARKA 2 MG-180 MG TABLET, EXTENDED RELEASE; TARKA 2 MG-240 MG TABLET, EXTENDED RELEASE; TARKA 4 MG-240 MG TABLET, EXTENDED RELEASE <b>MO</b>	3	
taztia xt 120 mg, 180 mg, 240 mg capsule,extended release <b>MO</b>	1	QL (60 per 30 days)
taztia xt 300 mg, 360 mg capsule,extended release <b>MO</b>	1	QL (30 per 30 days)
TEKTURN A 150 MG, 300 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
TEKTURN A HCT 150 MG-12.5 MG TABLET; TEKTURN A HCT 150 MG-25 MG TABLET; TEKTURN A HCT 300 MG-12.5 MG TABLET; TEKTURN A HCT 300 MG-25 MG TABLET <b>MO</b>	2	QL (30 per 30 days)
telmisartan 20 mg, 40 mg tablet <b>MO</b>	1	QL (30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
telmisartan 80 mg tablet <b>MO</b>	1	QL (60 per 30 days)
telmisartan-amlodipine 40-10; telmisartan-amlodipine 40-10 mg, 40-5 mg, 80-10 mg, 80-5 mg; telmisartan-amlodipine 80-10 <b>MO</b>	1	QL (30 per 30 days)
telmisartan-hctz 40-12.5 mg, 80-25 mg tab; telmisartan-hctz 40-12.5 mg, 80-25 mg tb <b>MO</b>	1	ST,QL (30 per 30 days)
telmisartan-hctz 80-12.5 mg tb <b>MO</b>	1	ST,QL (60 per 30 days)
TENORETIC 100 100 MG-25 MG TABLET <b>MO</b>	3	
TENORETIC 50 50 MG-25 MG TABLET <b>MO</b>	3	PA
TENORMIN 100 MG, 25 MG, 50 MG TABLET <b>MO</b>	3	
terazosin 1 mg, 10 mg, 2 mg, 5 mg capsule <b>MO</b>	1	
tiadylt er 120 mg, 180 mg, 240 mg capsule,extended release <b>MO</b>	1	QL (60 per 30 days)
tiadylt er 300 mg, 360 mg, 420 mg capsule,extended release <b>MO</b>	1	QL (30 per 30 days)
TIAZAC 120 MG, 180 MG, 240 MG CAPSULE,EXTENDED RELEASE <b>MO</b>	3	QL (60 per 30 days)
TIAZAC 300 MG, 360 MG, 420 MG CAPSULE,EXTENDED RELEASE <b>MO</b>	3	QL (30 per 30 days)
TIKOSYN 125 MCG, 250 MCG, 500 MCG CAPSULE <b>DL</b>	4	PA
timolol maleate 10 mg, 20 mg, 5 mg tablet <b>MO</b>	1	
TOPROL XL 100 MG, 200 MG, 25 MG, 50 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	QL (60 per 30 days)
torsemide 10 mg, 100 mg, 20 mg, 5 mg tablet <b>MO</b>	1	
trandolapril 1 mg, 2 mg, 4 mg tablet <b>MO</b>	1	
trandolapr-verapam er 1-240 mg, 2-180 mg, 2-240 mg, 4-240 mg <b>MO</b>	1	
triamterene 100 mg, 50 mg capsule <b>MO</b>	1	
triamterene-hctz 37.5-25 mg, 50-25 mg cap; triamterene-hctz 37.5-25 mg, 50-25 mg cp <b>MO</b>	1	
triamterene-hctz 37.5-25 mg, 75-50 mg tab; triamterene-hctz 37.5-25 mg, 75-50 mg tb <b>MO</b>	1	
TRIBENZOR 20 MG-5 MG-12.5 MG TABLET; TRIBENZOR 40 MG-10 MG-12.5 MG TABLET; TRIBENZOR 40 MG-10 MG-25 MG TABLET; TRIBENZOR 40 MG-5 MG-12.5 MG TABLET; TRIBENZOR 40 MG-5 MG-25 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
TRICOR 145 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
TRICOR 48 MG TABLET <b>MO</b>	3	PA,QL (60 per 30 days)
TRIGLIDE 160 MG TABLET <b>MO</b>	3	QL (30 per 30 days)
triklo 1 gm capsule <b>MO</b>	1	QL (120 per 30 days)
TRILIPIX 135 MG, 45 MG CAPSULE,DELAYED RELEASE <b>MO</b>	3	PA,QL (30 per 30 days)
TWYNSTA 40 MG-10 MG TABLET; TWYNSTA 40 MG-5 MG TABLET; TWYNSTA 80 MG-10 MG TABLET; TWYNSTA 80 MG-5 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
valsartan 160 mg, 320 mg, 40 mg, 80 mg tablet <b>MO</b>	1	QL (60 per 30 days)
valsartan-hctz 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg tab <b>MO</b>	1	QL (30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VASCEPA 0.5 GRAM CAPSULE <b>MO</b>	3	PA,QL (240 per 30 days)
VASCEPA 1 GRAM CAPSULE <b>MO</b>	3	PA,QL (120 per 30 days)
VASERETIC 10 MG-25 MG TABLET <b>MO</b>	3	
VASOTEC 10 MG, 2.5 MG, 20 MG, 5 MG TABLET <b>DL</b>	4	PA
VAZCULEP 10 MG/ML INJECTION SOLUTION <b>MO</b>	3	
vecamyl 2.5 mg tablet <b>DL</b>	4	QL (300 per 30 days)
verapamil 10 mg/4 ml syringe <b>MO</b>	1	
verapamil 120 mg, 180 mg, 240 mg, 360 mg cap pellet; verapamil sr 120 mg, 180 mg, 240 mg, 360 mg capsule <b>MO</b>	1	QL (60 per 30 days)
verapamil 120 mg, 40 mg, 80 mg tablet <b>MO</b>	1	QL (120 per 30 days)
verapamil 5 mg/2 ml ampul <b>MO</b>	1	
verapamil er 120 mg tablet <b>MO</b>	1	QL (30 per 30 days)
verapamil er 180 mg, 240 mg tablet <b>MO</b>	1	
verapamil er pm 100 mg, 300 mg capsule <b>MO</b>	1	QL (30 per 30 days)
verapamil er pm 200 mg capsule <b>MO</b>	1	QL (60 per 30 days)
VERELAN 120 MG, 180 MG, 240 MG, 360 MG CAPSULE, EXTENDED RELEASE <b>MO</b>	3	QL (60 per 30 days)
VERELAN PM 100 MG, 300 MG CAPSULE, EXTENDED RELEASE <b>MO</b>	3	PA,QL (30 per 30 days)
VERELAN PM 200 MG CAPSULE, EXTENDED RELEASE <b>MO</b>	3	PA,QL (60 per 30 days)
VYTORIN 10 MG-10 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
VYTORIN 10 MG-20 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
VYTORIN 10 MG-40 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
VYTORIN 10 MG-80 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
WELCHOL 3.75 GRAM ORAL POWDER PACKET <b>MO</b>	3	PA,QL (30 per 30 days)
WELCHOL 625 MG TABLET <b>MO</b>	3	PA,QL (180 per 30 days)
ZESTORETIC 10 MG-12.5 MG TABLET; ZESTORETIC 20 MG-12.5 MG TABLET; ZESTORETIC 20 MG-25 MG TABLET <b>MO</b>	3	
ZESTRIL 10 MG, 2.5 MG, 20 MG, 30 MG, 40 MG, 5 MG TABLET <b>MO</b>	3	PA
ZETIA 10 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
ZIAC 10 MG-6.25 MG TABLET; ZIAC 2.5 MG-6.25 MG TABLET; ZIAC 5 MG-6.25 MG TABLET <b>MO</b>	3	PA
ZOCOR 10 MG, 20 MG, 40 MG, 80 MG TABLET <b>MO</b>	3	PA
ZYPITAMAG 1 MG, 2 MG, 4 MG TABLET <b>MO</b>	3	ST,QL (30 per 30 days)
<b>Central Nervous System Agents</b>		
ADDERALL 10 MG, 12.5 MG, 15 MG, 20 MG, 5 MG, 7.5 MG TABLET <b>MO</b>	1	PA,QL (90 per 30 days)
ADDERALL 30 MG TABLET <b>MO</b>	1	PA,QL (60 per 30 days)
ADDERALL XR 10 MG, 15 MG, 5 MG CAPSULE, EXTENDED RELEASE <b>MO</b>	3	PA,QL (30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ADDERALL XR 20 MG, 25 MG, 30 MG CAPSULE,EXTENDED RELEASE <b>MO</b>	3	PA,QL (60 per 30 days)
ADZENYS ER 1.25 MG/ML SUSPENSION, EXTENDED RELEASE 24HR <b>MO</b>	3	QL (450 per 30 days)
ADZENYS XR-ODT 12.5 MG, 15.7 MG, 18.8 MG, 3.1 MG, 6.3 MG, 9.4 MG EXTENDED RELEASE DISINTEGRATING TABLET <b>MO</b>	3	QL (30 per 30 days)
amphetamine er 1.25 mg/ml susp <b>MO</b>	3	QL (450 per 30 days)
amphetamine sulfate 10 mg, 5 mg tab <b>MO</b>	1	QL (90 per 30 days)
AMPYRA 10 MG TABLET,EXTENDED RELEASE <b>DL</b>	4	PA,QL (60 per 30 days)
APTENSIO XR 10 MG, 15 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG CAPSULE,EXTENDED RELEASE SPRINKLE <b>MO</b>	3	QL (30 per 30 days)
atomoxetine hcl 10 mg, 18 mg, 25 mg, 40 mg capsule <b>MO</b>	1	QL (60 per 30 days)
atomoxetine hcl 100 mg, 60 mg, 80 mg capsule <b>MO</b>	1	QL (30 per 30 days)
AUBAGIO 14 MG, 7 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
AUSTEDO 12 MG, 9 MG TABLET <b>DL</b>	4	PA,QL (120 per 30 days)
AUSTEDO 6 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
AVONEX 30 MCG/0.5 ML INTRAMUSCULAR PEN KIT <b>DL</b>	4	PA,QL (1 per 28 days)
AVONEX 30 MCG/0.5 ML INTRAMUSCULAR SYRINGE KIT <b>DL</b>	4	PA,QL (1 per 28 days)
AVONEX 30 MCG VIAL KIT <b>DL</b>	4	PA,QL (4 per 28 days)
BAFIERTAM 95 MG CAPSULE,DELAYED RELEASE <b>DL</b>	4	PA,QL (120 per 30 days)
BETASERON 0.3 MG SUBCUTANEOUS KIT <b>DL</b>	4	PA,QL (15 per 30 days)
clonidine hcl er 0.1 mg tablet <b>MO</b>	1	QL (120 per 30 days)
CONCERTA 18 MG, 27 MG, 54 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	PA,QL (30 per 30 days)
CONCERTA 36 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	PA,QL (60 per 30 days)
COPAXONE 20 MG/ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (30 per 30 days)
COPAXONE 40 MG/ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (12 per 28 days)
COTEMPLA XR-ODT 17.3 MG, 8.6 MG EXTENDED RELEASE DISINTEGRATING TABLET <b>MO</b>	3	QL (30 per 30 days)
COTEMPLA XR-ODT 25.9 MG EXTENDED RELEASE DISINTEGRATING TABLET <b>MO</b>	3	QL (60 per 30 days)
dalfampridine er 10 mg tablet <b>MO</b>	1	PA,QL (60 per 30 days)
DAYTRANA 10 MG/9 HR, 15 MG/9 HR, 20 MG/9 HR, 30 MG/9 HR DAILY PATCH <b>MO</b>	3	QL (30 per 30 days)
DESOXYN 5 MG TABLET <b>DL</b>	4	PA,QL (150 per 30 days)
DEXEDRINE SPANSULE 10 MG CAPSULE,EXTENDED RELEASE <b>DL</b>	4	PA,QL (180 per 30 days)
DEXEDRINE SPANSULE 15 MG CAPSULE,EXTENDED RELEASE <b>DL</b>	4	PA,QL (120 per 30 days)
DEXEDRINE SPANSULE 5 MG CAPSULE,EXTENDED RELEASE <b>DL</b>	4	PA,QL (60 per 30 days)
dexamethylphenidate 10 mg, 2.5 mg, 5 mg tab <b>MO</b>	1	QL (60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
dexmethylphenidate er 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg cap; dexmethylphenidate er 10 mg, 15 mg, 20 mg, 25 mg, 30 mg, 35 mg, 40 mg, 5 mg cp <b>MO</b>	1	QL (30 per 30 days)
dextroamphetamine 10 mg tab <b>MO</b>	1	QL (180 per 30 days)
dextroamphetamine 5 mg tab <b>MO</b>	1	QL (150 per 30 days)
dextroamphetamine 5 mg/5 ml <b>MO</b>	1	QL (1800 per 30 days)
dextroamphetamine er 10 mg cap <b>MO</b>	1	QL (180 per 30 days)
dextroamphetamine er 15 mg cap <b>MO</b>	1	QL (120 per 30 days)
dextroamphetamine er 5 mg cap <b>MO</b>	1	QL (60 per 30 days)
dextroamp-amphet er 10 mg, 15 mg, 5 mg cap <b>MO</b>	1	QL (30 per 30 days)
dextroamp-amphet er 20 mg, 25 mg, 30 mg cap <b>MO</b>	1	QL (60 per 30 days)
dextroamp-amphetam 10 mg, 12.5 mg, 15 mg, 20 mg, 5 mg, 7.5 mg tab; dextroamp-amphetamin 10 mg, 12.5 mg, 15 mg, 20 mg, 5 mg, 7.5 mg tab;	1	QL (90 per 30 days)
dextroamp-amphetamine 10 mg, 12.5 mg, 15 mg, 20 mg, 5 mg, 7.5 mg tab <b>MO</b>		
dextroamp-amphetamin 30 mg tab <b>MO</b>	1	QL (60 per 30 days)
DYANAVEL XR 2.5 MG/ML ORAL 24 HR EXTENDED RELEASE SUSPENSION <b>MO</b>	3	QL (240 per 30 days)
EVEKEO 10 MG, 5 MG TABLET <b>MO</b>	1	QL (90 per 30 days)
EVEKEO ODT 10 MG, 5 MG DISINTEGRATING TABLET <b>MO</b>	3	QL (90 per 30 days)
EVEKEO ODT 15 MG, 20 MG DISINTEGRATING TABLET <b>MO</b>	3	QL (60 per 30 days)
EXTAVIA 0.3 MG SUBCUTANEOUS KIT <b>DL</b>	4	PA,QL (15 per 30 days)
EXTAVIA 0.3 MG SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (15 per 30 days)
FIRDAPSE 10 MG TABLET <b>DL</b>	4	PA,QL (240 per 30 days)
FOCALIN 10 MG, 2.5 MG, 5 MG TABLET <b>MO</b>	3	PA,QL (60 per 30 days)
FOCALIN XR 10 MG, 15 MG, 20 MG, 25 MG, 30 MG, 35 MG, 40 MG, 5 MG CAPSULE,EXTENDED RELEASE <b>MO</b>	3	QL (30 per 30 days)
GILENYA 0.25 MG, 0.5 MG CAPSULE <b>DL</b>	4	PA,QL (30 per 30 days)
glatiramer 20 mg/ml syringe <b>DL</b>	4	PA,QL (30 per 30 days)
glatiramer 40 mg/ml syringe <b>DL</b>	4	PA,QL (12 per 28 days)
glatopa 20 mg/ml subcutaneous syringe <b>DL</b>	4	PA,QL (30 per 30 days)
glatopa 40 mg/ml subcutaneous syringe <b>DL</b>	4	PA,QL (12 per 28 days)
GRALISE 300 MG TABLET,EXTENDED RELEASE <b>DL</b>	4	ST,QL (30 per 30 days)
GRALISE 600 MG TABLET,EXTENDED RELEASE <b>DL</b>	4	ST,QL (90 per 30 days)
GRALISE 30-DAY STARTER PACK <b>DL</b>	4	ST,QL (78 per 30 days)
guanfacine hcl er 1 mg, 2 mg, 3 mg, 4 mg tablet <b>MO</b>	1	QL (30 per 30 days)
HORIZANT ER 300 MG, 600 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	PA,QL (60 per 30 days)
INGREZZA 40 MG, 80 MG CAPSULE <b>DL</b>	4	PA,QL (30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INGREZZA INITIATION PACK 40 MG (7)-80 MG (21) CAPSULES IN A DOSE PACK <b>DL</b>	4	PA,QL (28 per 28 days)
INTUNIV ER 1 MG, 2 MG, 3 MG, 4 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	QL (30 per 30 days)
JORNAY PM 100 MG, 20 MG, 40 MG, 60 MG, 80 MG CAPSULE,DELAYED RELEASE,EXTENDED RELEASE SPRINKLE <b>MO</b>	3	QL (30 per 30 days)
KAPVAY 0.1 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	QL (120 per 30 days)
LEMTRADA 12 MG/1.2 ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (6 per 365 days)
LYRICA 100 MG, 150 MG, 200 MG, 25 MG, 50 MG, 75 MG CAPSULE <b>MO</b>	3	QL (90 per 30 days)
LYRICA 20 MG/ML ORAL SOLUTION <b>MO</b>	3	QL (900 per 30 days)
LYRICA 225 MG, 300 MG CAPSULE <b>MO</b>	3	QL (60 per 30 days)
LYRICA CR 165 MG, 82.5 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	PA,QL (30 per 30 days)
LYRICA CR 330 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	PA,QL (60 per 30 days)
MAVENCLAD (10 TABLET PACK) 10 MG TABLET <b>DL</b>	4	PA,QL (40 per 365 days)
MAVENCLAD (4 TABLET PACK) 10 MG TABLET <b>DL</b>	4	PA,QL (40 per 365 days)
MAVENCLAD (5 TABLET PACK) 10 MG TABLET <b>DL</b>	4	PA,QL (40 per 365 days)
MAVENCLAD (6 TABLET PACK) 10 MG TABLET <b>DL</b>	4	PA,QL (40 per 365 days)
MAVENCLAD (7 TABLET PACK) 10 MG TABLET <b>DL</b>	4	PA,QL (40 per 365 days)
MAVENCLAD (8 TABLET PACK) 10 MG TABLET <b>DL</b>	4	PA,QL (40 per 365 days)
MAVENCLAD (9 TABLET PACK) 10 MG TABLET <b>DL</b>	4	PA,QL (40 per 365 days)
MAYZENT 0.25 MG TABLET <b>DL</b>	4	PA,QL (120 per 30 days)
MAYZENT 2 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
MAYZENT STARTER PACK 0.25 MG (12 TABS) TABLETS <b>DL</b>	4	PA,QL (12 per 30 days)
metadate er 20 mg tablet,extended release <b>MO</b>	1	QL (90 per 30 days)
methamphetamine 5 mg tablet <b>DL</b>	4	QL (150 per 30 days)
METHYLIN 10 MG/5 ML ORAL SOLUTION <b>MO</b>	3	PA,QL (900 per 30 days)
METHYLIN 5 MG/5 ML ORAL SOLUTION <b>MO</b>	3	PA,QL (1800 per 30 days)
methylphenidate 10 mg chew tab <b>MO</b>	1	QL (180 per 30 days)
methylphenidate 10 mg, 20 mg, 5 mg tablet <b>MO</b>	1	QL (90 per 30 days)
methylphenidate 10 mg/5 ml soln <b>MO</b>	1	QL (900 per 30 days)
methylphenidate 2.5 mg, 5 mg chew tab; methylphenidate 2.5 mg, 5 mg chew tb <b>MO</b>	1	QL (150 per 30 days)
methylphenidate 5 mg/5 ml soln <b>MO</b>	1	QL (1800 per 30 days)
methylphenidate cd 10 mg, 20 mg, 40 mg, 50 mg, 60 mg cap;	1	QL (30 per 30 days)
methylphenidate la 10 mg, 20 mg, 40 mg, 50 mg, 60 mg cap <b>MO</b>	1	QL (60 per 30 days)
methylphenidate cd 20 mg, 30 mg cap; methylphenidate la 20 mg, 30 mg cap <b>MO</b>	1	QL (60 per 30 days)
methylphenidate er 10 mg tab <b>MO</b>	1	QL (180 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
methylphenidate er 10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg cap <b>MO</b>	3	QL (30 per 30 days)
methylphenidate er 18 mg, 27 mg, 54 mg, 72 mg tab <b>MO</b>	1	QL (30 per 30 days)
methylphenidate er 20 mg tab <b>MO</b>	1	QL (90 per 30 days)
methylphenidate er 36 mg tab <b>MO</b>	1	QL (60 per 30 days)
MYDAYIS 12.5 MG, 25 MG, 37.5 MG, 50 MG CAPSULE EXTENDED RELEASE 24 HR <b>MO</b>	3	QL (30 per 30 days)
NUEDEXTA 20 MG-10 MG CAPSULE <b>DL</b>	4	PA,QL (60 per 30 days)
OCREVUS 30 MG/ML INTRAVENOUS SOLUTION <b>MO</b>	4	PA,QL (40 per 365 days)
PLEGRIDY 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML SUBCUTANEOUS PEN INJECTOR; PLEGRIDY 63 MCG/0.5 ML-94 MCG/0.5 ML SUBCUTANEOUS PEN INJECTOR <b>DL</b>	4	PA,QL (1 per 28 days)
PLEGRIDY 125 MCG/0.5 ML, 63 MCG/0.5 ML- 94 MCG/0.5 ML SUBCUTANEOUS SYRINGE; PLEGRIDY 63 MCG/0.5 ML-94 MCG/0.5 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (1 per 28 days)
pregabalin 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg capsule <b>MO</b>	1	QL (90 per 30 days)
pregabalin 20 mg/ml solution <b>MO</b>	1	QL (900 per 30 days)
pregabalin 225 mg, 300 mg capsule <b>MO</b>	1	QL (60 per 30 days)
procentra 5 mg/5 ml oral solution <b>DL</b>	4	QL (1800 per 30 days)
QUILLCHEW ER 20 MG, 40 MG CHEWABLE TABLET, EXTENDED RELEASE; QUILLCHEW ER 20 MG, 40 MG CHEWABLE, EXTENDED RELEASE TABLET <b>DL</b>	4	QL (30 per 30 days)
QUILLCHEW ER 30 MG CHEWABLE TABLET, EXTENDED RELEASE <b>DL</b>	4	QL (60 per 30 days)
QUILLIVANT XR 5 MG/ML (25 MG/5 ML) ORAL SUSPENSION,EXTEND RELEASE 24HR <b>MO</b>	3	QL (360 per 30 days)
RADICAVA 30 MG/100 ML INTRAVENOUS PIGGYBACK <b>DL</b>	4	PA
REBIF (WITH ALBUMIN) 22 MCG/0.5 ML, 44 MCG/0.5 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (6 per 28 days)
REBIF REBIDOSE 22 MCG/0.5 ML, 44 MCG/0.5 ML SUBCUTANEOUS PEN INJECTOR <b>DL</b>	4	PA,QL (6 per 28 days)
REBIF REBIDOSE 8.8 MCG/0.2 ML-22 MCG/0.5 ML (6) SUBCUTANEOUS PEN INJ. <b>DL</b>	4	PA,QL (4.2 per 28 days)
REBIF TITRATION PACK 8.8 MCG/0.2 ML-22 MCG/0.5 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (4.2 per 28 days)
relexxii 72 mg tablet,extended release <b>MO</b>	1	QL (30 per 30 days)
RILUTEK 50 MG TABLET <b>DL</b>	4	
riluzole 50 mg tablet <b>MO</b>	1	
RITALIN 10 MG, 20 MG, 5 MG TABLET <b>MO</b>	3	PA,QL (90 per 30 days)
RITALIN LA 10 MG, 20 MG, 40 MG CAPSULE,EXTENDED RELEASE <b>MO</b>	3	PA,QL (30 per 30 days)
RITALIN LA 30 MG CAPSULE,EXTENDED RELEASE <b>MO</b>	3	PA,QL (60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RUZURGI 10 MG TABLET <b>DL</b>	4	PA,QL (300 per 30 days)
SAVELLA 100 MG, 12.5 MG, 12.5 MG (5)-25 MG(8)-50 MG(42), 25 MG, 50 MG TABLET; SAVELLA 12.5 MG (5)-25 MG(8)-50MG(42) TABLETS IN A DOSE PACK <b>MO</b>	2	QL (60 per 30 days)
STRATTERA 10 MG, 18 MG, 25 MG, 40 MG CAPSULE <b>MO</b>	3	PA,QL (60 per 30 days)
STRATTERA 100 MG, 60 MG, 80 MG CAPSULE <b>MO</b>	3	PA,QL (30 per 30 days)
TECFIDERA 120 MG (14)- 240 MG (46), 240 MG CAPSULE,DELAYED RELEASE; TECFIDERA 120 MG (14)-240 MG (46) CAPSULE,DELAYED RELEASE <b>DL</b>	4	PA,QL (60 per 30 days)
TECFIDERA 120 MG CAPSULE,DELAYED RELEASE <b>DL</b>	4	PA,QL (14 per 30 days)
tetrabenazine 12.5 mg tablet <b>DL</b>	4	PA,QL (240 per 30 days)
tetrabenazine 25 mg tablet <b>DL</b>	4	PA,QL (120 per 30 days)
TIGLUTIK 50 MG/10 ML ORAL SUSPENSION <b>DL</b>	4	PA,QL (600 per 30 days)
TYSABRI 300 MG/15 ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (15 per 28 days)
VUMERITY 231 MG CAPSULE,DELAYED RELEASE <b>DL</b>	4	PA,QL (120 per 30 days)
VYVANSE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG CHEWABLE TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
VYVANSE 10 MG, 20 MG, 30 MG, 40 MG, 50 MG, 60 MG, 70 MG CAPSULE <b>MO</b>	3	PA,QL (30 per 30 days)
XENAZINE 12.5 MG TABLET <b>DL</b>	4	PA,QL (240 per 30 days)
XENAZINE 25 MG TABLET <b>DL</b>	4	PA,QL (120 per 30 days)
zenzedi 10 mg tablet <b>MO</b>	1	QL (180 per 30 days)
ZENZEDI 15 MG TABLET <b>MO</b>	1	QL (120 per 30 days)
ZENZEDI 2.5 MG, 20 MG, 7.5 MG TABLET <b>MO</b>	1	QL (90 per 30 days)
ZENZEDI 30 MG TABLET <b>MO</b>	1	QL (60 per 30 days)
zenzedi 5 mg tablet <b>MO</b>	1	QL (150 per 30 days)
ZEPOSIA 0.92 MG CAPSULE <b>DL</b>	4	PA,QL (30 per 30 days)
ZEPOSIA STARTER KIT 0.23 MG-0.46 MG-0.92 MG CAPSULES IN A DOSE PACK <b>MO</b>	4	PA,QL (37 per 37 days)
ZEPOSIA STARTER PACK 0.23 MG (4)-0.46 MG (3) CAPSULES IN A DOSE PACK <b>DL</b>	4	PA,QL (7 per 7 days)
<b>Dental &amp; Oral Agents</b>		
cevimeline hcl 30 mg capsule <b>MO</b>	1	
chlorhexidine 0.12% rinse <b>MO</b>	1	
EVOXAC 30 MG CAPSULE <b>MO</b>	3	PA
KEPIVANCE 6.25 MG INTRAVENOUS SOLUTION <b>DL</b>	4	
oralone 0.1 % dental paste <b>MO</b>	1	
paroex oral rinse 0.12 % mouthwash <b>MO</b>	1	
periogard 0.12 % mouthwash <b>MO</b>	1	
pilocarpine hcl 5 mg, 7.5 mg tablet <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SALAGEN (PILOCARPINE) 5 MG, 7.5 MG TABLET <b>MO</b>	3	
triamcinolone 0.1% paste <b>MO</b>	1	
<b>DERMATOLOGICAL AGENTS</b>		
ABSORICA 10 MG, 20 MG, 25 MG, 30 MG, 35 MG CAPSULE <b>DL</b>	4	ST,QL (60 per 30 days)
ABSORICA 40 MG CAPSULE <b>DL</b>	4	ST,QL (120 per 30 days)
ABSORICA LD 16 MG, 24 MG, 8 MG CAPSULE <b>DL</b>	4	ST,QL (60 per 30 days)
ABSORICA LD 32 MG CAPSULE <b>DL</b>	4	ST,QL (120 per 30 days)
ACANYA 1.2 %-2.5 % TOPICAL GEL WITH PUMP <b>MO</b>	3	QL (50 per 30 days)
acitretin 10 mg capsule <b>MO</b>	1	PA,QL (90 per 30 days)
acitretin 17.5 mg capsule <b>MO</b>	1	PA,QL (60 per 30 days)
acitretin 25 mg capsule <b>MO</b>	1	PA
ACZONE 5 %, 7.5 % TOPICAL GEL; ACZONE 5 %, 7.5 % TOPICAL GEL WITH PUMP <b>MO</b>	3	QL (90 per 30 days)
adapalene 0.1% cream <b>MO</b>	1	QL (45 per 30 days)
adapalene 0.1% gel; adapalene 0.3% gel; adapalene 0.3% gel pump <b>MO</b>	1	QL (45 per 30 days)
adapalene 0.1% solution <b>DL</b>	4	QL (60 per 30 days)
adapalene 0.1% swab <b>MO</b>	1	QL (30 per 30 days)
adapalene-bnzyl perox 0.1-2.5% <b>MO</b>	1	QL (45 per 30 days)
AKLIEF 0.005 % TOPICAL CREAM <b>MO</b>	3	PA,QL (90 per 30 days)
AKTIPAK 3%-5% GEL POUCH <b>MO</b>	3	
ALA-CORT 1 % TOPICAL CREAM <b>MO</b>	1	QL (240 per 30 days)
ALA-SCALP 2 % LOTION <b>MO</b>	1	QL (236.8 per 30 days)
alclometasone dipr 0.05% oint <b>MO</b>	1	QL (240 per 30 days)
alclometasone dipro 0.05% crm <b>MO</b>	1	QL (240 per 30 days)
ALDARA 5 % TOPICAL CREAM PACKET <b>MO</b>	3	PA,QL (12 per 30 days)
ALTABAX 1 % TOPICAL OINTMENT <b>MO</b>	3	
ALTRENO 0.05 % LOTION <b>MO</b>	3	PA,QL (90 per 30 days)
amcinonide 0.1% cream <b>MO</b>	1	QL (120 per 30 days)
amcinonide 0.1% lotion <b>MO</b>	1	QL (120 per 30 days)
ammonium lactate 12% cream <b>MO</b>	1	
ammonium lactate 12% lotion <b>MO</b>	1	
amnesteem 10 mg, 20 mg capsule <b>MO</b>	1	QL (60 per 30 days)
amnesteem 40 mg capsule <b>MO</b>	1	QL (120 per 30 days)
AMZEEQ 4 % TOPICAL FOAM <b>MO</b>	3	PA,QL (30 per 30 days)
anusol-hc 2.5 % topical cream with perineal applicator <b>MO</b>	1	QL (60 per 30 days)
apexicon e 0.05 % topical cream <b>MO</b>	1	QL (60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ARAZLO 0.045 % LOTION <b>MO</b>	3	PA
ATRALIN 0.05 % TOPICAL GEL <b>MO</b>	3	PA,QL (45 per 30 days)
AVITA 0.025 % TOPICAL CREAM <b>MO</b>	3	PA,QL (45 per 30 days)
AVITA 0.025 % TOPICAL GEL <b>MO</b>	3	PA,QL (45 per 30 days)
azelaic acid 15% gel <b>MO</b>	1	ST,QL (50 per 30 days)
AZELEX 20 % TOPICAL CREAM <b>MO</b>	3	QL (50 per 30 days)
BACTROBAN 2% CREAM <b>MO</b>	3	
BACTROBAN NASAL 2% OINTMENT <b>MO</b>	3	
BENZACLIN 1 %-5 % TOPICAL GEL <b>MO</b>	3	QL (50 per 30 days)
BENZACLIN PUMP 1 %-5 % TOPICAL GEL <b>MO</b>	3	QL (50 per 30 days)
BENZAMYCIN 3 %-5 % TOPICAL GEL <b>MO</b>	3	QL (46.6 per 30 days)
beser 0.05 % lotion <b>MO</b>	1	QL (240 per 30 days)
betamethasone dp 0.05% crm <b>MO</b>	1	QL (90 per 30 days)
betamethasone dp 0.05% lot <b>MO</b>	1	QL (120 per 30 days)
betamethasone dp 0.05% oint <b>MO</b>	1	QL (90 per 30 days)
betamethasone va 0.1% cream <b>MO</b>	1	QL (180 per 30 days)
betamethasone va 0.1% lotion <b>MO</b>	1	QL (120 per 30 days)
betamethasone valer 0.1% ointm <b>MO</b>	1	QL (180 per 30 days)
betamethasone valer 0.12% foam <b>MO</b>	1	QL (200 per 30 days)
betamethasone dp aug 0.05% crm <b>MO</b>	1	QL (100 per 30 days)
betamethasone dp aug 0.05% gel <b>MO</b>	1	QL (100 per 30 days)
betamethasone dp aug 0.05% lot <b>MO</b>	1	QL (120 per 30 days)
betamethasone dp aug 0.05% oin <b>MO</b>	1	QL (100 per 30 days)
BRYHALI 0.01 % LOTION <b>MO</b>	3	ST,QL (200 per 30 days)
calcipotriene 0.005% cream <b>MO</b>	1	PA,QL (120 per 30 days)
calcipotriene 0.005% ointment <b>MO</b>	1	QL (240 per 30 days)
calcipotriene 0.005% solution <b>MO</b>	1	QL (60 per 30 days)
calcipotriene-betameth dp oint <b>DL</b>	4	PA,QL (60 per 30 days)
calcipotriene-betameth dp susp <b>MO</b>	1	QL (420 per 30 days)
calcitrene 0.005% ointment <b>MO</b>	1	QL (240 per 30 days)
calcitriol 3 mcg/g ointment <b>MO</b>	1	ST,QL (800 per 28 days)
CAPEX 0.01 % SHAMPOO <b>MO</b>	3	QL (840 per 30 days)
CARAC 0.5 % TOPICAL CREAM <b>DL</b>	4	PA,QL (60 per 30 days)
CENTANY 2 % TOPICAL OINTMENT <b>MO</b>	3	
claravis 10 mg, 20 mg, 30 mg capsule <b>MO</b>	1	QL (60 per 30 days)
claravis 40 mg capsule <b>MO</b>	1	QL (120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CLEOCIN T 1 % LOTION <b>MO</b>	3	QL (60 per 30 days)
CLEOCIN T 1 % SOLUTION <b>MO</b>	3	QL (60 per 30 days)
CLEOCIN T 1 % TOPICAL GEL <b>MO</b>	3	QL (60 per 30 days)
CLEOCIN T 1% PLEDGETS <b>MO</b>	3	
clindacin etz 1 % topical swab <b>MO</b>	1	
clindacin p 1 % topical swab <b>MO</b>	1	
CLINDAGEL 1 % TOPICAL GEL, ONCE DAILY <b>DL</b>	4	PA,QL (75 per 30 days)
clindamycin ph 1% gel <b>MO</b>	1	QL (60 per 30 days)
clindamycin ph 1% solution <b>MO</b>	1	QL (60 per 30 days)
clindamycin phos 1% plegget <b>MO</b>	1	
clindamycin phosp 1% lotion <b>MO</b>	1	QL (60 per 30 days)
clindamycin phosphate 1% foam <b>MO</b>	1	QL (100 per 30 days)
clindamycin phosphate 1% gel <b>MO</b>	1	PA,QL (75 per 30 days)
clind ph-benzoyl pero 1.2-2.5%; clinda-benzoyl perox 1-5% pump; clindamycin-benzoyl peroxy 1-5% <b>MO</b>	1	QL (50 per 30 days)
clind ph-benzoyl peroxy 1.2-5% <b>MO</b>	1	QL (45 per 30 days)
clinda-tretinoin 1.2%-0.025% <b>MO</b>	1	QL (60 per 30 days)
clobetasol 0.05% cream <b>MO</b>	1	QL (120 per 30 days)
clobetasol 0.05% gel <b>MO</b>	1	QL (120 per 28 days)
clobetasol 0.05% ointment <b>MO</b>	1	QL (120 per 28 days)
clobetasol 0.05% shampoo <b>MO</b>	1	QL (240 per 30 days)
clobetasol 0.05% solution <b>MO</b>	1	QL (100 per 30 days)
clobetasol 0.05% topical lotion <b>MO</b>	1	QL (240 per 28 days)
clobetasol prop 0.05% foam <b>MO</b>	1	QL (100 per 28 days)
clobetasol prop 0.05% spray <b>MO</b>	1	QL (240 per 30 days)
clobetasol emollient 0.05% cream <b>MO</b>	1	QL (120 per 30 days)
clobetasol emulsion 0.05% foam <b>MO</b>	1	QL (100 per 30 days)
CLOBEX 0.05 % LOTION <b>MO</b>	3	ST,QL (240 per 28 days)
CLOBEX 0.05 % SHAMPOO <b>MO</b>	3	ST,QL (240 per 30 days)
CLOBEX 0.05 % TOPICAL SPRAY <b>MO</b>	3	ST,QL (240 per 30 days)
clocortolone pivalate 0.1% cream <b>MO</b>	1	QL (180 per 30 days)
clodan 0.05 % shampoo <b>MO</b>	1	QL (240 per 30 days)
CLODERM 0.1 % TOPICAL CREAM <b>MO</b>	3	PA,QL (180 per 30 days)
CONDYLOX 0.5 % TOPICAL GEL <b>DL</b>	4	
CORDRAN 0.025 % TOPICAL CREAM <b>MO</b>	3	ST,QL (240 per 30 days)
CORDRAN 0.05 % LOTION <b>DL</b>	4	ST,QL (240 per 30 days)
CORDRAN 0.05 % TOPICAL CREAM <b>DL</b>	4	ST,QL (240 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CORDRAN 0.05 % TOPICAL OINTMENT <b>DL</b>	4	ST,QL (240 per 30 days)
CORDRAN TAPE LARGE ROLL 4 MCG/CM <sup>2</sup> <b>DL</b>	4	QL (2 per 30 days)
cormax 0.05% solution <b>MO</b>	1	QL (100 per 30 days)
CORTEF 10 MG, 20 MG, 5 MG TABLET <b>MO</b>	3	
CORTISPORIN 1 % TOPICAL OINTMENT <b>MO</b>	3	
CORTISPORIN 3.5 MG/G-10,000 UNIT/G-0.5 % TOPICAL CREAM <b>MO</b>	3	
crotan 10 % lotion <b>DL</b>	4	PA,QL (454 per 30 days)
CUTIVATE 0.05 % LOTION <b>DL</b>	4	PA,QL (240 per 30 days)
CUTIVATE 0.05 % TOPICAL CREAM <b>DL</b>	4	PA,QL (240 per 30 days)
dapsone 5% gel; dapsone 7.5% gel pump <b>MO</b>	1	QL (90 per 30 days)
DERMA-SMOOTH/FS BODY OIL 0.01 % <b>MO</b>	3	QL (118.28 per 30 days)
DERMA-SMOOTH/FS SCALP OIL 0.01 % <b>MO</b>	3	QL (118.28 per 30 days)
DERMATOP 0.1% OINTMENT <b>MO</b>	3	QL (240 per 30 days)
DESONATE 0.05 % TOPICAL GEL <b>MO</b>	3	QL (240 per 30 days)
desonide 0.05% cream <b>MO</b>	1	QL (240 per 30 days)
desonide 0.05% gel <b>MO</b>	1	QL (240 per 30 days)
desonide 0.05% lotion <b>MO</b>	1	QL (240 per 30 days)
desonide 0.05% ointment <b>MO</b>	1	QL (240 per 30 days)
DESOWEN 0.05 % LOTION <b>MO</b>	1	PA,QL (240 per 30 days)
DESOWEN 0.05 % TOPICAL CREAM <b>MO</b>	3	QL (240 per 30 days)
desoximetasone 0.05% cream <b>MO</b>	1	QL (240 per 30 days)
desoximetasone 0.05% gel <b>MO</b>	1	QL (240 per 30 days)
desoximetasone 0.05% ointment <b>MO</b>	1	QL (240 per 30 days)
desoximetasone 0.25% cream <b>MO</b>	1	QL (120 per 30 days)
desoximetasone 0.25% ointment <b>MO</b>	1	QL (120 per 30 days)
desoximetasone 0.25% spray <b>MO</b>	1	QL (100 per 30 days)
diclofenac sodium 3% gel <b>MO</b>	1	PA
DIFFERIN 0.1 % LOTION <b>MO</b>	3	QL (59 per 30 days)
DIFFERIN 0.1 % TOPICAL CREAM <b>MO</b>	3	PA,QL (45 per 30 days)
DIFFERIN 0.3 % TOPICAL GEL <b>MO</b>	3	PA,QL (45 per 30 days)
DIFFERIN 0.3 % TOPICAL GEL WITH PUMP <b>MO</b>	3	QL (45 per 30 days)
diflorasone 0.05% cream <b>DL</b>	4	QL (120 per 30 days)
diflurasone 0.05% ointment <b>DL</b>	4	QL (120 per 30 days)
DIPROLENE 0.05 % TOPICAL OINTMENT <b>MO</b>	3	QL (100 per 30 days)
DOVONEX 0.005 % TOPICAL CREAM <b>DL</b>	4	PA,QL (120 per 30 days)
doxepin 5% cream <b>DL</b>	4	PA,QL (45 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DUOBRII 0.01 %-0.045 % LOTION <b>DL</b>	4	PA,QL (200 per 28 days)
EFUDEX 5 % TOPICAL CREAM <b>MO</b>	3	PA
ELIDEL 1 % TOPICAL CREAM <b>MO</b>	3	PA,QL (100 per 30 days)
ELIMITE 5 % TOPICAL CREAM <b>MO</b>	3	
ELOCON 0.1% CREAM <b>MO</b>	3	QL (180 per 30 days)
ELOCON 0.1% OINTMENT <b>MO</b>	3	QL (180 per 30 days)
ENSTILAR 0.005 %-0.064 % TOPICAL FOAM <b>MO</b>	3	QL (120 per 30 days)
EPIDUO 0.1 %-2.5 % TOPICAL GEL WITH PUMP <b>MO</b>	3	QL (45 per 30 days)
EPIDUO FORTE 0.3 %-2.5 % TOPICAL GEL WITH PUMP <b>MO</b>	3	QL (60 per 30 days)
EPIFOAM 1 %-1 % TOPICAL <b>MO</b>	1	
ery pads 2 % topical swab <b>MO</b>	1	QL (60 per 30 days)
ERYGEL 2 % TOPICAL <b>MO</b>	1	QL (60 per 30 days)
erythromycin 2% gel <b>MO</b>	1	QL (60 per 30 days)
erythromycin 2% pledges <b>MO</b>	1	QL (60 per 30 days)
erythromycin 2% solution <b>MO</b>	1	QL (120 per 30 days)
erythromycin-benzoyl gel <b>MO</b>	1	QL (46.6 per 30 days)
EUCRISA 2 % TOPICAL OINTMENT <b>MO</b>	3	PA,QL (100 per 30 days)
EURAX 10 % LOTION <b>MO</b>	3	PA,QL (454 per 30 days)
EURAX 10 % TOPICAL CREAM <b>MO</b>	3	PA
EVOCLIN 1 % TOPICAL FOAM <b>MO</b>	3	PA,QL (100 per 30 days)
FABIOR 0.1 % TOPICAL FOAM <b>DL</b>	4	PA,QL (100 per 30 days)
FINACEA 15 % TOPICAL FOAM <b>MO</b>	3	ST,QL (50 per 30 days)
FINACEA 15 % TOPICAL GEL <b>MO</b>	3	ST,QL (50 per 30 days)
fluocinolone 0.01% body oil <b>MO</b>	1	QL (118.28 per 30 days)
fluocinolone 0.01% cream; fluocinolone 0.025% cream <b>MO</b>	1	QL (120 per 30 days)
fluocinolone 0.01% solution <b>MO</b>	1	QL (180 per 30 days)
fluocinolone 0.025% ointment <b>MO</b>	1	QL (120 per 30 days)
fluocinolone 0.01% scalp oil <b>MO</b>	1	QL (118.28 per 30 days)
fluocinonide 0.05% cream <b>MO</b>	1	QL (120 per 30 days)
fluocinonide 0.05% gel <b>MO</b>	1	QL (120 per 30 days)
fluocinonide 0.05% ointment <b>MO</b>	1	QL (120 per 30 days)
fluocinonide 0.05% solution <b>MO</b>	1	QL (120 per 30 days)
fluocinonide 0.1% cream <b>MO</b>	1	QL (120 per 28 days)
fluocinonide-e 0.05 % topical cream <b>MO</b>	1	QL (120 per 30 days)
fluocinonide-e 0.05% cream <b>MO</b>	1	QL (120 per 30 days)
FLUOROPLEX 1 % TOPICAL CREAM <b>DL</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fluorouracil 0.5% cream <b>DL</b>	4	QL (60 per 30 days)
fluorouracil 2% topical soln; fluorouracil 5% topical soln <b>MO</b>	1	
fluorouracil 5% cream <b>MO</b>	1	
flurandrenolide 0.05% cream <b>MO</b>	1	QL (240 per 30 days)
flurandrenolide 0.05% lotion <b>MO</b>	1	QL (240 per 30 days)
flurandrenolide 0.05% ointment <b>MO</b>	1	QL (240 per 30 days)
fluticasone prop 0.005% oint <b>MO</b>	1	QL (240 per 30 days)
fluticasone prop 0.05% cream <b>MO</b>	1	QL (240 per 30 days)
fluticasone prop 0.05% lotion <b>MO</b>	1	QL (240 per 30 days)
halcinonide 0.1% cream <b>MO</b>	1	QL (120 per 30 days)
halobetasol prop 0.05% cream <b>MO</b>	1	QL (100 per 30 days)
halobetasol prop 0.05% foam <b>DL</b>	4	PA,QL (100 per 30 days)
halobetasol prop 0.05% ointmnt <b>MO</b>	1	QL (100 per 30 days)
HALOG 0.1 % TOPICAL CREAM <b>DL</b>	4	QL (120 per 30 days)
HALOG 0.1 % TOPICAL OINTMENT <b>DL</b>	4	QL (120 per 30 days)
HALOG 0.1 % TOPICAL SOLUTION <b>DL</b>	4	QL (120 per 30 days)
hydrocortisone 1% cream <b>MO</b>	1	QL (28.4 per 30 days)
hydrocortisone 1% cream; hydrocortisone 2.5% cream <b>MO</b>	1	QL (240 per 30 days)
hydrocortisone 1% ointment; hydrocortisone 2.5% ointment <b>MO</b>	1	QL (240 per 30 days)
hydrocortisone 10 mg, 20 mg, 5 mg tablet <b>MO</b>	1	
hydrocortisone 2.5% cream <b>MO</b>	1	QL (60 per 30 days)
hydrocortisone 2.5% lotion <b>MO</b>	1	QL (236 per 30 days)
hydrocort buty 0.1% lipid crm <b>MO</b>	1	QL (240 per 30 days)
hydrocortisone buty 0.1% cream <b>MO</b>	1	QL (240 per 30 days)
hydrocortisone buty 0.1% lotn <b>MO</b>	1	QL (236 per 30 days)
hydrocortisone buty 0.1% oint <b>MO</b>	1	QL (180 per 30 days)
hydrocortisone buty 0.1% soln <b>MO</b>	1	QL (240 per 30 days)
hydrocortisone val 0.2% cream <b>MO</b>	1	QL (240 per 30 days)
hydrocortisone val 0.2% ointmt <b>MO</b>	1	QL (240 per 30 days)
hydrocortisone 1% absorbase <b>MO</b>	1	QL (220 per 30 days)
imiquimod 3.75% cream pump <b>DL</b>	4	ST,QL (15 per 30 days)
imiquimod 5% cream packet <b>MO</b>	1	QL (12 per 30 days)
IMPOYZ 0.025 % TOPICAL CREAM <b>MO</b>	3	ST,QL (120 per 30 days)
isotretinoin 10 mg, 20 mg, 30 mg capsule <b>MO</b>	1	QL (60 per 30 days)
isotretinoin 40 mg capsule <b>MO</b>	1	QL (120 per 30 days)
ivermectin 1% cream <b>MO</b>	1	ST,QL (45 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
LEXETTE 0.05 % TOPICAL FOAM <b>DL</b>	4	PA,QL (100 per 30 days)
lindane 1% shampoo <b>MO</b>	1	QL (60 per 30 days)
LOCOID 0.1 % LOTION <b>MO</b>	3	QL (236 per 30 days)
LOCOID 0.1% CREAM <b>MO</b>	3	QL (240 per 30 days)
LOCOID 0.1% SOLUTION <b>MO</b>	3	QL (240 per 30 days)
LOCOID LIPOCREAM 0.1 % TOPICAL <b>MO</b>	3	QL (240 per 30 days)
LUXIQ 0.12 % TOPICAL FOAM <b>MO</b>	3	ST,QL (200 per 30 days)
mafenide acetate 50 gm powd pk <b>DL</b>	4	
malathion 0.5% lotion <b>MO</b>	1	
methoxsalen 10 mg softgel <b>DL</b>	4	
MIRVASO 0.33 % TOPICAL GEL WITH PUMP; MIRVASO 0.33% GEL <b>MO</b>	3	ST,QL (30 per 30 days)
mometasone furoate 0.1% cream <b>MO</b>	1	QL (180 per 30 days)
mometasone furoate 0.1% oint <b>MO</b>	1	QL (180 per 30 days)
mometasone furoate 0.1% soln <b>MO</b>	1	QL (180 per 30 days)
mupirocin 2% ointment <b>MO</b>	1	
mupirocin 2% cream <b>MO</b>	1	
myorisan 10 mg, 20 mg, 30 mg capsule <b>MO</b>	1	QL (60 per 30 days)
myorisan 40 mg capsule <b>MO</b>	1	QL (120 per 30 days)
NATROBA 0.9 % TOPICAL SUSPENSION <b>MO</b>	3	QL (240 per 30 days)
NEO-SYNALAR 0.5 % (0.35 % BASE)-0.025 % TOPICAL CREAM <b>MO</b>	1	
neuac 1.2 % (1 % base)-5 % topical gel <b>MO</b>	1	QL (45 per 30 days)
nolix 0.05 % lotion <b>MO</b>	1	QL (240 per 30 days)
nolix 0.05 % topical cream <b>MO</b>	1	QL (240 per 30 days)
OLUX 0.05 % TOPICAL FOAM <b>MO</b>	3	PA,QL (100 per 28 days)
OLUX-E 0.05 % TOPICAL FOAM <b>MO</b>	3	PA,QL (100 per 30 days)
ONEXTON 1.2 % (1 % BASE)-3.75 % TOPICAL GEL <b>MO</b>	3	
ONEXTON 1.2 % (1 % BASE)-3.75 % TOPICAL GEL WITH PUMP <b>MO</b>	3	QL (50 per 30 days)
OTEZLA 30 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
OTEZLA STARTER 10 MG (4)-20 MG (4)-30 MG(19) TABLETS IN A DOSE PACK <b>DL</b>	4	PA,QL (27 per 30 days)
OTEZLA STARTER 10 MG (4)-20 MG (4)-30 MG(47) TABLETS IN A DOSE PACK <b>DL</b>	4	PA,QL (55 per 28 days)
OVIDE 0.5 % LOTION <b>MO</b>	3	PA
OXSORALEN ULTRA 10 MG LIQUID-FILLED,RAPID RELEASE CAPSULE <b>DL</b>	4	
PANDEL 0.1 % TOPICAL CREAM <b>DL</b>	4	QL (160 per 30 days)
permethrin 5% cream <b>MO</b>	1	
PICATO 0.015 % TOPICAL GEL <b>MO</b>	3	QL (3 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PICATO 0.05 % TOPICAL GEL <b>MO</b>	3	QL (2 per 30 days)
pimecrolimus 1% cream <b>MO</b>	1	QL (100 per 30 days)
podofilox 0.5% topical soln <b>MO</b>	1	QL (7 per 30 days)
prednicarbate 0.1% cream <b>MO</b>	1	QL (240 per 30 days)
prednicarbate 0.1% ointment <b>MO</b>	1	QL (240 per 30 days)
procto-med hc 2.5 % topical cream perineal applicator <b>MO</b>	1	QL (60 per 30 days)
procto-pak 1 % topical cream perineal applicator <b>MO</b>	1	QL (28.4 per 30 days)
proctosol hc 2.5 % topical cream perineal applicator <b>MO</b>	1	QL (60 per 30 days)
protozone-hc 2.5 % topical cream perineal applicator <b>MO</b>	1	QL (60 per 30 days)
PROTOPIC 0.03 %, 0.1 % TOPICAL OINTMENT <b>DL</b>	4	QL (200 per 30 days)
PRUDOXIN 5 % TOPICAL CREAM <b>DL</b>	4	PA,QL (45 per 30 days)
psorcon 0.05 % topical cream <b>MO</b>	1	QL (120 per 30 days)
QBREXZA 2.4 % TOWELETTE <b>MO</b>	3	PA,QL (30 per 30 days)
REGRANEX 0.01 % TOPICAL GEL <b>DL</b>	4	PA
RETIN-A 0.01 %, 0.025 % TOPICAL GEL <b>MO</b>	3	PA,QL (45 per 30 days)
RETIN-A 0.025 %, 0.05 %, 0.1 % TOPICAL CREAM <b>MO</b>	3	PA,QL (45 per 30 days)
RETIN-A MICRO 0.04 %, 0.1 % TOPICAL GEL <b>DL</b>	4	PA,QL (45 per 30 days)
RETIN-A MICRO PUMP 0.04 %, 0.06 %, 0.08 %, 0.1 % TOPICAL GEL <b>DL</b>	4	PA,QL (50 per 30 days)
RHOFADE 1 % TOPICAL CREAM <b>MO</b>	3	ST,QL (30 per 30 days)
SANTYL 250 UNIT/GRAM TOPICAL OINTMENT <b>MO</b>	2	QL (180 per 30 days)
selenium sulfide 2.5% lotion <b>MO</b>	1	QL (120 per 30 days)
SERNIVO 0.05 % TOPICAL SPRAY WITH PUMP <b>DL</b>	4	PA,QL (120 per 28 days)
SILVADENE 1 % TOPICAL CREAM <b>MO</b>	2	
silver sulfadiazine 1% cream <b>MO</b>	1	
SOLARAZE 3 % TOPICAL GEL <b>MO</b>	3	PA
SOOLANTRA 1 % TOPICAL CREAM <b>MO</b>	3	ST,QL (45 per 30 days)
SORIATANE 10 MG CAPSULE <b>DL</b>	4	PA,QL (90 per 30 days)
SORIATANE 25 MG CAPSULE <b>DL</b>	4	PA
SORILUX 0.005 % TOPICAL FOAM <b>DL</b>	4	ST,QL (120 per 28 days)
SSD 1 % TOPICAL CREAM <b>MO</b>	1	
SULFAMYLYN 50 GRAM TOPICAL PACKET <b>MO</b>	3	
SULFAMYLYN 85 MG/G TOPICAL CREAM <b>MO</b>	3	
SYNALAR 0.01 % TOPICAL SOLUTION <b>MO</b>	3	QL (180 per 30 days)
TACLONEX 0.005 %-0.064 % TOPICAL OINTMENT <b>DL</b>	4	PA,QL (60 per 30 days)
TACLONEX 0.005 %-0.064 % TOPICAL SUSPENSION <b>MO</b>	2	QL (420 per 30 days)
tacrolimus 0.03% ointment; tacrolimus 0.1% ointment <b>MO</b>	1	QL (200 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
tazarotene 0.1% cream <b>MO</b>	1	PA,QL (120 per 30 days)
TAZORAC 0.05 %, 0.1 % TOPICAL CREAM <b>DL</b>	4	PA,QL (120 per 30 days)
TAZORAC 0.05 %, 0.1 % TOPICAL GEL <b>MO</b>	3	PA,QL (200 per 30 days)
TEMOVATE 0.05 % TOPICAL CREAM <b>MO</b>	3	PA,QL (120 per 30 days)
TEMOVATE 0.05 % TOPICAL OINTMENT <b>MO</b>	3	PA,QL (120 per 28 days)
TEXACORT 2.5 % TOPICAL SOLUTION <b>MO</b>	1	QL (240 per 30 days)
TOLAK 4 % TOPICAL CREAM <b>MO</b>	3	PA
TOPICORT 0.05 % TOPICAL CREAM <b>MO</b>	1	QL (240 per 30 days)
TOPICORT 0.05 % TOPICAL GEL <b>MO</b>	1	QL (240 per 30 days)
TOPICORT 0.05 % TOPICAL OINTMENT <b>MO</b>	3	QL (240 per 30 days)
TOPICORT 0.25 % TOPICAL CREAM <b>MO</b>	1	QL (120 per 30 days)
TOPICORT 0.25 % TOPICAL OINTMENT <b>MO</b>	1	QL (120 per 30 days)
TOPICORT 0.25 % TOPICAL SPRAY <b>MO</b>	3	QL (100 per 30 days)
tovet emollient 0.05 % topical foam <b>MO</b>	1	QL (100 per 30 days)
TRETIN-X 0.075 % TOPICAL CREAM <b>MO</b>	1	PA
tretinoin 0.01% gel; tretinoin 0.025% gel; tretinoin 0.05% gel <b>MO</b>	1	PA,QL (45 per 30 days)
tretinoin 0.025% cream; tretinoin 0.05% cream; tretinoin 0.1% cream <b>MO</b>	1	PA,QL (45 per 30 days)
tretinoin gel micro 0.04% pump; tretinoin gel micro 0.1% pump <b>MO</b>	1	PA,QL (50 per 30 days)
tretinoin gel micro 0.04% tube; tretinoin gel micro 0.1% tube <b>MO</b>	1	PA,QL (45 per 30 days)
TRIDESILON 0.05 % TOPICAL CREAM <b>MO</b>	3	QL (240 per 30 days)
ULTRAVATE 0.05 % LOTION <b>DL</b>	4	QL (120 per 30 days)
ULTRAVATE 0.05% CREAM <b>DL</b>	4	QL (100 per 30 days)
ULTRAVATE 0.05% OINTMENT <b>DL</b>	4	QL (100 per 30 days)
UVADEX 20 MCG/ML INJECTION SOLUTION <b>MO</b>	3	B vs D
VANOS 0.1 % TOPICAL CREAM <b>MO</b>	3	QL (120 per 28 days)
VECTICAL 3 MCG/GRAM TOPICAL OINTMENT <b>DL</b>	4	ST,QL (800 per 28 days)
VELTIN 1.2 %-0.025 % TOPICAL GEL <b>MO</b>	3	PA,QL (60 per 30 days)
VERDESO 0.05 % TOPICAL FOAM <b>DL</b>	4	QL (200 per 30 days)
VEREGEN 15 % TOPICAL OINTMENT <b>DL</b>	4	QL (30 per 30 days)
XEPI 1 % TOPICAL CREAM <b>MO</b>	3	PA
zenatane 10 mg, 20 mg, 30 mg capsule <b>MO</b>	1	QL (60 per 30 days)
zenatane 40 mg capsule <b>MO</b>	1	QL (120 per 30 days)
ZIANA 1.2 %-0.025 % TOPICAL GEL <b>MO</b>	3	PA,QL (60 per 30 days)
ZILXI 1.5 % TOPICAL FOAM <b>MO</b>	3	PA,QL (30 per 30 days)
ZONALON 5 % TOPICAL CREAM <b>DL</b>	4	PA,QL (45 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZYCLARA 2.5 %, 3.75 % TOPICAL CREAM IN A PUMP <b>DL</b>	4	ST,QL (15 per 30 days)
ZYCLARA 3.75 % TOPICAL CREAM PACKET <b>MO</b>	3	ST,QL (28 per 28 days)
<b>Electrolytes/Minerals/Metals/Vitamins</b>		
AMINOSYN 10 % INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
AMINOSYN 7 % WITH ELECTROLYTES INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
AMINOSYN 8.5 % INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
AMINOSYN 8.5 % WITH ELECTROLYTES INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
AMINOSYN II 10 % INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
AMINOSYN II 15 % INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
AMINOSYN II 7 % INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
AMINOSYN II 8.5 % INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
AMINOSYN II 8.5 % WITH ELECTROLYTES INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
AMINOSYN M 3.5 % INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
AMINOSYN-HBC 7% INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
AMINOSYN-PF 10 % INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
AMINOSYN-PF 7 % (SULFITE-FREE) INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
AMINOSYN-RF 5.2 % INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
AURYXIA 210 MG IRON TABLET <b>MO</b>	3	PA,QL (360 per 30 days)
bal-care dha 27 mg-1 mg-430 mg tablet-capsule,delayed release <b>MO</b>	3	
c-nate dha 28 mg iron-1 mg-200 mg capsule <b>MO</b>	1	
calcium acetate 667 mg gelcap <b>MO</b>	1	
calcium acetate 667 mg tablet <b>MO</b>	1	
calcium chloride 10% syringe <b>MO</b>	1	
calcium chloride 10% vial <b>MO</b>	1	
calcium gluc 1,000mg/50ml-nacl <b>MO</b>	1	
calcium gluc 1,000 mg/10 ml vl <b>MO</b>	1	
CARBAGLU 200 MG DISPERSIBLE TABLET <b>DL</b>	4	PA
CARNITOR 100 MG/ML, 200 MG/ML INTRAVENOUS SOLUTION; CARNITOR 100 MG/ML, 200 MG/ML ORAL SOLUTION <b>MO</b>	3	
CARNITOR 330 MG TABLET <b>MO</b>	3	
CARNITOR (SUGAR-FREE) 100 MG/ML ORAL SOLUTION <b>MO</b>	3	
CHEMET 100 MG CAPSULE <b>DL</b>	4	
CITRANATAL B-CALM (FE GLUC) 20 MG IRON-1 MG-25 MG/25 MG TABLETS <b>MO</b>	3	
CLINIMIX 5 % IN 15 % DEXTROSE SULFITE FREE INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
CLINIMIX 5 % IN 25 % DEXTROSE SULFITE-FREE INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CLINIMIX 2.75%-5% SOLUTION <b>MO</b>	3	B vs D
CLINIMIX 4.25%-20% SOLUTION <b>MO</b>	3	B vs D
CLINIMIX 4.25 % IN 25 % DEXTROSE (SULFITE-FREE) INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
CLINIMIX 4.25 % IN 10 % DEXTROSE SULFITE FREE INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
CLINIMIX 4.25 % IN 5 % DEXTROSE SULFITE FREE INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
CLINIMIX 5 % IN 20 % DEXTROSE (SULFITE-FREE) INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
CLINIMIX E 2.75%-10% SOLUTION <b>MO</b>	3	B vs D
CLINIMIX E 2.75 % IN 5 % DEXTROSE SULFITE FREE INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
CLINIMIX E 4.25 % IN 10 % DEXTROSE SULFITE FREE INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
CLINIMIX E 4.25%-25% SOLUTION <b>MO</b>	3	B vs D
CLINIMIX E 4.25 % IN 5 % DEXTROSE SULFITE FREE INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
CLINIMIX E 5 % IN 15 % DEXTROSE SULFITE FREE INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
CLINIMIX E 5 % IN 20 % DEXTROSE SULFITE FREE INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
CLINIMIX E 5%-25% SOLUTION <b>MO</b>	3	B vs D
CLINISOL SF 15 % INTRAVENOUS SOLUTION <b>MO</b>	1	B vs D
CLINOLIPID 20 % INTRAVENOUS EMULSION <b>MO</b>	3	B vs D
clovique 250 mg capsule <b>DL</b>	4	QL (240 per 30 days)
complete natal dha 29 mg-1 mg-250 mg-200 mg oral pack <b>MO</b>	1	
CUPRIMINE 250 MG CAPSULE <b>DL</b>	4	QL (600 per 30 days)
dextrose 10%-0.45% nacl iv sol <b>MO</b>	1	
dextrose 2.5%-0.45% nacl iv <b>MO</b>	1	
dextrose 5%-0.9% nacl iv soln <b>MO</b>	1	
dextrose 5%-0.45% nacl iv soln <b>MO</b>	1	
deferasirox 125 mg, 180 mg, 250 mg, 360 mg, 500 mg, 90 mg tablet; deferasirox 125 mg, 180 mg, 250 mg, 360 mg, 500 mg, 90 mg tb for susp <b>DL</b>	4	PA
deferasirox 180 mg, 360 mg, 90 mg granule <b>DL</b>	4	PA
deferiprone 500 mg tablet <b>DL</b>	4	PA,QL (720 per 30 days)
deferoxamine 2 gram, 500 mg vial <b>MO</b>	1	B vs D
DEPEN TITRATABS 250 MG TABLET <b>DL</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DESFERAL 2 GRAM, 500 MG SOLUTION FOR INJECTION <b>MO</b>	3	B vs D
dextrose 10%-0.2% nacl iv soln <b>MO</b>	1	
dextrose 10%-water iv solution <b>MO</b>	1	
dextrose 20%-water iv soln <b>MO</b>	1	
dextrose 25%-water syringe <b>MO</b>	1	
dextrose 30%-water iv soln <b>MO</b>	1	
dextrose 40%-water iv soln <b>MO</b>	1	
dextrose 5%-water iv soln <b>MO</b>	1	
dextrose 5%-lr iv solution <b>MO</b>	1	
dextrose 5%-0.2% nacl iv soln <b>MO</b>	1	
dextrose 5%-0.3% nacl iv soln <b>MO</b>	1	
dextrose 50%-water syringe <b>MO</b>	1	
dextrose 50%-water vial <b>MO</b>	1	
dextrose 70%-water iv soln <b>MO</b>	1	
dothelle dha softgel <b>MO</b>	1	
DUET DHA WITH OMEGA-3 25 MG IRON-1 MG-400 MG ORAL PACK <b>MO</b>	3	
dextrose 5%-electrolyte 48 <b>MO</b>	1	
EXJADE 125 MG, 250 MG, 500 MG DISPERSIBLE TABLET <b>DL</b>	4	PA
FERRIPROX 1,000 MG TABLET <b>DL</b>	4	PA,QL (300 per 30 days)
FERRIPROX 100 MG/ML ORAL SOLUTION <b>DL</b>	4	PA,QL (3600 per 30 days)
FERRIPROX 500 MG TABLET <b>DL</b>	4	PA,QL (720 per 30 days)
FERRIPROX (2 TIMES A DAY) 1,000 MG TABLET <b>DL</b>	4	PA,QL (300 per 30 days)
FOSRENOL 1,000 MG, 500 MG, 750 MG CHEWABLE TABLET <b>DL</b>	4	ST
FOSRENOL 1,000 MG, 750 MG ORAL POWDER PACKET <b>DL</b>	4	ST
FREAMINE HBC 6.9% IV SOLN <b>MO</b>	3	B vs D
FREAMINE III 10 % INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
GLYCOPHOS 1 MMOL/ML INTRAVENOUS SOLUTION <b>MO</b>	1	
hemenatal ob + dha combo pack <b>MO</b>	1	
HEPATAMINE 8% INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
INTRALIPID 20 %, 30 % INTRAVENOUS EMULSION <b>MO</b>	3	B vs D
IONOSOL-B IN D5W INTRAVENOUS SOLUTION <b>MO</b>	3	
IONOSOL-MB IN D5W INTRAVENOUS SOLUTION <b>MO</b>	3	
ISOLYTE S PH 7.4 INTRAVENOUS SOLUTION <b>MO</b>	3	
ISOLYTE-P IN 5 % DEXTROSE INTRAVENOUS SOLUTION <b>MO</b>	3	
ISOLYTE-S INTRAVENOUS SOLUTION <b>MO</b>	3	
JADENU 180 MG, 360 MG, 90 MG TABLET <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
JADENU SPRINKLE 180 MG, 360 MG, 90 MG ORAL GRANULES IN PACKET <b>DL</b>	4	PA
JYNARQUE 15 MG (AM)/15 MG (PM) TABLETS; JYNARQUE 30 MG (AM)/15 MG (PM) TABLETS; JYNARQUE 45 MG (AM)/15 MG (PM) TABLETS; JYNARQUE 60 MG (AM)/30 MG (PM) TABLETS; JYNARQUE 90 MG (AM)/30 MG (PM) TABLETS <b>DL</b>	4	PA,QL (56 per 28 days)
JYNARQUE 15 MG, 30 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
K-TAB 10 MEQ, 20 MEQ, 8 MEQ TABLET,EXTENDED RELEASE <b>MO</b>	3	
KABIVEN 3.31 %-9.8 %-3.9 % INTRAVENOUS EMULSION <b>MO</b>	3	B vs D
kionex (with sorbitol) 15 gram-19.3 gram/60 ml oral suspension <b>MO</b>	1	
klor-con 20 meq oral packet <b>MO</b>	1	QL (240 per 30 days)
KLOR-CON 10 MEQ TABLET,EXTENDED RELEASE <b>MO</b>	1	
KLOR-CON 8 MEQ TABLET,EXTENDED RELEASE <b>MO</b>	1	
klor-con m10 meq tablet,extended release <b>MO</b>	1	
KLOR-CON M15 MEQ TABLET,EXTENDED RELEASE <b>MO</b>	1	
klor-con m20 meq tablet,extended release <b>MO</b>	1	
KOSHER PRENATAL PLUS IRON 30 MG IRON-1 MG TABLET <b>MO</b>	3	
lactated ringers injection <b>MO</b>	1	
lanthanum carb 1,000 mg, 500 mg, 750 mg tab chew; lanthanum carb 1,000 mg, 500 mg, 750 mg tb chw <b>DL</b>	4	ST
levocarnitine 330 mg tablet <b>MO</b>	1	
levocarnitine sf 1 g/10 ml sol <b>MO</b>	1	
levocarnitine 1 g/10 ml soln <b>MO</b>	1	
LOKELMA 10 GRAM, 5 GRAM ORAL POWDER PACKET <b>MO</b>	2	QL (30 per 30 days)
m-natal plus 27 mg iron-1 mg tablet <b>MO</b>	1	
magnesium sulfate 50% syringe <b>MO</b>	1	
magnesium sulfate 50% vial <b>MO</b>	1	
magnesium sulf 1 g/100 ml-d5w <b>MO</b>	1	
magnesium sulf 2 g/50 ml bag; magnesium sulf 4 g/100 ml bag; magnesium sulf 4 g/50 ml bag <b>MO</b>	1	
magnesium sulf 20 g/500 ml bag; magnesium sulf 40 g/1,000 ml <b>MO</b>	1	
NATACHEW (FE BIS-GLYCINATE) 28 MG IRON-1 MG TABLET <b>MO</b>	3	
NEPHRAMINE 5.4 % INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
NORMOSOL-M IN 5 % DEXTROSE INTRAVENOUS SOLUTION <b>MO</b>	3	
NORMOSOL-R INTRAVENOUS SOLUTION <b>MO</b>	3	
NORMOSOL-R IN 5 % DEXTROSE INTRAVENOUS SOLUTION <b>MO</b>	3	
NORMOSOL-R PH 7.4 INTRAVENOUS SOLUTION <b>MO</b>	3	
NUTRILIPID 20 % INTRAVENOUS EMULSION <b>MO</b>	3	B vs D

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
O-CAL PRENATAL 15 MG IRON-1,000 MCG TABLET <b>MO</b>	3	
OB COMPLETE ONE 40 MG-10 MG-1 MG-300 MG CAPSULE <b>MO</b>	3	
OB COMPLETE PETITE 35 MG IRON-5 MG IRON-1 MG CAPSULE <b>MO</b>	3	
OB COMPLETE PREMIER 30 MG-20 MG-1 MG TABLET <b>MO</b>	3	
OMEGAVEN 10 % INTRAVENOUS EMULSION <b>DL</b>	4	B vs D
penicillamine 250 mg capsule <b>DL</b>	4	QL (600 per 30 days)
penicillamine 250 mg tablet <b>DL</b>	4	
PERIKABIVEN 2.36 %-6.8 %-3.5 % INTRAVENOUS EMULSION <b>MO</b>	3	B vs D
PHOSLYRA 667 MG (169 MG CALCIUM)/5 ML ORAL SOLUTION <b>MO</b>	3	ST
PLASMA-LYTE 148 INTRAVENOUS SOLUTION <b>MO</b>	3	
PLASMA-LYTE A INTRAVENOUS SOLUTION <b>MO</b>	3	
plenamine 15 % intravenous solution <b>MO</b>	1	B vs D
pnv ob+dha combo pack <b>MO</b>	1	
potassium acet 100 meq/50 ml <b>MO</b>	1	
d5%-1/2ns-kcl 10 meq/l, 20 meq/l, 30 meq/l, 40 meq/l iv sol; kcl 20 meq in d5w-0.45% nacl <b>MO</b>	1	
potassium cl 10% (20 meq/15ml) <b>MO</b>	1	QL (1125 per 30 days)
potassium cl 20 meq packet <b>MO</b>	1	QL (240 per 30 days)
potassium cl 20% (40 meq/15ml) <b>MO</b>	1	
potassium cl 40 meq/20 ml conc <b>MO</b>	1	
potassium cl er 10 meq, 20 meq tablet <b>MO</b>	1	
potassium cl er 10 meq, 20 meq, 8 meq tablet <b>MO</b>	1	
potassium cl er 10 meq, 8 meq capsule <b>MO</b>	1	
kcl 20 meq-ns 1,000 ml iv soln; kcl 40 meq-ns 1,000 ml iv soln <b>MO</b>	1	
d5w-kcl 20 meq/l, 30 meq/l, 40 meq/l iv solution; kcl 20 meq in d5w solution; kcl 40 meq in d5w solution <b>MO</b>	1	
kcl 20 meq in d5w-lact ringer; kcl 40 meq in d5w-lact ringer <b>MO</b>	1	
potassium cl 10 meq/100 ml, 10 meq/50 ml, 20 meq/100 ml, 20 meq/50 ml, 30 meq/100 ml, 40 meq/100 ml sol <b>MO</b>	1	
potassium cl 20 meq-0.45% nacl <b>MO</b>	1	
d5%-1/4ns-kcl 20 meq/l, 30 meq/l, 40 meq/l iv sol; kcl 20 meq in d5w-0.2% nacl <b>MO</b>	1	
kcl 20 meq in d5w-0.3% nacl <b>MO</b>	1	
kcl 20 meq in d5w-ns; kcl 40 meq in d5w-nacl 0.9% <b>MO</b>	1	
potassium citrate er 10 meq (1,080 mg), 15 meq, 5 meq (540 mg) tb; potassium citrate er 10 meq tb; potassium citrate er 5 meq tab <b>MO</b>	1	
pr natal 400 29 mg-1 mg-400 mg oral pack <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
pr natal 400 ec 29 mg-1 mg-400 mg tablet-capsule,delayed release <b>MO</b>	1	
pr natal 430 29 mg iron-1 mg-430 mg oral pack <b>MO</b>	1	
pr natal 430 ec 29 mg-1 mg-430 mg tablet-capsule,delayed release <b>MO</b>	1	
PREMASOL 10 % INTRAVENOUS SOLUTION <b>MO</b>	1	B vs D
PREMASOL 6% IV SOLUTION <b>MO</b>	1	B vs D
PRENATA 29 MG IRON-1 MG CHEWABLE TABLET <b>MO</b>	3	
PRENATABS FA 29 MG-1 MG TABLET <b>MO</b>	1	
prenatal plus (calcium carbonate) 27 mg iron-1 mg tablet <b>MO</b>	1	
prenatal plus dha 27 mg iron-1 mg-312 mg-250 mg oral pack <b>MO</b>	3	
prenatal vitamins plus low iron 27 mg iron-1 mg tablet <b>MO</b>	1	
PRENATE ELITE 26 MG IRON-1 MG TABLET <b>MO</b>	3	
preplus 27 mg iron-1 mg tablet <b>MO</b>	1	
PROCALAMINE 3% INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
PROSOL 20 % INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
RENAGEL 800 MG TABLET <b>DL</b>	4	ST
RENELA 0.8 GRAM ORAL POWDER PACKET <b>DL</b>	4	PA,QL (540 per 30 days)
RENELA 2.4 GRAM ORAL POWDER PACKET <b>DL</b>	4	PA,QL (180 per 30 days)
RENELA 800 MG TABLET <b>DL</b>	4	PA,QL (540 per 30 days)
ringer's iv solution <b>MO</b>	1	
SAMSCA 15 MG, 30 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
se-natal 19 chewable 29 mg iron-1 mg tablet <b>MO</b>	1	
SELECT-OB 29 MG IRON-1 MG CHEWABLE TABLET <b>MO</b>	3	
SELECT-OB (FOLIC ACID) 29 MG IRON-1 MG CHEWABLE TABLET <b>MO</b>	3	
SELECT-OB + DHA 29 MG IRON-1 MG-250 MG ORAL PACK <b>MO</b>	3	
sevelamer 0.8 gm powder packet <b>DL</b>	4	QL (540 per 30 days)
sevelamer 2.4 gm powder packet <b>DL</b>	4	QL (180 per 30 days)
sevelamer carbonate 800 mg tab <b>MO</b>	1	QL (540 per 30 days)
sevelamer hcl 400 mg, 800 mg tablet <b>MO</b>	1	ST
SMOFLIPID 20 % INTRAVENOUS EMULSION <b>MO</b>	3	B vs D
sodium acetate 40 meq/20 ml v <sub>l</sub> <b>MO</b>	1	
sodium bicarb 8.4% abboject <b>MO</b>	1	
sodium chloride 100 meq/40 ml <b>MO</b>	1	
saline 0.45% soln-excel con <b>MO</b>	1	
sodium chloride 0.45% soln <b>MO</b>	1	
sodium chloride 0.9% solution <b>MO</b>	1	
sodium chloride 0.9% vial <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
sodium chloride 3% iv soln <b>MO</b>	1	
sodium chloride 5% iv soln <b>MO</b>	1	
sodium lactate 50 meq/10 ml vl <b>MO</b>	1	
sodium phosphate 3mm/ml vial <b>MO</b>	1	
sodium polystyrene sulfonate (sorbitol free) 15 gram/60 ml oral susp <b>MO</b>	1	
sodium polystyrene sulf powder <b>MO</b>	1	
sps 15 gm/60 ml suspension <b>MO</b>	1	
sps 30 gm/120 ml enema; sps 50 gm/200 ml enema <b>MO</b>	1	
SPS (WITH SORBITOL) 15 GRAM-20 GRAM/60 ML ORAL SUSPENSION <b>MO</b>	1	
SPS (WITH SORBITOL) 30 GRAM-40 GRAM/120 ML ENEMA <b>MO</b>	1	
SYPRINE 250 MG CAPSULE <b>DL</b>	4	PA,QL (240 per 30 days)
THAM 36 MG/ML (0.3 M) INTRAVENOUS SOLUTION <b>MO</b>	3	
tolvaptan 30 mg tablet <b>DL</b>	4	PA,QL (60 per 30 days)
TPN ELECTROLYTES 35 MEQ-20 MEQ-5 MEQ/20 ML INTRAVENOUS SOLUTION <b>MO</b>	3	
TRAVASOL 10 % INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
TRICARE 27 MG IRON-1 MG TABLET <b>MO</b>	1	
trientine hcl 250 mg capsule <b>DL</b>	4	QL (240 per 30 days)
trinatal rx 1 60 mg iron-1 mg tablet <b>MO</b>	1	
TRISTART DHA 31 MG IRON-1 MG-200 MG CAPSULE <b>MO</b>	3	
triveen-duo dha 29 mg-1 mg-400 mg oral pack <b>MO</b>	1	
TROPHAMINE 10 % INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
TROPHAMINE 6% IV SOLUTION <b>MO</b>	3	B vs D
UROCIT-K 10 10 MEQ (1,080 MG) TABLET,EXTENDED RELEASE <b>MO</b>	3	
UROCIT-K 15 15 MEQ (1,620 MG) TABLET,EXTENDED RELEASE <b>MO</b>	3	
UROCIT-K 5 5 MEQ (540 MG) TABLET,EXTENDED RELEASE <b>MO</b>	3	
VAPRISOL IN 5 % DEXTROSE 20 MG/100 ML INTRAVENOUS SOLUTION <b>MO</b>	3	
VELPHORO 500 MG CHEWABLE TABLET <b>DL</b>	4	ST
VELTASSA 16.8 GRAM, 25.2 GRAM, 8.4 GRAM ORAL POWDER PACKET <b>DL</b>	4	PA,QL (30 per 30 days)
virt-c dha 35 mg-1 mg-200 mg capsule <b>MO</b>	1	
virt-nate dha 28 mg iron-1 mg-200 mg capsule <b>MO</b>	1	
VITAFOL FE PLUS 90 MG IRON-1 MG-200 MG CAPSULE <b>MO</b>	3	
VITAFOL GUMMIES 3.33 MG IRON-0.33 MG CHEWABLE TABLET <b>MO</b>	3	
VITAFOL NANO 18 MG IRON-1 MG TABLET <b>MO</b>	3	
VITAFOL ULTRA 29 MG IRON-1 MG-200 MG CAPSULE <b>MO</b>	3	
VITAFOL-OB 65 MG-1 MG TABLET <b>MO</b>	3	
VITAFOL-OB+DHA 65 MG-1 MG-250 MG ORAL PACK <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
VITAFOL-ONE 29 MG IRON-1 MG-200 MG CAPSULE <b>MO</b>	3	
VITAMED MD ONE RX 30 MG IRON-1 MG-200 MG CAPSULE <b>MO</b>	3	
VP-PNV-DHA 28 MG IRON-1 MG-200 MG CAPSULE <b>MO</b>	3	
<b>GASTROINTESTINAL AGENTS</b>		
ACIPHEX 20 MG TABLET,DELAYED RELEASE <b>MO</b>	3	PA,QL (30 per 30 days)
ACIPHEX SPRINKLE 10 MG, 5 MG CAPSULE,DELAYED RELEASE <b>DL</b>	4	QL (30 per 30 days)
ACTIGALL 300 MG CAPSULE <b>MO</b>	3	PA
AEMCOLO 194 MG TABLET,DELAYED RELEASE <b>MO</b>	3	PA,QL (12 per 30 days)
closetron hcl 0.5 mg, 1 mg tablet <b>DL</b>	4	PA,QL (60 per 30 days)
AMITIZA 24 MCG, 8 MCG CAPSULE <b>MO</b>	3	PA,QL (60 per 30 days)
lansoprazol-amoxicil-clarithro <b>MO</b>	1	ST
atropine 0.05 mg/ml, 0.1 mg/ml syringe; atropine 1 mg/10 ml syringe <b>MO</b>	1	
BENTYL 10 MG/ML INTRAMUSCULAR SOLUTION <b>MO</b>	3	
CARAFATE 1 GRAM TABLET <b>MO</b>	3	
CARAFATE 100 MG/ML ORAL SUSPENSION <b>MO</b>	3	
CHENODAL 250 MG TABLET <b>DL</b>	4	PA
cimetidine 200 mg, 300 mg, 400 mg, 800 mg tablet <b>MO</b>	1	
cimetidine 300 mg/5 ml soln <b>MO</b>	1	
CLENPIQ 10 MG-3.5 GRAM-12 GRAM/160 ML ORAL SOLUTION <b>MO</b>	3	ST
COLYTE WITH FLAVOR PACKETS <b>MO</b>	3	ST
constulose 10 gram/15 ml oral solution <b>MO</b>	1	
CUVPOSA 1 MG/5 ML (0.2 MG/ML) ORAL SOLUTION <b>MO</b>	3	
CYTOTEC 100 MCG, 200 MCG TABLET <b>DL</b>	4	
DEXILANT 30 MG, 60 MG CAPSULE, DELAYED RELEASE <b>MO</b>	3	QL (30 per 30 days)
dicyclomine 10 mg capsule <b>MO</b>	1	
dicyclomine 10 mg/5 ml, 10 mg/ml soln; dicyclomine 20 mg/2 ml vial <b>MO</b>	1	
dicyclomine 20 mg tablet <b>MO</b>	1	
diphenoxylat-atrop 2.5-0.025/5 <b>MO</b>	1	
diphenoxylate-atrop 2.5-0.025 <b>MO</b>	1	
ENDARI 5 GRAM ORAL POWDER PACKET <b>DL</b>	4	PA,QL (180 per 30 days)
enulose 10 gram/15 ml oral solution <b>MO</b>	1	
esomeprazole dr 10 mg, 20 mg, 40 mg packet <b>MO</b>	1	QL (30 per 30 days)
esomeprazole mag dr 20 mg, 40 mg cap <b>MO</b>	1	QL (30 per 30 days)
esomeprazole sodium 20 mg, 40 mg vial <b>MO</b>	1	
esomeprazole dr 49.3 mg cap <b>MO</b>	3	QL (30 per 30 days)
famotidine 20 mg, 40 mg tablet <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
famotidine 40 mg/4 ml vial <b>MO</b>	1	
famotidine 40 mg/5 ml susp <b>MO</b>	1	
famotidine 20 mg/2 ml vial <b>MO</b>	1	
famotidine 20 mg piggyback <b>MO</b>	1	
GATTEX 30-VIAL 5 MG SUBCUTANEOUS KIT <b>DL</b>	4	PA
GATTEX ONE-VIAL 5 MG SUBCUTANEOUS KIT <b>DL</b>	4	PA
gavilyte-c 240 gram-22.72 gram-6.72 gram-5.84 gram oral solution <b>MO</b>	1	
gavilyte-g 236 gram-22.74 gram-6.74 gram-5.86 gram oral solution <b>MO</b>	1	
gavilyte-n 420 gram oral solution <b>MO</b>	1	
generlac 10 gram/15 ml oral solution <b>MO</b>	1	
GLYCATE 1.5 MG TABLET <b>MO</b>	1	
glycopyrrolate 1 mg, 1.5 mg, 2 mg tablet <b>MO</b>	1	
glycopyrrolate 4 mg/20 ml vial <b>MO</b>	1	
glycopyrrolate 0.2 mg/ml syrng <b>MO</b>	1	
GOLYTELY 227.1 GRAM-21.5 GRAM-6.36 GRAM ORAL POWDER PACKET <b>MO</b>	3	ST
GOLYTELY 236 GRAM-22.74 GRAM-6.74 GRAM-5.86 GRAM ORAL SOLUTION <b>MO</b>	3	ST
helidac 250 mg-500 mg-262.4 mg oral pack <b>DL</b>	4	PA,QL (224 per 30 days)
KRISTALOSE 10 GRAM, 20 GRAM ORAL PACKET <b>MO</b>	1	
lactulose 10 gm packet <b>MO</b>	1	
lactulose 10 gm/15 ml solution; lactulose 20 gm/30 ml solution <b>MO</b>	1	
lansoprazole dr 15 mg capsule <b>MO</b>	1	QL (60 per 30 days)
lansoprazole dr 30 mg capsule <b>MO</b>	1	QL (30 per 30 days)
lansoprazole odt 15 mg, 30 mg tablet <b>MO</b>	1	QL (30 per 30 days)
LINZESS 145 MCG, 290 MCG, 72 MCG CAPSULE <b>MO</b>	2	QL (30 per 30 days)
LOMOTIL 2.5 MG-0.025 MG TABLET <b>MO</b>	3	
loperamide 2 mg capsule <b>MO</b>	1	
LOTRONEX 0.5 MG, 1 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
methscopolamine brom 2.5 mg, 5 mg tab; methscopolamine brom 2.5 mg, 5 mg tb <b>MO</b>	1	
misoprostol 100 mcg, 200 mcg tablet <b>MO</b>	1	
MOTEGRITY 1 MG, 2 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
MOTOFEN 1 MG-0.025 MG TABLET <b>MO</b>	3	
MOVANTIK 12.5 MG, 25 MG TABLET <b>MO</b>	2	QL (30 per 30 days)
MOVIPREP 100 GRAM-7.5 GRAM-2.691 GRAM ORAL POWDER PACKET <b>MO</b>	3	ST
MYALEPT 5 MG/ML (FINAL CONCENTRATION) SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (30 per 30 days)
MYTESI 125 MG TABLET,DELAYED RELEASE <b>DL</b>	4	PA,QL (60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NEXIUM 20 MG, 40 MG CAPSULE,DELAYED RELEASE <b>MO</b>	3	PA,QL (30 per 30 days)
NEXIUM 40 MG INTRAVENOUS SOLUTION <b>MO</b>	3	PA
NEXIUM PACKET 10 MG, 2.5 MG, 20 MG, 40 MG, 5 MG GRANULES DELAYED RELEASE FOR SUSP <b>MO</b>	3	QL (30 per 30 days)
nizatidine 15 mg/ml solution <b>MO</b>	1	
nizatidine 150 mg, 300 mg capsule <b>MO</b>	1	
NULYTELY LEMON-LIME 420 GRAM ORAL SOLUTION <b>MO</b>	3	ST
NULYTELY WITH FLAVOR PACKS 420 GRAM ORAL SOLUTION <b>MO</b>	3	ST
OCALIVA 10 MG, 5 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
OMECLAMOX-PAK 20 MG-500 MG-500 MG (40) ORAL PACK <b>MO</b>	3	ST
omeppi 20 mg-1,100 mg capsule; omeppi 40 mg-1,100 mg capsule <b>MO</b>	1	ST,QL (30 per 30 days)
omeprazole dr 10 mg, 20 mg, 40 mg capsule <b>MO</b>	1	QL (60 per 30 days)
omeprazole-bicarb 20-1,100 cap; omeprazole-bicarb 40-1,100 cap <b>MO</b>	1	ST,QL (30 per 30 days)
omeprazole-bicarb 20-1,680 pkt; omeprazole-bicarb 40-1,680 pkt <b>DL</b>	4	ST,QL (30 per 30 days)
opium tincture 10 mg/ml <b>MO</b>	3	QL (180 per 30 days)
OSMOPREP 1.5 GRAM (1.102-0.398) TABLET <b>MO</b>	3	ST
pantoprazole 40 mg suspension <b>MO</b>	1	QL (30 per 30 days)
pantoprazole sod dr 20 mg, 40 mg tab <b>MO</b>	1	QL (60 per 30 days)
pantoprazole sodium 40 mg vial <b>MO</b>	1	
peg 3350 electrolyte soln; peg-3350 and electrolytes soln <b>MO</b>	1	
peg 3350-electrolyte solution <b>MO</b>	1	
peg-prep 5 mg-210 gram oral kit <b>MO</b>	1	
peg3350 100-7.5-2.691-1.01-5.9 <b>MO</b>	1	ST
pepcid 20 mg, 40 mg tablet <b>MO</b>	3	PA
PEPCID 40 MG/5 ML ORAL SUSP <b>MO</b>	3	PA
PLENVU 140 GRAM-9 GRAM-5.2 GRAM POWDER PACKS <b>MO</b>	3	ST
PREPOPIK 10 MG-3.5 GRAM-12 GRAM ORAL POWDER PACKET <b>MO</b>	3	ST
PREVACID 15 MG CAPSULE,DELAYED RELEASE <b>MO</b>	3	PA,QL (60 per 30 days)
PREVACID 30 MG CAPSULE,DELAYED RELEASE <b>MO</b>	3	PA,QL (30 per 30 days)
PREVACID SOLUTAB 15 MG, 30 MG DELAYED RELEASE,DISINTEGRATING TABLET <b>MO</b>	3	QL (30 per 30 days)
PRILOSEC 10 MG, 2.5 MG ORAL SUSPENSION,DELAYED RELEASE <b>MO</b>	3	
propantheline 15 mg tablet <b>MO</b>	1	
PROTONIX 20 MG, 40 MG TABLET,DELAYED RELEASE <b>MO</b>	3	PA,QL (60 per 30 days)
PROTONIX 40 MG GRANULES DELAYED-RELEASE PACKET <b>MO</b>	3	QL (30 per 30 days)
PROTONIX 40 MG INTRAVENOUS SOLUTION <b>MO</b>	3	PA
PYLERA 140 MG-125 MG-125 MG CAPSULE <b>MO</b>	3	QL (120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
rabeprazole sod dr 20 mg tab <b>MO</b>	1	QL (30 per 30 days)
RELISTOR 12 MG/0.6 ML SUBCUTANEOUS SOLUTION <b>MO</b>	3	QL (36 per 30 days)
RELISTOR 12 MG/0.6 ML SUBCUTANEOUS SYRINGE <b>MO</b>	3	QL (36 per 28 days)
RELISTOR 150 MG TABLET <b>MO</b>	3	QL (90 per 30 days)
RELISTOR 8 MG/0.4 ML SUBCUTANEOUS SYRINGE <b>MO</b>	3	QL (12 per 30 days)
sucralfate 1 gm tablet <b>MO</b>	1	
sucralfate 1 gm/10 ml susp <b>MO</b>	1	
SUPREP BOWEL PREP KIT 17.5 GRAM-3.13 GRAM-1.6 GRAM ORAL SOLUTION <b>MO</b>	2	
SYMPROIC 0.2 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
TALICIA 10 MG-250 MG-12.5 MG CAPSULE,IMMEDIATE - DELAY RELEASE <b>MO</b>	3	ST,QL (168 per 30 days)
trilyte with flavor packets 420 gram oral solution <b>MO</b>	1	
TRULANCE 3 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
URSO 250 250 MG TABLET <b>MO</b>	3	PA
URSO FORTE 500 MG TABLET <b>DL</b>	4	PA
ursodiol 250 mg, 500 mg tablet <b>MO</b>	1	
ursodiol 300 mg capsule <b>MO</b>	1	
VIBERZI 100 MG, 75 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
XERMELO 250 MG TABLET <b>DL</b>	4	PA,QL (84 per 28 days)
XIFAXAN 200 MG TABLET <b>DL</b>	4	PA,QL (9 per 30 days)
XIFAXAN 550 MG TABLET <b>DL</b>	4	PA,QL (84 per 28 days)
ZEGERID 20 MG-1,680 MG ORAL PACKET; ZEGERID 40 MG-1,680 MG ORAL PACKET <b>DL</b>	4	ST,QL (30 per 30 days)
ZEGERID 20 MG-1.1 GRAM CAPSULE; ZEGERID 40 MG-1.1 GRAM CAPSULE <b>DL</b>	4	ST,QL (30 per 30 days)
ZELNORM 6 MG TABLET <b>MO</b>	3	PA,QL (60 per 30 days)
ZINPLAVA 25 MG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA
<b>GENETIC/ENZYME/PROTEIN DISORDER: REPLACEMENT, MODIFIERS, TREATMENT</b>		
ADAGEN 250 UNIT/ML VIAL <b>DL</b>	4	
ALDURAZYME 2.9 MG/5 ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA
ARALAST NP 1,000 MG, 500 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
BUPHENYL 0.94 GRAM/GRAM ORAL POWDER <b>DL</b>	4	
BUPHENYL 500 MG TABLET <b>DL</b>	4	
CERDELGA 84 MG CAPSULE <b>DL</b>	4	PA
CEREZYME 400 UNIT INTRAVENOUS SOLUTION <b>DL</b>	4	PA
CHOLBAM 250 MG, 50 MG CAPSULE <b>DL</b>	4	PA,QL (120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CREON 12,000-38,000-60,000 UNIT CAPSULE,DELAYED RELEASE; CREON 24,000-76,000-120,000 UNIT CAPSULE,DELAYED RELEASE; CREON 3,000 UNIT-9,500 UNIT-15,000 UNIT CAPSULE,DELAYED RELEASE; CREON 36,000 UNIT-114,000 UNIT-180,000 UNIT CAPSULE,DELAYED RELEASE; CREON 6,000-19,000-30,000 UNIT CAPSULE,DELAYED RELEASE <b>MO</b>	2	
CRYSVITA 10 MG/ML, 20 MG/ML SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (2 per 28 days)
CRYSVITA 30 MG/ML SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (6 per 28 days)
CYSTADANE 1 GRAM/1.7 ML ORAL POWDER <b>DL</b>	4	
CYSTAGON 150 MG, 50 MG CAPSULE <b>MO</b>	3	
ELAPRASE 6 MG/3 ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA
ELELYSO 200 UNIT INTRAVENOUS SOLUTION <b>DL</b>	4	PA
FABRAZYME 35 MG, 5 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
GALAFOLD 123 MG CAPSULE <b>DL</b>	4	PA,QL (14 per 28 days)
GLASSIA 1 GRAM/50 ML (2 %) INTRAVENOUS SOLUTION <b>DL</b>	4	PA
KANUMA 2 MG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA
KEVEYIS 50 MG TABLET <b>DL</b>	4	PA,QL (120 per 30 days)
KUVAN 100 MG SOLUBLE TABLET <b>DL</b>	4	PA
KUVAN 100 MG, 500 MG ORAL POWDER PACKET <b>DL</b>	4	PA
LUMIZYME 50 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
MEPSEVII 2 MG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA
<i>miglustat 100 mg capsule</i> <b>DL</b>	4	PA,QL (90 per 30 days)
NAGLAZYME 5 MG/5 ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA
<i>nitisinone 10 mg, 2 mg, 5 mg capsule</i> <b>DL</b>	4	
NITYR 10 MG, 2 MG, 5 MG TABLET <b>DL</b>	4	
ORFADIN 10 MG, 2 MG, 20 MG, 5 MG CAPSULE <b>DL</b>	4	
ORFADIN 4 MG/ML ORAL SUSPENSION <b>DL</b>	4	
PALYNZIQ 10 MG/0.5 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (15 per 30 days)
PALYNZIQ 2.5 MG/0.5 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (4 per 28 days)
PALYNZIQ 20 MG/ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (30 per 30 days)
PANCREAZE 10,500 UNIT-35,500 UNIT-61,500 UNIT CAPSULE,DELAYED RELEASE; PANCREAZE 16,800 UNIT-56,800 UNIT-98,400 UNIT CAPSULE,DELAYED RELEASE; PANCREAZE 2,600 UNIT-6,200 UNIT-10,850 UNIT CAPSULE,DELAYED RELEASE; PANCREAZE 21,000 UNIT-54,700 UNIT-83,900 UNIT CAPSULE,DELAYED RELEASE; PANCREAZE 4,200 UNIT-14,200 UNIT-24,600 UNIT CAPSULE,DELAYED RELEASE <b>DL</b>	4	ST

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
PERTZYE 16,000 UNIT-57,500 UNIT-60,500 UNIT CAPSULE,DELAYED RELEASE; PERTZYE 24,000-86,250-90,750 UNIT CAPSULE,DELAYED RELEASE; PERTZYE 4,000 UNIT-14,375 UNIT-15,125 UNIT CAPSULE,DELAYED RELEASE; PERTZYE 8,000 UNIT-28,750 UNIT-30,250 UNIT CAPSULE,DELAYED RELEASE <b>DL</b>	4	ST
PROSYSBI 25 MG CAPSULE,DELAYED RELEASE SPRINKLE <b>DL</b>	4	PA,QL (120 per 30 days)
PROSYSBI 300 MG ORAL DR GRANULES IN PACKET <b>DL</b>	4	PA,QL (210 per 30 days)
PROSYSBI 75 MG CAPSULE,DELAYED RELEASE SPRINKLE <b>DL</b>	4	PA,QL (780 per 30 days)
PROSYSBI 75 MG ORAL DR GRANULES IN PACKET <b>DL</b>	4	PA,QL (780 per 30 days)
PROLASTIN-C 1,000 MG (+/-)/20 ML INTRAVENOUS SOLUTION; PROLASTIN-C 1,000 MG, 1,000 MG (+/-)/20 ML INTRAVENOUS POWDER FOR SOLUTION <b>DL</b>	4	PA
RAVICTI 1.1 GRAM/ML ORAL LIQUID <b>DL</b>	4	PA,QL (525 per 30 days)
REVCovi 2.4 MG/1.5 ML (1.6 MG/ML) INTRAMUSCULAR SOLUTION <b>DL</b>	4	
sapropterin 100 mg tablet <b>DL</b>	4	PA
sapropterin 100 mg, 500 mg powder pkt <b>DL</b>	4	PA
sodium phenylbutyrate 500mg tb <b>DL</b>	4	
sodium phenylbutyrate powder <b>DL</b>	4	
STRENSIQ 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA
SUCRAID 8,500 UNIT/ML ORAL SOLUTION <b>DL</b>	4	
TEGSEDI 284 MG/1.5 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (6 per 28 days)
VIOKACE 10,440 UNIT-39,150 UNIT-39,150 UNIT TABLET; VIOKACE 20,880 UNIT-78,300 UNIT-78,300 UNIT TABLET <b>DL</b>	4	ST
VPRIV 400 UNIT INTRAVENOUS SOLUTION <b>DL</b>	4	PA
VYNDAMAX 61 MG CAPSULE <b>DL</b>	4	PA,QL (30 per 30 days)
VYNDAQEL 20 MG CAPSULE <b>DL</b>	4	PA,QL (120 per 30 days)
VYONDYS-53 50 MG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA
XURIDEN 2 GRAM ORAL GRANULES IN PACKET <b>DL</b>	4	PA,QL (120 per 30 days)
ZAVESCA 100 MG CAPSULE <b>DL</b>	4	PA,QL (90 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZEMAIRA 1,000 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
ZENPEP 10,000 UNIT-32,000 UNIT-42,000 UNIT CAPSULE,DELAYED RELEASE; ZENPEP 15,000 UNIT-47,000 UNIT-63,000 UNIT CAPSULE,DELAYED RELEASE; ZENPEP 20,000 UNIT-63,000 UNIT-84,000 UNIT CAPSULE,DELAYED RELEASE; ZENPEP 25,000 UNIT-79,000 UNIT-105,000 UNIT CAPSULE,DELAYED RELEASE; ZENPEP 3,000 UNIT-10,000 UNIT-14,000 UNIT CAPSULE,DELAYED RELEASE; ZENPEP 40,000 UNIT-126,000 UNIT-168,000 UNIT CAPSULE,DELAYED RELEASE; ZENPEP 5,000 UNIT-17,000 UNIT-24,000 UNIT CAPSULE,DELAYED RELEASE <b>MO</b>	3	
<b>Genitourinary Agents</b>		
alfuzosin hcl er 10 mg tablet <b>MO</b>	1	
AVODART 0.5 MG CAPSULE <b>MO</b>	3	PA,QL (30 per 30 days)
bethanechol 10 mg, 25 mg, 5 mg, 50 mg tablet <b>MO</b>	1	
CIALIS 2.5 MG, 5 MG TABLET <b>MO</b>	3	PA
darifenacin er 15 mg, 7.5 mg tablet <b>MO</b>	1	ST,QL (30 per 30 days)
DETROL 1 MG, 2 MG TABLET <b>MO</b>	3	PA,QL (60 per 30 days)
DETROL LA 2 MG, 4 MG CAPSULE,EXTENDED RELEASE <b>MO</b>	3	PA,QL (30 per 30 days)
DITROPAN XL 10 MG, 5 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	PA,QL (60 per 30 days)
dutasteride 0.5 mg capsule <b>MO</b>	1	QL (30 per 30 days)
dutasteride-tamsulosin 0.5-0.4 <b>MO</b>	1	QL (30 per 30 days)
ELMIRON 100 MG CAPSULE <b>DL</b>	4	QL (90 per 30 days)
ENABLEX 15 MG, 7.5 MG TABLET <b>MO</b>	3	ST,QL (30 per 30 days)
finasteride 5 mg tablet <b>MO</b>	1	QL (30 per 30 days)
flavoxate hcl 100 mg tablet <b>MO</b>	1	
FLOMAX 0.4 MG CAPSULE <b>MO</b>	3	
GELNIQUE 10 % (100 MG/GRAM), 100 MG/GRAM (10 %) TRANSDERMAL GEL PACKET; GELNIQUE 10% GEL PUMP <b>MO</b>	3	ST,QL (30 per 30 days)
JALYN 0.5 MG-0.4 MG CAPSULE, EXTENDED RELEASE <b>MO</b>	3	PA,QL (30 per 30 days)
MYRBETRIQ 25 MG, 50 MG TABLET,EXTENDED RELEASE <b>MO</b>	2	QL (30 per 30 days)
oxybutynin 5 mg tablet <b>MO</b>	1	
oxybutynin 5 mg/5 ml syrup <b>MO</b>	1	
oxybutynin cl er 10 mg, 15 mg, 5 mg tablet <b>MO</b>	1	QL (60 per 30 days)
OXYTROL 3.9 MG/24 HR TRANSDERMAL PATCH <b>MO</b>	3	ST,QL (8 per 28 days)
PROSCAR 5 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
RAPAFLO 4 MG, 8 MG CAPSULE <b>MO</b>	3	PA,QL (30 per 30 days)
silodosin 4 mg, 8 mg capsule <b>MO</b>	1	QL (30 per 30 days)
solifenacain 10 mg, 5 mg tablet <b>MO</b>	1	QL (30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
tadalafil 2.5 mg, 5 mg tablet <b>MO</b>	1	PA
tamsulosin hcl 0.4 mg capsule <b>MO</b>	1	
THIOLA 100 MG TABLET <b>DL</b>	4	
THIOLA EC 100 MG, 300 MG TABLET,DELAYED RELEASE <b>DL</b>	4	
tolterodine tart er 2 mg, 4 mg cap <b>MO</b>	1	QL (30 per 30 days)
tolterodine tartrate 1 mg, 2 mg tab <b>MO</b>	1	QL (60 per 30 days)
TOVIAZ 4 MG, 8 MG TABLET,EXTENDED RELEASE <b>MO</b>	2	QL (30 per 30 days)
trospium chloride 20 mg tablet <b>MO</b>	1	
trospium chloride er 60 mg cap <b>MO</b>	1	QL (30 per 30 days)
URECHOLINE 10 MG, 25 MG, 5 MG, 50 MG TABLET <b>MO</b>	1	PA
UROXATRAL 10 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	
VESICARE 10 MG, 5 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
<b>Hormonal Agents, Stimulant/Replacement/Modifying (Adrenal)</b>		
a-hydrocort 100 mg solution for injection <b>MO</b>	1	
ACTHAR 80 UNIT/ML INJECTION GEL <b>DL</b>	4	PA,QL (30 per 30 days)
ARISTOSSPAN INTRA-ARTICULAR 20 MG/ML SUSPENSION FOR INJECTION <b>MO</b>	3	
ARISTOSSPAN INTRALESIONAL 5 MG/ML SUSPENSION FOR INJECTION <b>MO</b>	3	
betamethasone sp-ac 30 mg/5 ml <b>MO</b>	1	
CELESTONE SOLUSPAN 6 MG/ML SUSPENSION FOR INJECTION <b>MO</b>	3	
cortisone 25 mg tablet <b>MO</b>	1	
decadron 0.5 mg, 0.75 mg, 4 mg, 6 mg tablet <b>MO</b>	1	
decadron 0.5 mg/5 ml elixir <b>MO</b>	1	
DEPO-MEDROL 20 MG/ML, 40 MG/ML, 80 MG/ML SUSPENSION FOR INJECTION <b>MO</b>	3	
dexabliss 1.5 mg (39 tabs) tablets in a dose pack <b>MO</b>	1	
dexamethasone 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 1.5 mg (21 tabs), 1.5 mg (35 tabs), 1.5 mg (51 tabs), 2 mg, 4 mg, 6 mg tablet; dexamethasone 10 day 1.5 mg tb; dexamethasone 13 day 1.5 mg tb; dexamethasone 6 day 1.5 mg tab <b>MO</b>	1	
dexamethasone 0.5 mg/5 ml elx <b>MO</b>	1	
dexamethasone 0.5 mg/5 ml liq <b>MO</b>	1	
dexamethasone intensol 1 mg/ml drops (concentrate) <b>MO</b>	1	
dexamethasone 10 mg/ml syring <b>MO</b>	1	
dexamethasone 10 mg/ml vial <b>MO</b>	1	
dexamethasone 10 mg/ml, 4 mg/ml vial <b>MO</b>	1	
dexamethasone 4 mg/ml syringe <b>MO</b>	1	
DEXPAK 10 DAY 1.5 MG TABLET <b>MO</b>	1	
DEXPAK 13 DAY 1.5 MG TABLET <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DEXPAK 6 DAY 1.5 MG TABLET <b>MO</b>	1	
DXEVO 1.5 MG (39 TABS) TABLETS IN A DOSE PACK <b>MO</b>	1	
EMFLAZA 18 MG, 30 MG, 36 MG, 6 MG TABLET <b>DL</b>	4	PA
EMFLAZA 22.75 MG/ML ORAL SUSPENSION <b>DL</b>	4	PA
fludrocortisone 0.1 mg tablet <b>MO</b>	1	
HEMADY 20 MG TABLET <b>MO</b>	3	PA,QL (24 per 28 days)
hidex 1.5 mg (21 tabs) tablets in a dose pack <b>MO</b>	1	
KENALOG 0.147 MG/GRAM TOPICAL AEROSOL <b>MO</b>	3	QL (200 per 30 days)
KENALOG 10 MG/ML, 40 MG/ML SUSPENSION FOR INJECTION <b>MO</b>	3	
KENALOG-80 80 MG/ML SUSPENSION FOR INJECTION <b>MO</b>	3	
MEDROL 16 MG, 2 MG, 32 MG, 4 MG, 8 MG TABLET <b>MO</b>	3	B vs D
MEDROL (PAK) 4 MG TABLETS IN A DOSE PACK <b>MO</b>	3	
methylprednisolone 16 mg, 32 mg, 4 mg, 8 mg tab; methylprednisolone 16 mg, 32 mg, 4 mg, 8 mg tablet <b>MO</b>	1	B vs D
methylprednisolone 4 mg dosepk <b>MO</b>	1	
methylprednisolone 40 mg/ml, 80 mg/ml vl <b>MO</b>	1	
methylprednisolone ss 1 gm vl; methylprednisolone ss 1,000 mg, 125 mg, 40 mg, 500 mg; methylprednisolone ss 1,000 mg, 125 mg, 40 mg, 500 mg vl <b>MO</b>	1	
micort hc 2.5% cream <b>MO</b>	1	
MICORT-HC 2.5% CREAM <b>MO</b>	1	
millipred 5 mg tablet <b>MO</b>	1	B vs D
millipred dp 5 mg (21 tabs), 5 mg (48 tabs) tablets in a dose pack <b>MO</b>	1	
ORAPRED ODT 10 MG, 15 MG, 30 MG DISINTEGRATING TABLET <b>MO</b>	3	
PEDIAPRED 5 MG BASE/5 ML (6.7 MG/5 ML) ORAL SOLUTION <b>MO</b>	3	
prednisolone 15 mg/5 ml soln <b>MO</b>	1	
prednisolone 10 mg/5 ml, 15 mg/5 ml (3 mg/ml), 20 mg/5 ml (4 mg/ml), 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml) soln; prednisolone 15 mg/5 ml soln; prednisolone 20 mg/5 ml soln; prednisolone 5 mg/5 ml soln; prednisolone sod ph 25 mg/5 ml <b>MO</b>	1	
prednisolone odt 10 mg, 15 mg, 30 mg tablet <b>MO</b>	1	
prednisone 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg tablet <b>MO</b>	1	B vs D
prednisone 10 mg, 5 mg tab dose pack <b>MO</b>	1	
prednisone 5 mg/5 ml solution <b>MO</b>	1	B vs D
prednisone intensol 5 mg/ml oral concentrate <b>MO</b>	1	B vs D
RAYOS 1 MG, 2 MG, 5 MG TABLET,DELAYED RELEASE <b>DL</b>	4	B vs D
SOLU-CORTEF 100 MG SOLUTION FOR INJECTION <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SOLU-CORTEF ACT-O-VIAL (PF) 1,000 MG/8 ML, 100 MG/2 ML, 250 MG/2 ML, 500 MG/4 ML SOLUTION FOR INJECTION <b>MO</b>	3	
SOLU-MEDROL 1,000 MG, 2 GRAM, 500 MG INTRAVENOUS SOLUTION <b>MO</b>	3	
SOLU-MEDROL (PF) 1,000 MG/8 ML, 125 MG/2 ML, 40 MG/ML, 500 MG/4 ML INTRAVENOUS SOLUTION; SOLU-MEDROL (PF) 1,000 MG/8 ML, 125 MG/2 ML, 40 MG/ML, 500 MG/4 ML SOLUTION FOR INJECTION <b>MO</b>	3	
taperdex 1.5 mg (21 tabs), 1.5 mg (27 tabs), 1.5 mg (49 tabs) tablets in a dose pack <b>MO</b>	1	
triamcinolone 0.025% cream; triamcinolone 0.1% cream; triamcinolone 0.5% cream <b>MO</b>	1	
triamcinolone 0.025% lotion; triamcinolone 0.1% lotion <b>MO</b>	1	
triamcinolone 0.025% oint; triamcinolone 0.1% ointment; triamcinolone 0.5% ointment <b>MO</b>	1	
triamcinolone 0.05% ointment <b>DL</b>	4	
triamcinolone 0.147 mg/g spray <b>MO</b>	1	QL (200 per 30 days)
triamcinolone acet 40 mg/ml v <sup>l</sup> <b>MO</b>	1	
trianex 0.05 % topical ointment <b>DL</b>	4	
triderm 0.1 %, 0.5 % topical cream <b>MO</b>	1	
VERIPRED 20 20 MG/5 ML (4 MG/ML) ORAL SOLUTION <b>MO</b>	1	
ZCORT 1.5 MG (25 TABS) TABLETS IN A DOSE PACK <b>MO</b>	1	
ZILRETTA 32 MG INTRA-ARTICULAR SUSPENSION,EXTENDED RELEASE <b>MO</b>	3	PA
<b>Hormonal Agents, Stimulant/Replacement/Modifying (Pituitary)</b>		
CHORIONIC GONAD 10,000 UNIT VL <b>DL</b>	4	PA
DDAVP 0.01% NASAL SPRAY <b>MO</b>	3	PA,QL (25 per 30 days)
DDAVP 0.1 MG TABLET <b>DL</b>	4	PA,QL (180 per 30 days)
DDAVP 0.1 MG/ML (REFRIGERATE), 4 MCG/ML INJECTION SOLUTION; DDAVP 0.1 MG/ML (REFRIGERATE), 4 MCG/ML NASAL SOLUTION <b>MO</b>	3	PA
DDAVP 0.2 MG TABLET <b>DL</b>	4	PA
desmopressin 0.01% solution; desmopressin 10 mcg/0.1 ml spr <b>MO</b>	1	QL (25 per 30 days)
desmopressin ac 4 mcg/ml vial <b>MO</b>	1	
desmopressin acetate 0.1 mg tb <b>MO</b>	1	QL (180 per 30 days)
desmopressin acetate 0.2 mg tb <b>MO</b>	1	
EGRIFTA 1 MG VIAL <b>DL</b>	4	PA,QL (60 per 30 days)
EGRIFTA SV 2 MG SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (30 per 30 days)
GENOTROPIN 12 MG/ML (36 UNIT/ML), 5 MG/ML (15 UNIT/ML) SUBCUTANEOUS CARTRIDGE <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
GENOTROPIN MINIQUICK 0.2 MG/0.25 ML, 0.4 MG/0.25 ML, 0.6 MG/0.25 ML, 0.8 MG/0.25 ML, 1 MG/0.25 ML, 1.2 MG/0.25 ML, 1.4 MG/0.25 ML, 1.6 MG/0.25 ML, 1.8 MG/0.25 ML, 2 MG/0.25 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA
HUMATROPE 12 MG (36 UNIT), 24 MG (72 UNIT), 6 MG (18 UNIT) INJECTION CARTRIDGE <b>DL</b>	4	PA
HUMATROPE 5 MG (15 UNIT) SOLUTION FOR INJECTION <b>DL</b>	4	PA
INCRELEX 10 MG/ML SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA
NOCDURNA (MEN) 55.3 MCG DISINTEGRATING TABLET,SUBLINGUAL <b>MO</b>	3	PA,QL (30 per 30 days)
NOCDURNA (WOMEN) 27.7 MCG DISINTEGRATING TABLET,SUBLINGUAL <b>MO</b>	3	PA,QL (30 per 30 days)
NORDITROPIN FLEXPRO 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) SUBCUTANEOUS PEN INJECTOR <b>DL</b>	4	PA
NOVAREL 10,000 UNIT, 5,000 UNIT INTRAMUSCULAR SOLUTION <b>MO</b>	3	PA
NUTROPIN AQ NUSPIN 10 MG/2 ML (5 MG/ML), 20 MG/2 ML (10 MG/ML), 5 MG/2 ML (2.5 MG/ML) SUBCUTANEOUS PEN INJECTOR <b>DL</b>	4	PA
OMNITROPE 10 MG/1.5 ML (6.7 MG/ML), 5 MG/1.5 ML (3.3 MG/ML) SUBCUTANEOUS CARTRIDGE <b>DL</b>	4	PA
OMNITROPE 5.8 MG SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA
PREGNYL 10,000 UNIT INTRAMUSCULAR SOLUTION <b>MO</b>	3	PA
SAIZEN 5 MG SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (28 per 28 days)
SAIZEN 8.8 MG SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA
SAIZEN SAIZENPREP 8.8 MG/1.51 ML (FINAL CONC.) SUBCUTANEOUS CARTRIDGE <b>DL</b>	4	PA
SEROSTIM 4 MG, 5 MG, 6 MG SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (28 per 28 days)
STIMATE 1.5 MG/ML NASAL SPRAY <b>DL</b>	4	
ZOMACTON 10 MG SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA
ZOMACTON 5 MG SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (28 per 28 days)
ZORBTIVE 8.8 MG SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA
<b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (PROSTAGLANDINS)</b>		
carboprost 250 mcg/ml vial <b>MO</b>	1	
HEMABATE 250 MCG/ML INTRAMUSCULAR SOLUTION <b>MO</b>	3	
<b>Hormonal Agents, Stimulant/Replacement/Modifying (Sex Hormones/Modifiers)</b>		
ACTIVELLA 0.5-0.1 MG, 1-0.5 MG TABLET; ACTIVELLA 1 MG-0.5 MG TABLET <b>MO</b>	3	
afirmelle 0.1 mg-20 mcg tablet <b>MO</b>	1	
ALORA 0.025 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR TRANSDERMAL PATCH <b>MO</b>	3	QL (8 per 28 days)
altavera (28) 0.15 mg-0.03 mg tablet <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
alyacen 1/35 (28) 1 mg-35 mcg tablet <b>MO</b>	1	
alyacen 7/7/7 (28) 0.5 mg/0.75 mg/1 mg-35 mcg tablet <b>MO</b>	1	
amabelz 0.5 mg-0.1 mg tablet; amabelz 1 mg-0.5 mg tablet <b>MO</b>	1	
amethia 0.15 mg-30 mcg (84)/10 mcg(7) tablets,3 month dose pack <b>MO</b>	1	QL (91 per 90 days)
amethia lo 0.10 mg-20 mcg (84)/10 mcg(7) tablets,3 month dose pack <b>MO</b>	1	QL (91 per 90 days)
amethyst (28) 90 mcg-20 mcg tablet <b>MO</b>	1	
ANADROL-50 50 MG TABLET <b>DL</b>	4	
ANDRODERM 2 MG/24 HOUR TRANSDERMAL 24 HOUR PATCH <b>MO</b>	3	PA,QL (90 per 30 days)
ANDRODERM 4 MG/24 HR TRANSDERMAL 24 HOUR PATCH <b>MO</b>	3	PA,QL (30 per 30 days)
ANDROGEL 1 % (25 MG/2.5 GRAM) TRANSDERMAL GEL PACKET; ANDROGEL 1 % (25 MG/2.5GRAM), 1 % (50 MG/5 GRAM) TRANSDERMAL GEL PACKET <b>DL</b>	4	PA,QL (300 per 30 days)
ANDROGEL 1.62 % (20.25 MG/1.25 GRAM) TRANSDERMAL GEL PACKET <b>DL</b>	4	PA,QL (37.5 per 30 days)
ANDROGEL 1.62 % (40.5 MG/2.5 GRAM) TRANSDERMAL GEL PACKET <b>DL</b>	4	PA,QL (150 per 30 days)
ANDROGEL 20.25 MG/1.25 GRAM (1.62 %) TRANSDERMAL GEL PUMP <b>MO</b>	3	PA,QL (150 per 30 days)
ANDROID 10 MG CAPSULE <b>DL</b>	4	
ANGELIQ 0.25 MG-0.5 MG TABLET; ANGELIQ 0.5 MG-1 MG TABLET <b>MO</b>	3	
ANNOVERA 0.15 MG-0.013 MG/24 HR VAGINAL RING <b>MO</b>	3	QL (1 per 365 days)
apri 0.15 mg-0.03 mg tablet <b>MO</b>	1	
aranelle (28) 0.5 mg/1 mg/0.5 mg-35 mcg tablet <b>MO</b>	1	
ashlyna 0.15 mg-30 mcg (84)/10 mcg(7) tablets,3 month dose pack <b>MO</b>	1	QL (91 per 90 days)
aubra 0.1 mg-20 mcg tablet <b>MO</b>	1	
aubra eq 0.1 mg-20 mcg tablet <b>MO</b>	1	
aurovela 1.5/30 (21) 1.5 mg-30 mcg tablet <b>MO</b>	1	
aurovela 1/20 (21) 1 mg-20 mcg tablet <b>MO</b>	1	
aurovela 24 fe 1 mg-20 mcg (24)/75 mg (4) tablet <b>MO</b>	1	
aurovela fe 1-20 (28) 1 mg-20 mcg (21)/75 mg (7) tablet <b>MO</b>	1	
aurovela fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) tablet <b>MO</b>	1	
AVEED 750 MG/3 ML (250MG/ML) INTRAMUSCULAR SOLUTION <b>DL</b>	4	PA,QL (3 per 70 days)
aviane 0.1 mg-20 mcg tablet <b>MO</b>	1	
AXIRON 30 MG/ACTUATION SOLN <b>MO</b>	3	PA,QL (180 per 30 days)
AYGESTIN 5 MG TABLET <b>MO</b>	1	
ayuna 0.15 mg-0.03 mg tablet <b>MO</b>	1	
azurette (28) 0.15 mg-0.02 mg (21)/0.01 mg (5) tablet <b>MO</b>	1	
BALCOLTRA 0.1 MG-0.02 MG(21)/36.5 MG(7) TABLET <b>MO</b>	3	
balziva (28) 0.4 mg-35 mcg tablet <b>MO</b>	1	
bekyree (28) 0.15 mg-0.02 mg (21)/0.01 mg (5) tablet <b>MO</b>	1	
BEYAZ (28) 3 MG-0.02 MG-0.451 MG (24)/0.451 MG (4) TABLET <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BIJUVA 1 MG-100 MG CAPSULE <b>MO</b>	3	QL (30 per 30 days)
blisovi 24 fe 1 mg-20 mcg (24)/75 mg (4) tablet <b>MO</b>	1	
blisovi fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) tablet <b>MO</b>	1	
blisovi fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) tablet <b>MO</b>	1	
briellyn 0.4 mg-35 mcg tablet <b>MO</b>	1	
camila 0.35 mg tablet <b>MO</b>	1	
camrese 0.15 mg-30 mcg (84)/10 mcg(7) tablets,3 month dose pack <b>MO</b>	3	QL (91 per 90 days)
camrese lo 0.10 mg-20 mcg (84)/10 mcg(7) tablets,3 month dose pack <b>MO</b>	1	QL (91 per 90 days)
caziant (28) 0.1 mg/0.125 mg/0.15 mg-25 mcg tablet <b>MO</b>	1	
charlotte 24 fe 1 mg-20 mcg (24)/75 mg (4) chewable tablet <b>MO</b>	1	
chateal (28) 0.15 mg-0.03 mg tablet <b>MO</b>	1	
chateal eq (28) 0.15 mg-0.03 mg tablet <b>MO</b>	1	
CLIMARA 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.06 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR TRANSDERMAL PATCH <b>MO</b>	3	QL (4 per 28 days)
CLIMARA PRO 0.045 MG-0.015 MG/24 HR TRANSDERMAL PATCH <b>MO</b>	3	QL (4 per 28 days)
COMBIPATCH 0.05 MG-0.14 MG/24 HR TRANSDERMAL; COMBIPATCH 0.05 MG-0.25 MG/24 HR TRANSDERMAL <b>MO</b>	3	QL (8 per 28 days)
CRINONE 4 %, 8 % VAGINAL GEL <b>MO</b>	3	
cryselle (28) 0.3 mg-30 mcg tablet <b>MO</b>	1	
cyclafem 1/35 (28) 1 mg-35 mcg tablet <b>MO</b>	1	
cyclafem 7/7/7 (28) 0.5 mg/0.75 mg/1 mg-35 mcg tablet <b>MO</b>	1	
cyred 0.15 mg-0.03 mg tablet <b>MO</b>	1	
cyred eq 0.15 mg-0.03 mg tablet <b>MO</b>	1	
danazol 100 mg, 200 mg, 50 mg capsule <b>MO</b>	1	
dasetta 1/35 (28) 1 mg-35 mcg tablet <b>MO</b>	1	
dasetta 7/7/7 (28) 0.5 mg(7)/0.75 mg(7)/1 mg(7)-35 mcg tablet <b>MO</b>	1	
daysee 0.15 mg-30 mcg (84)/10 mcg(7) tablets,3 month dose pack <b>MO</b>	1	QL (91 per 90 days)
deblitane 0.35 mg tablet <b>MO</b>	1	
DELESTROGEN 10 MG/ML, 20 MG/ML, 40 MG/ML INTRAMUSCULAR OIL <b>MO</b>	3	
DEPO-ESTRADIOL 5 MG/ML INTRAMUSCULAR OIL <b>MO</b>	1	QL (5 per 30 days)
DEPO-PROVERA 150 MG/ML INTRAMUSCULAR SUSPENSION <b>MO</b>	3	QL (1 per 90 days)
DEPO-PROVERA 150 MG/ML INTRAMUSCULAR SYRINGE <b>MO</b>	3	QL (1 per 90 days)
DEPO-PROVERA 400 MG/ML INTRAMUSCULAR SUSPENSION <b>MO</b>	3	
DEPO-SUBQ PROVERA 104 104 MG/0.65 ML SUBCUTANEOUS SYRINGE <b>MO</b>	3	QL (0.65 per 90 days)
DEPO-TESTOSTERONE 100 MG/ML, 200 MG/ML INTRAMUSCULAR OIL <b>MO</b>	1	
desogestr-eth estrad eth estra <b>MO</b>	1	
desogest-eth estra 0.15-0.03mg <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DIVIGEL 0.25 MG/0.25 GRAM (0.1 %), 0.5 MG/0.5 GRAM (0.1 %), 0.75 MG/0.75 GRAM (0.1%), 1 MG/GRAM (0.1 %), 1.25 MG/1.25 GRAM (0.1 %) TRANSDERMAL GEL PACKET <b>MO</b>	3	
dotti 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr transdermal patch <b>MO</b>	1	QL (8 per 28 days)
drosp-ee-levomef 3-0.02-0.451; drosp-ee-levomef 3-0.03-0.451 <b>MO</b>	1	
drospirenone-ee 3-0.02 mg, 3-0.03 mg tab <b>MO</b>	1	
DUAVEE 0.45 MG-20 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
ELESTRIN 0.87 GRAM/ACTUATION (0.06%) TRANSDERMAL GEL PUMP <b>MO</b>	3	QL (52 per 30 days)
elinest 0.3 mg-30 mcg tablet <b>MO</b>	1	
ELLA 30 MG TABLET <b>MO</b>	2	QL (1 per 30 days)
eluryng 0.12 mg-0.015 mg/24 hr vaginal ring <b>MO</b>	1	QL (1 per 28 days)
emoquette 0.15 mg-0.03 mg tablet <b>MO</b>	1	
ENDOMETRIN 100 MG VAGINAL INSERT <b>DL</b>	4	
enpresse 50-30 (6)/75-40(5)/125-30(10) tablet <b>MO</b>	1	
enskyce 0.15 mg-0.03 mg tablet <b>MO</b>	1	
errin 0.35 mg tablet <b>MO</b>	1	
estarylla 0.25 mg-35 mcg tablet <b>MO</b>	1	
ESTRACE 0.01% (0.1 MG/GRAM) VAGINAL CREAM <b>MO</b>	3	PA
ESTRACE 0.5 MG, 1 MG, 2 MG TABLET <b>MO</b>	1	
estradiol 0.01% cream <b>MO</b>	1	
estradiol 0.025 mg patch(1/wk); estradiol 0.0375mg patch(1/wk); estradiol 0.05 mg patch (1/wk); estradiol 0.06 mg patch (1/wk); estradiol 0.075 mg patch(1/wk); estradiol 0.1 mg patch (1/wk) <b>MO</b>	1	QL (4 per 28 days)
estradiol 0.025 mg patch(2/wk); estradiol 0.0375mg patch(2/wk); estradiol 0.05 mg patch (2/wk); estradiol 0.075 mg patch(2/wk); estradiol 0.1 mg patch (2/wk) <b>MO</b>	1	QL (8 per 28 days)
estradiol 0.5 mg, 1 mg, 10 mcg, 2 mg tablet; estradiol 0.5 mg, 1 mg, 10 mcg, 2 mg vaginal insrt <b>MO</b>	1	
estradiol valerate 100 mg/5 ml; estradiol valerate 200 mg/5 ml <b>MO</b>	1	
estradiol-noreth 0.5-0.1 mg, 1-0.5 mg tab; estradiol-noreth 0.5-0.1 mg, 1-0.5 mg tb <b>MO</b>	1	
ESTRING 2 MG (7.5 MCG/24 HOUR) VAGINAL RING <b>MO</b>	3	QL (1 per 90 days)
ESTROGEL 1.25 GRAM/ACTUATION (0.06%) TRANSDERMAL GEL PUMP <b>MO</b>	3	
ESTROSTEP FE-28 1-20 (5)/1-30(7)/1MG-35MCG(9) TABLET <b>MO</b>	3	
ethynodiol-eth estra 1mg-35mcg; ethynodiol-eth estra 1mg-50mcg <b>MO</b>	1	
etonogestrel-ee vaginal ring <b>MO</b>	1	QL (1 per 28 days)
EVAMIST 1.53 MG/SPRAY (1.7 %) TRANSDERMAL SPRAY <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EVISTA 60 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
falmina (28) 0.1 mg-20 mcg tablet <b>MO</b>	1	
fayosim 0.15 mg-20 mcg/0.15 mg-25 mcg tablets,3 month dose pack <b>MO</b>	1	QL (91 per 90 days)
FEMHRT LOW DOSE 0.5 MG-2.5 MCG TABLET <b>MO</b>	3	
FEMRING 0.05 MG/24 HR, 0.1 MG/24 HR VAGINAL <b>MO</b>	3	QL (1 per 90 days)
femynor 0.25 mg-35 mcg tablet <b>MO</b>	1	
FORTESTA 10 MG/0.5 GRAM/ACTUATION TRANSDERMAL GEL PUMP <b>MO</b>	3	PA,QL (120 per 30 days)
fyavolv 0.5 mg-2.5 mcg tablet; fyavolv 1 mg-5 mcg tablet <b>MO</b>	1	
GENERESS FE 0.8 MG-25 MCG (24)/75 MG (4) CHEWABLE TABLET <b>MO</b>	3	
gianvi (28) 3 mg-0.02 mg tablet <b>MO</b>	1	
hailey 1.5 mg-30 mcg tablet <b>MO</b>	1	
hailey 24 fe 1 mg-20 mcg (24)/75 mg (4) tablet <b>MO</b>	1	
hailey fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) tablet <b>MO</b>	1	
hailey fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) tablet <b>MO</b>	1	
heather 0.35 mg tablet <b>MO</b>	1	
hydroxyprogesterone 250 mg/ml vial <b>DL</b>	4	PA
hydroxyprogesterone 1,250 mg/5 ml <b>DL</b>	4	PA
hydroxyprogesterone 1.25 g/5ml <b>DL</b>	4	PA
incassia 0.35 mg tablet <b>MO</b>	1	
introvale 0.15 mg-30 mcg (91) tablets,3 month dose pack <b>MO</b>	1	QL (91 per 90 days)
isibloom 0.15 mg-0.03 mg tablet <b>MO</b>	1	
jaimiess 0.15 mg-30 mcg (84)/10 mcg(7) tablets,3 month dose pack <b>MO</b>	1	QL (91 per 90 days)
jasmiel (28) 3 mg-0.02 mg tablet <b>MO</b>	1	
jencycla 0.35 mg tablet <b>MO</b>	1	
jevantique lo 0.5 mg-2.5 mcg <b>MO</b>	3	
jinteli 1 mg-5 mcg tablet <b>MO</b>	1	
jolessa 0.15 mg-30 mcg (91) tablets,3 month dose pack <b>MO</b>	1	QL (91 per 90 days)
jolivette tablet <b>MO</b>	1	
juleber 0.15 mg-0.03 mg tablet <b>MO</b>	1	
junel 1.5/30 (21) 1.5 mg-30 mcg tablet <b>MO</b>	1	
junel 1/20 (21) 1 mg-20 mcg tablet <b>MO</b>	1	
junel fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) tablet <b>MO</b>	1	
junel fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) tablet <b>MO</b>	1	
junel fe 24 1 mg-20 mcg (24)/75 mg (4) tablet <b>MO</b>	1	
kaitlib fe 0.8 mg-25 mcg (24)/75 mg (4) chewable tablet <b>MO</b>	1	
kalliga 0.15 mg-0.03 mg tablet <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
kariva (28) 0.15 mg-0.02 mg (21)/0.01 mg (5) tablet <b>MO</b>	1	
kelnor 1-50 1 mg-50 mcg tablet <b>MO</b>	1	
kelnor 1/35 (28) 1 mg-35 mcg tablet <b>MO</b>	1	
kurvelo (28) 0.15 mg-0.03 mg tablet <b>MO</b>	1	
levono-e estrad 0.15-0.03-0.01; levonor-e estrad 0.1-0.02-0.01; levonorg 0.15mg-ee 20-25-30mcg <b>MO</b>	1	QL (91 per 90 days)
larin 1.5/30 (21) 1.5 mg-30 mcg tablet <b>MO</b>	1	
larin 1/20 (21) 1 mg-20 mcg tablet <b>MO</b>	1	
larin 24 fe 1 mg-20 mcg (24)/75 mg (4) tablet <b>MO</b>	1	
larin fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) tablet <b>MO</b>	1	
larin fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) tablet <b>MO</b>	1	
larissia 0.1 mg-20 mcg tablet <b>MO</b>	1	
LAYOLIS FE 0.8 MG-25 MCG (24)/75 MG (4) CHEWABLE TABLET <b>MO</b>	3	
leena 28 0.5 mg/1 mg/0.5 mg-35 mcg tablet <b>MO</b>	1	
lessina 0.1 mg-20 mcg tablet <b>MO</b>	1	
levonest (28) 50-30 (6)/75-40(5)/125-30(10) tablet <b>MO</b>	1	
levonor-eth estrad triphasic <b>MO</b>	1	
levonor-eth estra 0.09-0.02 mg; levonor-eth estrad 0.1-0.02 mg; levonor-eth estrad 0.15-0.03 <b>MO</b>	1	
levonor-eth estrad 0.15-0.03 <b>MO</b>	1	QL (91 per 90 days)
levora-28 0.15 mg-0.03 mg tablet <b>MO</b>	1	
lillow (28) 0.15 mg-0.03 mg tablet <b>MO</b>	1	
LO LOESTRIN FE 1 MG-10 MCG (24)/10 MCG (2) TABLET <b>MO</b>	3	
lo-zumandimine (28) 3 mg-0.02 mg tablet <b>MO</b>	1	
LOESTRIN 1.5/30 (21) 1.5 MG-30 MCG TABLET <b>MO</b>	1	
LOESTRIN 1/20 (21) 1 MG-20 MCG TABLET <b>MO</b>	1	
LOESTRIN FE 1.5/30 (28-DAY) 1.5 MG-30 MCG (21)/75 MG (7) TABLET <b>MO</b>	1	
LOESTRIN FE 1/20 (28-DAY) 1 MG-20 MCG (21)/75 MG (7) TABLET <b>MO</b>	1	
lojaimiess 0.10 mg-20 mcg (84)/10 mcg(7) tablets,3 month dose pack <b>MO</b>	1	QL (91 per 90 days)
lopreeza 0.5 mg-0.1 mg tablet; lopreeza 1 mg-0.5 mg tablet <b>MO</b>	1	
loryna (28) 3 mg-0.02 mg tablet <b>MO</b>	1	
LOSEASONIQUE 0.10 MG-20 MCG (84)/10 MCG(7) TABLETS,3 MONTH DOSE PACK <b>MO</b>	3	QL (91 per 90 days)
low-ogestrel (28) 0.3 mg-30 mcg tablet <b>MO</b>	1	
lutera (28) 0.1 mg-20 mcg tablet <b>MO</b>	1	
lyza 0.35 mg tablet <b>MO</b>	1	
MAKENA 250 MG/ML, 250 MG/ML (1 ML) INTRAMUSCULAR OIL <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MAKENA (PF) 275 MG/1.1 ML SUBCUTANEOUS AUTO-INJECTOR <b>DL</b>	4	PA
marlissa (28) 0.15 mg-0.03 mg tablet <b>MO</b>	1	
medroxyprogesterone 10 mg, 2.5 mg, 5 mg tab <b>MO</b>	1	
medroxyprogesterone 150 mg/ml <b>MO</b>	1	QL (1 per 90 days)
MEGACE ES 625 MG/5 ML SUSP <b>MO</b>	3	
megestrol 20 mg, 40 mg tablet <b>MO</b>	1	
megestrol 625 mg/5 ml susp; megestrol acet 40 mg/ml susp; megestrol acet 400 mg/10 ml <b>MO</b>	1	
melodetta 24 fe 1 mg-20 mcg (24)/75 mg (4) chewable tablet <b>MO</b>	1	
MENEST 0.3 MG, 0.625 MG, 1.25 MG TABLET <b>MO</b>	1	
MENOSTAR 14 MCG/24 HR TRANSDERMAL PATCH <b>MO</b>	3	QL (8 per 28 days)
METHITEST 10 MG TABLET <b>DL</b>	4	
methyltestosterone 10 mg cap <b>DL</b>	4	
mibelas 24 fe 1 mg-20 mcg (24)/75 mg (4) chewable tablet <b>MO</b>	1	
microgestin 1.5/30 (21) 1.5 mg-30 mcg tablet <b>MO</b>	1	
microgestin 1/20 (21) 1 mg-20 mcg tablet <b>MO</b>	1	
microgestin fe 1.5/30 (28) 1.5 mg-30 mcg (21)/75 mg (7) tablet <b>MO</b>	1	
microgestin fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) tablet <b>MO</b>	1	
mini 0.25 mg-35 mcg tablet <b>MO</b>	1	
mimvey 1 mg-0.5 mg tablet <b>MO</b>	1	
mimvey lo 0.5-0.1 mg tablet <b>MO</b>	1	
MINASTRIN 24 FE 1 MG-20 MCG (24)/75 MG (4) CHEWABLE TABLET <b>MO</b>	3	
MINIVELLE 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR TRANSDERMAL PATCH <b>MO</b>	3	QL (8 per 28 days)
MIRCETTE (28) 0.15 MG-0.02 MG (21)/0.01 MG (5) TABLET <b>MO</b>	1	
mono-linyah 0.25 mg-35 mcg tablet <b>MO</b>	1	
mononessa 28 tablet <b>MO</b>	1	
myzilra-28 tablet <b>MO</b>	1	
NATAZIA 3 MG/2 MG-2 MG/2 MG-3 MG/1 MG TABLET <b>MO</b>	3	
NATESTO 5.5 MG/0.122 GRAM PER ACTUATION NASAL GEL PUMP <b>MO</b>	3	PA,QL (21.96 per 30 days)
necon 0.5/35 (28) 0.5 mg-35 mcg tablet <b>MO</b>	1	
nikki (28) 3 mg-0.02 mg tablet <b>MO</b>	1	
nora-be 0.35 mg tablet <b>MO</b>	1	
noret-estr-fe 0.4-0.035(21)-75; norethin-estra-fe 0.8-0.025 mg <b>MO</b>	1	
norethindrone 0.35 mg tablet <b>MO</b>	1	
norethin-ee 1.5-0.03 mg(21) tb; norethin-eth estrad 1 mg-5 mcg; norethind-eth estrad 0.5-2.5; norethind-eth estrad 1-0.02 mg <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
norethindrone 5 mg tablet <b>MO</b>	1	
noreth-ee-fe 1.5-0.03mg(21)-75; noreth-estradiol-fe 1-0.02(21)-75;	1	
noreth-estradiol-fe 1-0.02(24)-75 <b>MO</b>		
noreth-estradiol-fe 1-0.02(24)-75 <b>MO</b>	1	
norg-ee 0.18-0.215-0.25/0.025; norg-ee 0.18-0.215-0.25/0.035; norg-ethin estra 0.25-0.035 mg <b>MO</b>	1	
norlyda 0.35 mg tablet <b>MO</b>	1	
nortrel 0.5/35 (28) 0.5 mg-35 mcg tablet <b>MO</b>	1	
nortrel 1/35 (21) 1 mg-35 mcg tablet <b>MO</b>	1	
nortrel 1/35 (28) 1 mg-35 mcg tablet <b>MO</b>	1	
nortrel 7/7/7 (28) 0.5 mg/0.75 mg/1 mg-35 mcg tablet <b>MO</b>	1	
NUVARING 0.12 MG-0.015 MG/24 HR VAGINAL <b>MO</b>	3	QL (1 per 28 days)
ocella 3 mg-0.03 mg tablet <b>MO</b>	1	
ogestrel tablet <b>MO</b>	1	
orsythia 0.1 mg-20 mcg tablet <b>MO</b>	1	
ORTHO MICRONOR 0.35 MG TABLET <b>MO</b>	3	
ORTHO TRI-CYCLEN (28) 0.18 MG(7)/0.215 MG(7)/0.25 MG(7)-35 MCG TABLET <b>MO</b>	3	
ORTHO TRI-CYCLEN LO TABLET <b>MO</b>	3	
ORTHO-CYCLEN 28 TABLET <b>MO</b>	3	
ORTHO-NOVUM 7/7/7 (28) 0.5 MG/0.75 MG/1 MG-35 MCG TABLET <b>MO</b>	3	
OSPHENA 60 MG TABLET <b>MO</b>	2	PA
oxandrolone 10 mg tablet <b>DL</b>	4	PA,QL (60 per 30 days)
oxandrolone 2.5 mg tablet <b>MO</b>	1	PA,QL (120 per 30 days)
philith 0.4 mg-35 mcg tablet <b>MO</b>	1	
pimtrea (28) 0.15 mg-0.02 mg (21)/0.01 mg (5) tablet <b>MO</b>	1	
pirmella 0.5/0.75/1 mg-35 mcg tablet; pirmella 1 mg-35 mcg tablet <b>MO</b>	1	
portia 28 0.15 mg-0.03 mg tablet <b>MO</b>	1	
PREFEST 1 MG (15)/1 MG-0.09 MG (15) TABLET <b>MO</b>	1	
PREMARIN 0.3 MG, 0.45 MG, 0.625 MG, 0.9 MG, 1.25 MG TABLET <b>MO</b>	3	
PREMARIN 0.625 MG/GRAM VAGINAL CREAM <b>MO</b>	2	
PREMARIN 25 MG SOLUTION FOR INJECTION <b>MO</b>	3	
PREMPHASE 0.625 MG(14)/0.625 MG-5MG(14) TABLET <b>MO</b>	3	
PREMPRO 0.3 MG-1.5 MG TABLET; PREMPRO 0.45 MG-1.5 MG TABLET; PREMPRO 0.625 MG-2.5 MG TABLET; PREMPRO 0.625 MG-5 MG TABLET <b>MO</b>	3	
previfem 0.25 mg-35 mcg tablet <b>MO</b>	1	
progesterone 500 mg/10 ml vial <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
progesterone 100 mg, 200 mg capsule <b>MO</b>	1	
PROMETRIUM 100 MG, 200 MG CAPSULE <b>DL</b>	4	
PROVERA 10 MG, 2.5 MG, 5 MG TABLET <b>MO</b>	3	
QUARTETTE 0.15 MG-20 MCG/0.15 MG-25 MCG TABLETS,3 MONTH DOSE PACK <b>MO</b>	3	QL (91 per 90 days)
quasense 0.15-0.03 mg tablet <b>MO</b>	1	QL (91 per 90 days)
rajani 28 tablet <b>MO</b>	1	
raloxifene hcl 60 mg tablet <b>MO</b>	1	QL (30 per 30 days)
reclipsen (28) 0.15 mg-0.03 mg tablet <b>MO</b>	1	
rivelsa 0.15 mg-20 mcg/0.15 mg-25 mcg tablets,3 month dose pack <b>MO</b>	1	QL (91 per 90 days)
SAFYRAL 3 MG-0.03 MG-0.451 MG (21)/0.451 MG (7) TABLET <b>MO</b>	3	
SEASONIQUE 0.15 MG-30 MCG (84)/10 MCG(7) TABLETS,3 MONTH DOSE PACK <b>MO</b>	3	QL (91 per 90 days)
setlakin 0.15 mg-30 mcg (91) tablets,3 month dose pack <b>MO</b>	1	QL (91 per 90 days)
sharobel 0.35 mg tablet <b>MO</b>	1	
simliya (28) 0.15 mg-0.02 mg (21)/0.01 mg (5) tablet <b>MO</b>	1	
simpesse 0.15 mg-30 mcg (84)/10 mcg(7) tablets,3 month dose pack <b>MO</b>	1	QL (91 per 90 days)
SLYND 4 MG (28) TABLET <b>MO</b>	3	
sprintec (28) 0.25 mg-35 mcg tablet <b>MO</b>	1	
sronyx 0.1 mg-20 mcg tablet <b>MO</b>	1	
STRIANT 30 MG MUCOADHESIVE <b>DL</b>	4	PA
syeda 3 mg-0.03 mg tablet <b>MO</b>	1	
tarina 24 fe 1 mg-20 mcg (24)/75 mg (4) tablet <b>MO</b>	1	
tarina fe 1-20 eq (28) 1 mg-20 mcg (21)/75 mg (7) tablet <b>MO</b>	1	
tarina fe 1/20 (28) 1 mg-20 mcg (21)/75 mg (7) tablet <b>MO</b>	1	
TAYTULLA 1 MG-20 MCG (24)/75 MG (4) CAPSULE <b>MO</b>	3	
TESTIM 50 MG/5 GRAM (1 %) TRANSDERMAL GEL <b>MO</b>	3	PA,QL (300 per 30 days)
testosterone 1% (25mg/2.5g) pk; testosterone 1% (50 mg/5 g) pk; testosterone 12.5 mg/1.25 gram; testosterone 50 mg/5 gram gel <b>MO</b>	3	PA,QL (300 per 30 days)
testosterone 1.62% (2.5 g) ptk; testosterone 1.62% gel pump <b>MO</b>	1	PA,QL (150 per 30 days)
testosterone 1.62%(1.25 g) ptk <b>MO</b>	1	PA,QL (37.5 per 30 days)
testosterone 10 mg gel pump <b>MO</b>	3	PA,QL (120 per 30 days)
testosterone 30 mg/1.5 ml pump <b>MO</b>	3	PA,QL (180 per 30 days)
testosteron cyp 1,000 mg/10 ml; testosterone cyp 100 mg/ml, 200 mg/ml <b>MO</b>	1	
testosteron enan 1,000 mg/5 ml <b>MO</b>	1	QL (24 per 90 days)
TESTRED 10 MG CAPSULE <b>DL</b>	4	
tilia fe 1-20 (5)/1-30(7)/1mg-35mcg(9) tablet <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
tri-femynor (28) 0.18 mg(7)/0.215 mg(7)/0.25 mg(7)-35 mcg tablet <b>MO</b>	1	
tri-estarrylla (28) 0.18 mg(7)/0.215 mg(7)/0.25 mg(7)-35 mcg tablet <b>MO</b>	1	
tri-legest fe 1-20 (5)/1-30(7)/1mg-35mcg(9) tablet <b>MO</b>	1	
tri-linyah (28) 0.18 mg(7)/0.215 mg(7)/0.25 mg(7)-35 mcg tablet <b>MO</b>	1	
tri-lo-estarrylla 0.18 mg/0.215 mg/0.25 mg-25 mcg tablet <b>MO</b>	1	
tri-lo-marzia 0.18 mg/0.215 mg/0.25 mg-25 mcg tablet <b>MO</b>	1	
tri-lo-mili 0.18/0.215/0.25 mg-25 mcg tablet <b>MO</b>	1	
tri-lo-sprintec 0.18 mg/0.215 mg/0.25 mg-25 mcg tablet <b>MO</b>	1	
tri-mili (28) 0.18 mg(7)/0.215 mg(7)/0.25 mg(7)-35 mcg tablet <b>MO</b>	1	
TRI-NORINYL 28 TABLET <b>MO</b>	3	
tri-previfem (28) 0.18 mg(7)/0.215 mg(7)/0.25 mg(7)-35 mcg tablet <b>MO</b>	1	
tri-sprintec (28) 0.18 mg(7)/0.215 mg(7)/0.25 mg(7)-35 mcg tablet <b>MO</b>	1	
tri-vylibra (28) 0.18 mg(7)/0.215 mg(7)/0.25 mg(7)-35 mcg tablet <b>MO</b>	1	
tri-vylibra lo 0.18/0.215/0.25 mg-25 mcg tablet <b>MO</b>	1	
trivora (28) 50-30 (6)/75-40(5)/125-30(10) tablet <b>MO</b>	1	
tulana 0.35 mg tablet <b>MO</b>	1	
tydemy 3 mg-0.03 mg-0.451 mg (21)(7) tablet <b>MO</b>	1	
VAGIFEM 10 MCG VAGINAL TABLET <b>MO</b>	3	PA
velivet triphasic regimen (28) 0.1 mg/0.125 mg/0.15 mg-25 mcg tablet <b>MO</b>	1	
vienna 0.1 mg-20 mcg tablet <b>MO</b>	1	
viovere (28) 0.15 mg-0.02 mg (21)/0.01 mg (5) tablet <b>MO</b>	1	
VIVELLE-DOT 0.025 MG/24 HR, 0.0375 MG/24 HR, 0.05 MG/24 HR, 0.075 MG/24 HR, 0.1 MG/24 HR TRANSDERMAL PATCH <b>MO</b>	3	QL (8 per 28 days)
VOGELXO 1 % (50 MG/5 GRAM), 12.5 MG/ 1.25 GRAM (1 %), 50 MG/5 GRAM (1 %) TRANSDERMAL GEL; VOGELXO 1 % (50 MG/5 GRAM), 12.5 MG/ 1.25 GRAM (1 %), 50 MG/5 GRAM (1 %) TRANSDERMAL GEL PACKET; VOGELXO 12.5 MG/1.25 GRAM PER PUMP ACTUATION (1 %) TRANSDERMAL GEL <b>MO</b>	3	PA,QL (300 per 30 days)
volnea (28) 0.15 mg-0.02 mg (21)/0.01 mg (5) tablet <b>MO</b>	1	
vyfemla (28) 0.4 mg-35 mcg tablet <b>MO</b>	1	
vylibra 0.25 mg-35 mcg tablet <b>MO</b>	1	
wera (28) 0.5 mg-35 mcg tablet <b>MO</b>	1	
wymzya fe 0.4 mg-35 mcg (21)/75 mg (7) chewable tablet <b>MO</b>	1	
xulane 150 mcg-35 mcg/24 hr transdermal patch <b>MO</b>	1	QL (3 per 28 days)
XYOSTED 100 MG/0.5 ML, 50 MG/0.5 ML, 75 MG/0.5 ML SUBCUTANEOUS AUTO-INJECTOR <b>MO</b>	3	PA,QL (2 per 28 days)
YASMIN (28) 3 MG-0.03 MG TABLET <b>MO</b>	3	
YAZ (28) 3 MG-0.02 MG TABLET <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
yuvafem 10 mcg vaginal tablet <b>MO</b>	1	
zarah 3 mg-0.03 mg tablet <b>MO</b>	1	
zovia 1/35e (28) 1 mg-35 mcg tablet <b>MO</b>	1	
zumandimine (28) 3 mq-0.03 mq tablet <b>MO</b>	1	
<b>HORMONAL AGENTS, STIMULANT/REPLACEMENT/MODIFYING (THYROID)</b>		
ARMOUR THYROID 120 MG, 15 MG, 180 MG, 240 MG, 30 MG, 300 MG, 60 MG, 90 MG TABLET <b>MO</b>	2	
CYTOMEL 25 MCG, 5 MCG, 50 MCG TABLET <b>MO</b>	3	
EUTHYROX 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	1	
LEVO-T 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	2	
levothyroxine 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg tablet <b>MO</b>	1	
levothyroxine 100 mcg, 200 mcg, 500 mcg vial <b>MO</b>	1	
levothyroxine 100 mcg/5 ml vl; levothyroxine 200 mcg/5 ml vl; levothyroxine 500 mcg/5 ml vl <b>DL</b>	4	
LEVOXYL 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	1	
liothyronine sod 10 mcg/ml vl <b>MO</b>	1	
liothyronine sod 25 mcg, 5 mcg, 50 mcg tab <b>MO</b>	1	
SYNTHROID 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	2	
THYROLAR-1 12.5 MCG-50 MCG TABLET <b>MO</b>	1	
THYROLAR-1/2 6.25 MCG-25 MCG TABLET <b>MO</b>	1	
THYROLAR-1/4 3.1 MCG-12.5 MCG TABLET <b>MO</b>	1	
THYROLAR-2 25 MCG-100 MCG TABLET <b>MO</b>	1	
THYROLAR-3 37.5 MCG-150 MCG TABLET <b>MO</b>	1	
TIROSINT 100 MCG, 112 MCG, 125 MCG, 13 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 50 MCG, 75 MCG, 88 MCG CAPSULE <b>MO</b>	3	
TIROSINT-SOL 100 MCG/ML, 112 MCG/ML, 125 MCG/ML, 13 MCG/ML, 137 MCG/ML, 150 MCG/ML, 175 MCG/ML, 200 MCG/ML, 25 MCG/ML, 50 MCG/ML, 75 MCG/ML, 88 MCG/ML ORAL SOLUTION <b>MO</b>	3	
TRIOSTAT 10 MCG/ML INTRAVENOUS SOLUTION <b>MO</b>	3	
UNITHROID 100 MCG, 112 MCG, 125 MCG, 137 MCG, 150 MCG, 175 MCG, 200 MCG, 25 MCG, 300 MCG, 50 MCG, 75 MCG, 88 MCG TABLET <b>MO</b>	2	
<b>Hormonal Agents, Suppressant (Adrenal)</b>		
LYSODREN 500 MG TABLET <b>DL</b>	4	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>HORMONAL AGENTS, SUPPRESSANT (PITUITARY)</b>		
BYNFEZIA 2,500 MCG/ML SUBCUTANEOUS PEN INJECTOR <b>DL</b>	4	PA
cabergoline 0.5 mg tablet <b>MO</b>	1	QL (16 per 28 days)
ELIGARD 7.5 MG (1 MONTH) SUBCUTANEOUS SYRINGE <b>MO</b>	3	PA
ELIGARD 22.5 MG (3 MONTH) SUBCUTANEOUS SYRINGE <b>MO</b>	3	PA
ELIGARD 30 MG (4 MONTH) SUBCUTANEOUS SYRINGE <b>MO</b>	3	PA
ELIGARD 45 MG (6 MONTH) SUBCUTANEOUS SYRINGE <b>MO</b>	3	PA
FENSOLVI 45 MG SUBCUTANEOUS SYRINGE <b>MO</b>	4	PA,QL (1 per 180 days)
FIRMAGON 120 MG SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA
FIRMAGON KIT WITH DILUENT SYRINGE 120 MG SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA
FIRMAGON KIT WITH DILUENT SYRINGE 80 MG SUBCUTANEOUS SOLUTION <b>MO</b>	3	PA
leuprolide 2wk 14 mg/2.8 ml kt <b>MO</b>	1	B vs D
LUPANETA PACK (1 MONTH) 3.75 MG IM SYRINGE AND 5 MG (30) TABLETS,KIT <b>DL</b>	4	PA,QL (1 per 30 days)
LUPANETA PACK (3 MONTH) 11.25 MG IM SYRINGE AND 5 MG (90) TABLETS,KIT <b>MO</b>	4	PA,QL (1 per 90 days)
LUPRON DEPOT 3.75 MG INTRAMUSCULAR SYRINGE KIT <b>MO</b>	3	PA,QL (1 per 30 days)
LUPRON DEPOT 7.5 MG INTRAMUSCULAR SYRINGE KIT <b>DL</b>	4	PA,QL (1 per 30 days)
LUPRON DEPOT 11.25 MG, 22.5 MG (3 MONTH) INTRAMUSCULAR SYRINGE KIT <b>MO</b>	3	PA,QL (1 per 90 days)
LUPRON DEPOT 30 MG (4 MONTH) INTRAMUSCULAR SYRINGE KIT <b>MO</b>	3	PA,QL (1 per 112 days)
LUPRON DEPOT (6 MONTH) 45 MG INTRAMUSCULAR SYRINGE KIT <b>MO</b>	4	PA,QL (1 per 168 days)
LUPRON DEPOT-PED 11.25 MG, 15 MG, 7.5 MG (PED) INTRAMUSCULAR KIT <b>DL</b>	4	PA,QL (1 per 28 days)
LUPRON DEPOT-PED 11.25 MG, 30 MG (3 MONTH) INTRAMUSCULAR SYRINGE KIT <b>MO</b>	4	PA,QL (1 per 90 days)
MYCAPSSA 20 MG CAPSULE,DELAYED RELEASE <b>DL</b>	4	PA,QL (112 per 28 days)
octreotide 1,000 mcg/ml, 100 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml vial; octreotide acet 0.05 mg/ml vl; octreotide acet 1,000 mcg/ml, 100 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml vl <b>MO</b>	1	PA
octreotide acet 100 mcg/ml syr; octreotide acet 50 mcg/ml syr; octreotide acet 500 mcg/ml syr <b>MO</b>	1	PA
ORILISSA 150 MG TABLET <b>DL</b>	4	PA,QL (28 per 28 days)
ORILISSA 200 MG TABLET <b>DL</b>	4	PA,QL (56 per 28 days)
SANDOSTATIN 100 MCG/ML, 50 MCG/ML, 500 MCG/ML INJECTION SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SANDOSTATIN LAR DEPOT 10 MG, 20 MG, 30 MG INTRAMUSCULAR SUSP,EXTENDED RELEASE <b>DL</b>	4	PA
SIGNIFOR 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML) SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (60 per 30 days)
SIGNIFOR LAR 10 MG, 20 MG, 30 MG, 40 MG, 60 MG INTRAMUSCULAR SUSPENSION <b>DL</b>	4	PA,QL (1 per 28 days)
SOMATULINE DEPOT 120 MG/0.5 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (0.5 per 28 days)
SOMATULINE DEPOT 60 MG/0.2 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (0.2 per 28 days)
SOMATULINE DEPOT 90 MG/0.3 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (0.3 per 28 days)
SOMAVERT 10 MG, 15 MG, 20 MG SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (60 per 30 days)
SOMAVERT 25 MG, 30 MG SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (30 per 30 days)
SYNAREL 2 MG/ML NASAL SPRAY <b>DL</b>	4	
TRELSTAR 11.25 MG, 22.5 MG INTRAMUSCULAR SUSPENSION <b>MO</b>	4	PA
TRELSTAR 3.75 MG INTRAMUSCULAR SUSPENSION <b>DL</b>	4	PA
TRIPTODUR 22.5 MG INTRAMUSCULAR SUSPENSION <b>MO</b>	4	PA,QL (1 per 168 days)
ZOLADEX 10.8 MG SUBCUTANEOUS IMPLANT <b>MO</b>	3	PA,QL (1 per 84 days)
ZOLADEX 3.6 MG SUBCUTANEOUS IMPLANT <b>MO</b>	3	PA,QL (1 per 28 days)
<b>Hormonal Agents, Suppressant (Thyroid)</b>		
methimazole 10 mg, 5 mg tablet <b>MO</b>	1	
propylthiouracil 50 mg tablet <b>MO</b>	1	
TAPAZOLE 10 MG, 5 MG TABLET <b>MO</b>	1	
<b>IMMUNOLOGICAL AGENTS</b>		
ACTEMRA 162 MG/0.9 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (3.6 per 28 days)
ACTEMRA ACTPEN 162 MG/0.9 ML SUBCUTANEOUS PEN INJECTOR <b>DL</b>	4	PA,QL (3.6 per 28 days)
ACTHIB (PF) 10 MCG/0.5 ML INTRAMUSCULAR SOLUTION <b>DL</b>	3	
ACTIMMUNE 100 MCG (2 MILLION UNIT)/0.5 ML SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA
ADACEL (TDAP ADOLESN/ADULT)(PF)2 LF-(2.5-5-3-5)-5 LF/0.5 ML IM SYRINGE <b>DL</b>	2	
ADACEL (TDAP ADOLESN/ADULT)(PF)2LF-(2.5-5-3-5MCG)-5 LF/0.5 ML IM SUSP <b>DL</b>	2	
ARAVA 10 MG, 20 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
ARCALYST 220 MG SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA
ASCENIV 10 % INTRAVENOUS SOLUTION <b>DL</b>	4	PA
ASTAGRAF XL 0.5 MG, 1 MG, 5 MG CAPSULE,EXTENDED RELEASE <b>MO</b>	3	B vs D
ATGAM 50 MG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA
AVSOLA 100 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
AZASAN 100 MG, 75 MG TABLET <b>MO</b>	1	B vs D
azathioprine 50 mg tablet <b>MO</b>	1	B vs D
azathioprine sod 100 mg vial <b>MO</b>	1	B vs D
BCG VACCINE (TICE STRAIN) VIAL <b>DL</b>	3	
BENLYSTA 120 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (20 per 28 days)
BENLYSTA 200 MG/ML SUBCUTANEOUS AUTO-INJECTOR <b>DL</b>	4	PA,QL (4 per 28 days)
BENLYSTA 200 MG/ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (4 per 28 days)
BENLYSTA 400 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (6 per 28 days)
BERINERT 500 UNIT (10 ML) INTRAVENOUS KIT <b>DL</b>	4	PA,QL (15 per 30 days)
BERINERT 500 UNIT (10 ML) INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (15 per 30 days)
BEXSERO 50 MCG-50 MCG-50 MCG-25 MCG/0.5 ML INTRAMUSCULAR SYRINGE <b>DL</b>	3	
BIVIGAM 10 % INTRAVENOUS SOLUTION <b>DL</b>	4	PA
BOOSTRIX TDAP 2.5 LF UNIT-8 MCG-5 LF/0.5 ML INTRAMUSCULAR SUSPENSION <b>DL</b>	2	
BOOSTRIX TDAP 2.5 LF UNIT-8 MCG-5 LF/0.5 ML INTRAMUSCULAR SYRINGE <b>DL</b>	2	
CELLCEPT 200 MG/ML ORAL SUSPENSION <b>DL</b>	4	B vs D
CELLCEPT 250 MG CAPSULE <b>DL</b>	4	B vs D
CELLCEPT 500 MG TABLET <b>DL</b>	4	B vs D
CELLCEPT INTRAVENOUS 500 MG INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
CIMZIA 400 MG/2 ML (200 MG/ML X 2) SUBCUTANEOUS SYRINGE KIT <b>DL</b>	4	PA,QL (3 per 30 days)
CIMZIA POWDER FOR RECON 400 MG (200 MG X 2 VIALS) SUBCUTANEOUS KIT <b>DL</b>	4	PA,QL (3 per 30 days)
CIMZIA STARTER KIT 400 MG/2 ML (200 MG/ML X2) SUBCUTANEOUS SYRINGE KIT <b>DL</b>	4	PA,QL (3 per 30 days)
CINRYZE 500 UNIT (5 ML) INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (20 per 30 days)
COSENTYX 150 MG/ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (8 per 28 days)
COSENTYX 300 MG/2 SYRINGES (150 MG/ML) SUBCUTANEOUS <b>DL</b>	4	PA,QL (8 per 28 days)
COSENTYX PEN 150 MG/ML SUBCUTANEOUS <b>DL</b>	4	PA,QL (8 per 28 days)
COSENTYX PEN 300 MG/2 PENS (150 MG/ML) SUBCUTANEOUS <b>DL</b>	4	PA,QL (8 per 28 days)
CUTAQUIG 16.5 % SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA
cyclosporine 100 mg, 25 mg capsule <b>MO</b>	1	B vs D
cyclosporine modified 100 mg, 25 mg, 50 mg <b>MO</b>	1	B vs D
cyclosporine modified 100mg/ml <b>MO</b>	1	B vs D
CYTOGAM 50 MG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DAPTACEL (DTAP PEDIATRIC) (PF) 15 LF UNIT-10 MCG-5 LF/0.5 ML IM SUSP <b>DL</b>	3	
DUPIXENT 300 MG/2 ML SUBCUTANEOUS PEN INJECTOR <b>DL</b>	4	PA,QL (6 per 28 days)
DUPIXENT 200 MG/1.14 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (3.42 per 28 days)
DUPIXENT 300 MG/2 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (6 per 28 days)
ENBREL 25 MG (1 ML), 25 MG/0.5 ML SUBCUTANEOUS POWDER FOR SOLUTION; ENBREL 25 MG (1 ML), 25 MG/0.5 ML SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (8 per 28 days)
ENBREL 25 MG/0.5 ML (0.5 ML) SUBCUTANEOUS SYRINGE; ENBREL 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML) SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (8 per 28 days)
ENBREL MINI 50 MG/ML (1 ML) SUBCUTANEOUS CARTRIDGE <b>DL</b>	4	PA,QL (8 per 28 days)
ENBREL SURECLICK 50 MG/ML (1 ML) SUBCUTANEOUS PEN INJECTOR <b>DL</b>	4	PA,QL (8 per 28 days)
ENGERIX-B (PF) 20 MCG/ML INTRAMUSCULAR SUSPENSION <b>DL</b>	3	B vs D
ENGERIX-B (PF) 20 MCG/ML INTRAMUSCULAR SYRINGE <b>DL</b>	3	B vs D
ENGERIX-B PEDIATRIC (PF) 10 MCG/0.5 ML INTRAMUSCULAR SYRINGE <b>DL</b>	3	B vs D
ENSPRYNG 120 MG/ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (2 per 28 days)
ENTYVIO 300 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (8 per 365 days)
ENVARSUS XR 0.75 MG, 1 MG, 4 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	PA
everolimus 0.25 mg tablet <b>MO</b>	4	B vs D,QL (60 per 30 days)
everolimus 0.5 mg tablet <b>DL</b>	4	B vs D,QL (120 per 30 days)
everolimus 0.75 mg tablet <b>DL</b>	4	B vs D,QL (60 per 30 days)
FIRAZYR 30 MG/3 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (9 per 30 days)
FLEBOGAMMA DIF 10 %, 5 % INTRAVENOUS SOLUTION <b>DL</b>	4	PA
GAMASTAN 15 %-18 % RANGE INTRAMUSCULAR SOLUTION <b>DL</b>	4	PA
GAMASTAN S/D 15 %-18 % RANGE INTRAMUSCULAR SOLUTION <b>DL</b>	4	PA
GAMMAGARD LIQUID 10 % INJECTION SOLUTION <b>DL</b>	4	PA
GAMMAGARD S-D (IGA &LT; 1 MCG/ML) 10 GRAM, 5 GRAM INTRAVENOUS SOLUTION <b>DL</b>	4	PA
GAMMAKED 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 5 GRAM/50 ML (10 %) INJECTION SOLUTION; GAMMAKED 2.5 GRAM/25 ML VIAL <b>DL</b>	4	PA
GAMMAPLEX 10 % INTRAVENOUS SOLUTION <b>DL</b>	4	PA
GAMMAPLEX (WITH SORBITOL) 5 % INTRAVENOUS SOLUTION <b>DL</b>	4	PA
GAMUNEX-C 1 GRAM/10 ML (10 %), 10 GRAM/100 ML (10 %), 2.5 GRAM/25 ML (10 %), 20 GRAM/200 ML (10 %), 40 GRAM/400 ML (10 %), 5 GRAM/50 ML (10 %) INJECTION SOLUTION <b>DL</b>	4	PA
GARDASIL 9 (PF) 0.5 ML INTRAMUSCULAR SUSPENSION <b>DL</b>	3	QL (1.5 per 365 days)
GARDASIL 9 (PF) 0.5 ML INTRAMUSCULAR SYRINGE <b>DL</b>	3	QL (1.5 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
gengraf 100 mg, 25 mg capsule <b>MO</b>	1	B vs D
gengraf 100 mg/ml oral solution <b>MO</b>	1	B vs D
HAEGARDA 2,000 UNIT, 3,000 UNIT SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (24 per 28 days)
HAVRIX (PF) 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML INTRAMUSCULAR SUSPENSION; HAVRIX 720 UNITS/0.5 ML VIAL <b>DL</b>	3	
HAVRIX (PF) 1,440 ELISA UNIT/ML, 720 ELISA UNIT/0.5 ML INTRAMUSCULAR SYRINGE <b>DL</b>	3	
HIBERIX (PF) 10 MCG/0.5 ML INTRAMUSCULAR SOLUTION <b>DL</b>	3	
HIZENTRA 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA
HIZENTRA 1 GRAM/5 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA
HUMIRA 10 MG/0.2 ML SUBCUTANEOUS SYRINGE KIT <b>DL</b>	4	PA,QL (2 per 28 days)
HUMIRA 20 MG/0.4 ML, 40 MG/0.8 ML SUBCUTANEOUS SYRINGE KIT <b>DL</b>	4	PA,QL (6 per 28 days)
HUMIRA PEDI CROHN 40 MG/0.8 ML <b>DL</b>	4	PA,QL (6 per 28 days)
HUMIRA PEN 40 MG/0.8 ML SUBCUTANEOUS KIT <b>DL</b>	4	PA,QL (6 per 28 days)
HUMIRA PEN CROHN'S-ULC COLITIS-HID SUP STARTER 40 MG/0.8 ML SUBCUT KIT <b>DL</b>	4	PA,QL (6 per 28 days)
HUMIRA PEN PSORIASIS-UVEITIS-ADOL HID SUP START 40 MG/0.8 ML SUBCUT KT <b>DL</b>	4	PA,QL (6 per 28 days)
HUMIRA(CF) 10 MG/0.1 ML SUBCUTANEOUS SYRINGE KIT <b>DL</b>	4	PA,QL (2 per 28 days)
HUMIRA(CF) 20 MG/0.2 ML, 40 MG/0.4 ML SUBCUTANEOUS SYRINGE KIT <b>DL</b>	4	PA,QL (6 per 28 days)
HUMIRA(CF) PEDI CROHN'S START 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML SUBCUT SYR KIT; HUMIRA(CF) PEDIATRIC CROHN'S STARTER 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML SUBCUT SYRINGE KIT <b>DL</b>	4	PA,QL (6 per 28 days)
HUMIRA(CF) PEN 40 MG/0.4 ML, 80 MG/0.8 ML SUBCUTANEOUS KIT <b>DL</b>	4	PA,QL (6 per 28 days)
HUMIRA(CF) PEN CROHN'S-ULC COLITIS-HID SUP STRT 80 MG/0.8 ML SUBCUT KT <b>DL</b>	4	PA,QL (6 per 28 days)
HUMIRA(CF) PEN PS-UV-ADOL HS 80 MG/0.8 ML(1)-40 MG/0.4 ML(2)SUBCUT KIT <b>DL</b>	4	PA,QL (6 per 28 days)
HYPERRAB (PF) 300 UNIT/ML INTRAMUSCULAR SOLUTION <b>DL</b>	4	B vs D
HYPERRAB S/D (PF) 150 UNIT/ML INTRAMUSCULAR SOLUTION <b>DL</b>	4	B vs D
HYPERTET S/D (PF) 250 UNIT INTRAMUSCULAR SYRINGE <b>MO</b>	3	B vs D
icatibant 30 mg/3 ml syringe <b>DL</b>	4	PA,QL (9 per 30 days)
ILUMYA 100 MG/ML SUBCUTANEOUS SYRINGE <b>MO</b>	4	PA,QL (6 per 365 days)
IMOGRAB RABIES-HT (PF) 150 UNIT/ML INTRAMUSCULAR SOLUTION <b>MO</b>	3	B vs D
IMOVAX RABIES VACCINE (PF) 2.5 UNIT INTRAMUSCULAR SOLUTION <b>DL</b>	2	B vs D
IMURAN 50 MG TABLET <b>MO</b>	3	PA

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
INFANRIX (DTAP) (PF) 25 LF UNIT-58 MCG-10 LF/0.5ML INTRAMUSCULAR SUSP <b>DL</b>	3	
INFANRIX (DTAP)(PF) 25 LF UNIT-58MCG-10 LF/0.5ML INTRAMUSCULAR SYRINGE <b>DL</b>	3	
INFLECTRA 100 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
INTRON A 10 MILLION UNIT (1 ML), 18 MILLION UNIT (1 ML), 50 MILLION UNIT (1 ML) SOLUTION FOR INJECTION <b>MO</b>	3	PA
INTRON A 10 MILLION UNIT/ML, 6 MILLION UNIT/ML INJECTION SOLUTION <b>DL</b>	4	PA
IPOL 40 UNIT-8 UNIT-32 UNIT/0.5 ML SUSPENSION FOR INJECTION <b>DL</b>	3	
IXIARO (PF) 6 MCG/0.5 ML INTRAMUSCULAR SYRINGE <b>DL</b>	3	
KEDRAB (PF) 150 UNIT/ML INTRAMUSCULAR SOLUTION <b>DL</b>	4	B vs D
KEVZARA 150 MG/1.14 ML, 200 MG/1.14 ML SUBCUTANEOUS PEN INJECTOR <b>DL</b>	4	PA,QL (2.28 per 28 days)
KEVZARA 150 MG/1.14 ML, 200 MG/1.14 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (2.28 per 28 days)
KINERET 100 MG/0.67 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (20.1 per 30 days)
KINRIX (PF) 25 LF-58 MCG-10 LF/0.5 ML INTRAMUSCULAR SUSPENSION <b>DL</b>	3	
KINRIX (PF) 25 LF-58 MCG-10 LF/0.5 ML INTRAMUSCULAR SYRINGE <b>DL</b>	3	
leflunomide 10 mg, 20 mg tablet <b>MO</b>	1	QL (30 per 30 days)
M-M-R II (PF) 1,000-12,500 TCID50/0.5 ML SUBCUTANEOUS SOLUTION <b>DL</b>	3	
MENACTRA (PF) 4 MCG/0.5 ML INTRAMUSCULAR SOLUTION <b>DL</b>	3	
MENQUADFI (PF) 10 MCG/0.5 ML INTRAMUSCULAR SOLUTION <b>MO</b>	3	
MENVEO A-C-Y-W-135-DIP (PF) 10 MCG-5 MCG/0.5 ML INTRAMUSCULAR KIT <b>DL</b>	3	
methotrexate 2.5 mg tablet <b>MO</b>	1	B vs D
methotrexate 50 mg/2 ml vial <b>MO</b>	1	
methotrexate 1 gm vial; methotrexate 50 mg/2 ml vial <b>MO</b>	1	
MONJUVI 200 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
mycophenolate 200 mg/ml susp <b>MO</b>	1	B vs D
mycophenolate 250 mg capsule <b>MO</b>	1	B vs D
mycophenolate 500 mg tablet <b>MO</b>	1	B vs D
mycophenolate 500 mg vial <b>MO</b>	1	B vs D
mycophenolic acid dr 180 mg, 360 mg tb <b>MO</b>	1	B vs D
MYFORTIC 180 MG TABLET,DELAYED RELEASE <b>MO</b>	3	B vs D
MYFORTIC 360 MG TABLET,DELAYED RELEASE <b>DL</b>	4	B vs D
NEORAL 100 MG, 25 MG CAPSULE <b>MO</b>	3	B vs D
NEORAL 100 MG/ML ORAL SOLUTION <b>MO</b>	3	B vs D

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OCTAGAM 10 %, 5 % INTRAVENOUS SOLUTION <b>DL</b>	4	PA
OLUMIANT 1 MG, 2 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
ORENCIA 125 MG/ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (4 per 28 days)
ORENCIA 50 MG/0.4 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (1.6 per 28 days)
ORENCIA 87.5 MG/0.7 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (2.8 per 28 days)
ORENCIA CLICKJECT 125 MG/ML SUBCUTANEOUS AUTO-INJECTOR <b>DL</b>	4	PA,QL (4 per 28 days)
OTREXUP (PF) 10 MG/0.4 ML, 12.5 MG/0.4 ML, 15 MG/0.4 ML, 17.5 MG/0.4 ML, 20 MG/0.4 ML, 22.5 MG/0.4 ML, 25 MG/0.4 ML SUBCUTANEOUS AUTO-INJECTOR <b>DL</b>	4	PA,QL (1.6 per 28 days)
PANZYGA 10 % INTRAVENOUS SOLUTION <b>DL</b>	4	PA
PEDIARIX (PF) 10 MCG-25 LF-25 MCG-10 LF/0.5 ML INTRAMUSCULAR SYRINGE <b>DL</b>	3	
PEDVAX HIB (PF) 7.5 MCG/0.5 ML INTRAMUSCULAR SOLUTION <b>DL</b>	3	
PEGASYS 180 MCG/0.5 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (2 per 28 days)
PEGASYS 180 MCG/ML SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (4 per 28 days)
PEGASYS PROCLICK 135 MCG/0.5; PEGASYS PROCLICK 180 MCG/0.5 <b>DL</b>	4	PA,QL (2 per 28 days)
PEGINTRON 50 MCG/0.5 ML SUBCUTANEOUS KIT <b>DL</b>	4	PA,QL (4 per 28 days)
PENTACEL (PF) 15 LF UNIT-20 MCG-5 LF /0.5 ML INTRAMUSCULAR KIT; PENTACEL (PF) 15 LF-48 MCG-62 DU-10 MCG/0.5 ML INTRAMUSCULAR KIT <b>DL</b>	3	
PRIVIGEN 10 % INTRAVENOUS SOLUTION <b>DL</b>	4	PA
PROGRAF 0.2 MG, 1 MG ORAL GRANULES IN PACKET <b>MO</b>	3	B vs D
PROGRAF 0.5 MG, 1 MG, 5 MG CAPSULE <b>MO</b>	3	B vs D
PROQUAD (PF) 10EXP3-4.3-3-3.99TCID50/0.5ML SUBCUTANEOUS SUSPENSION <b>DL</b>	3	
QUADRACEL (PF) 15 LF-48 MCG-5 LF UNIT/0.5 ML INTRAMUSCULAR SUSPENSION <b>DL</b>	3	
RABAVERT (PF) 2.5 UNIT INTRAMUSCULAR SUSPENSION <b>DL</b>	2	B vs D
RAPAMUNE 0.5 MG, 1 MG, 2 MG TABLET <b>DL</b>	4	B vs D
RAPAMUNE 1 MG/ML ORAL SOLUTION <b>DL</b>	4	B vs D
RASUVO (PF) 10 MG/0.2 ML SUBCUTANEOUS AUTO-INJECTOR <b>MO</b>	3	PA,QL (0.8 per 28 days)
RASUVO (PF) 12.5 MG/0.25 ML SUBCUTANEOUS AUTO-INJECTOR <b>MO</b>	3	PA,QL (1 per 28 days)
RASUVO (PF) 15 MG/0.3 ML SUBCUTANEOUS AUTO-INJECTOR <b>MO</b>	3	PA,QL (1.2 per 28 days)
RASUVO (PF) 17.5 MG/0.35 ML SUBCUTANEOUS AUTO-INJECTOR <b>MO</b>	3	PA,QL (1.4 per 28 days)
RASUVO (PF) 20 MG/0.4 ML SUBCUTANEOUS AUTO-INJECTOR <b>MO</b>	3	PA,QL (1.6 per 28 days)
RASUVO (PF) 22.5 MG/0.45 ML SUBCUTANEOUS AUTO-INJECTOR <b>MO</b>	3	PA,QL (1.8 per 28 days)
RASUVO (PF) 25 MG/0.5 ML SUBCUTANEOUS AUTO-INJECTOR <b>MO</b>	3	PA,QL (2 per 28 days)
RASUVO (PF) 30 MG/0.6 ML SUBCUTANEOUS AUTO-INJECTOR <b>MO</b>	3	PA,QL (2.4 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
RASUVO (PF) 7.5 MG/0.15 ML SUBCUTANEOUS AUTO-Injector <b>MO</b>	3	PA,QL (0.6 per 28 days)
RECOMBIVAX HB (PF) 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML INTRAMUSCULAR SUSPENSION <b>DL</b>	3	B vs D
RECOMBIVAX HB (PF) 10 MCG/ML, 5 MCG/0.5 ML INTRAMUSCULAR SYRINGE <b>DL</b>	3	B vs D
REMICADE 100 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
RENFLEXIS 100 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
RHOPHYLAC 1,500 UNIT (300 MCG)/2 ML INJECTION SYRINGE <b>DL</b>	4	
RIDAURA 3 MG CAPSULE <b>DL</b>	4	
RINVOQ 15 MG TABLET,EXTENDED RELEASE <b>DL</b>	4	PA,QL (30 per 30 days)
ROTARIX 10EXP6 CCID50/ML SUSPENSION <b>DL</b>	3	
ROTAQUE VACCINE 2 ML ORAL SOLUTION <b>DL</b>	3	
RUCONEST 2,100 UNIT INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (8 per 28 days)
SANDIMMUNE 100 MG, 25 MG CAPSULE <b>MO</b>	3	B vs D
SANDIMMUNE 100 MG/ML ORAL SOLUTION <b>MO</b>	3	B vs D
SHINGRIX (PF) 50 MCG/0.5 ML INTRAMUSCULAR SUSPENSION, KIT <b>DL</b>	2	QL (2 per 999 days)
SILIQ 210 MG/1.5 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (4.5 per 28 days)
SIMPONI 100 MG/ML SUBCUTANEOUS PEN INJECTOR <b>DL</b>	4	PA,QL (3 per 28 days)
SIMPONI 100 MG/ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (3 per 28 days)
SIMPONI 50 MG/0.5 ML SUBCUTANEOUS PEN INJECTOR <b>DL</b>	4	PA,QL (0.5 per 30 days)
SIMPONI 50 MG/0.5 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (0.5 per 30 days)
SIMPONI ARIA 12.5 MG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (20 per 28 days)
SIMULECT 10 MG, 20 MG INTRAVENOUS SOLUTION <b>DL</b>	4	B vs D
sirolimus 0.5 mg, 1 mg, 2 mg tablet <b>MO</b>	1	B vs D
sirolimus 1 mg/ml solution <b>MO</b>	1	B vs D
SKYRIZI 150 MG/1.66 ML(75 MG/0.83 ML X 2) SUBCUTANEOUS SYRINGE KIT <b>MO</b>	4	PA,QL (6 per 365 days)
SKYRIZI 75 MG/0.83 ML SUBCUTANEOUS SYRINGE <b>MO</b>	4	PA,QL (9.96 per 365 days)
STELARA 130 MG/26 ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA,QL (104 per 30 days)
STELARA 45 MG/0.5 ML SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (1.5 per 84 days)
STELARA 45 MG/0.5 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (1.5 per 84 days)
STELARA 90 MG/ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (3 per 84 days)
SYLATRON 200 MCG, 300 MCG, 600 MCG KIT; SYLATRON 200 MCG, 300 MCG, 600 MCG SUBCUTANEOUS KIT <b>DL</b>	4	PA,QL (4 per 28 days)
SYLVANT 100 MG, 400 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
tacrolimus 0.5 mg, 1 mg, 5 mg capsule <b>MO</b>	1	B vs D
TAKHZYRO 300 MG/2 ML (150 MG/ML) SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (4 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TALTZ AUTOINJECTOR 80 MG/ML SUBCUTANEOUS <b>DL</b>	4	PA,QL (4 per 28 days)
TALTZ AUTOINJECTOR (2 PACK) 80 MG/ML SUBCUTANEOUS <b>DL</b>	4	PA,QL (4 per 28 days)
TALTZ AUTOINJECTOR (3 PACK) 80 MG/ML SUBCUTANEOUS <b>DL</b>	4	PA,QL (4 per 28 days)
TALTZ SYRINGE 80 MG/ML SUBCUTANEOUS <b>DL</b>	4	PA,QL (4 per 28 days)
TDVAX 2 LF UNIT-2 LF UNIT/0.5 ML INTRAMUSCULAR SUSPENSION <b>DL</b>	3	
TENIVAC (PF) 5 LF UNIT-2 LF UNIT/0.5 ML INTRAMUSCULAR SUSPENSION <b>DL</b>	3	
TENIVAC (PF) 5 LF UNIT-2 LF UNIT/0.5 ML INTRAMUSCULAR SYRINGE <b>DL</b>	3	
DIPHTHERIA-TETANUS TOXOIDS-PED <b>DL</b>	3	
THYMOGLOBULIN 25 MG INTRAVENOUS SOLUTION <b>MO</b>	3	PA
TREMFYA 100 MG/ML SUBCUTANEOUS AUTO-INJECTOR <b>DL</b>	4	PA,QL (8 per 365 days)
TREMFYA 100 MG/ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (8 per 365 days)
TREXALL 10 MG, 15 MG, 5 MG, 7.5 MG TABLET <b>MO</b>	1	B vs D
TRUMENBA 120 MCG/0.5 ML INTRAMUSCULAR SYRINGE <b>DL</b>	3	
TWINRIX (PF) 720 ELISA UNIT-20 MCG/ML INTRAMUSCULAR SYRINGE <b>DL</b>	3	
TYPHIM VI 25 MCG/0.5 ML INTRAMUSCULAR SOLUTION <b>DL</b>	3	
TYPHIM VI 25 MCG/0.5 ML INTRAMUSCULAR SYRINGE <b>DL</b>	3	
VAQTA (PF) 25 UNIT/0.5 ML, 50 UNIT/ML INTRAMUSCULAR SUSPENSION <b>DL</b>	3	
VAQTA (PF) 25 UNIT/0.5 ML, 50 UNIT/ML INTRAMUSCULAR SYRINGE <b>DL</b>	3	
VARIVAX (PF) 1,350 UNIT/0.5 ML SUBCUTANEOUS SUSPENSION <b>DL</b>	2	
VARIZIG 125 UNIT/1.2 ML INTRAMUSCULAR SOLUTION <b>DL</b>	4	PA,QL (12 per 30 days)
WINRHO SDF 1,500 UNIT (300 MCG)/1.3 ML, 15000 UNIT(3000 MCG)/13 ML, 2,500 UNIT (500 MCG)/2.2 ML, 5,000 UNIT(1000 MCG)/4.4 ML INJECTION SOLUTION; WINRHO SDF 15,000 UNIT (3,000 MCG)/13 ML INJECTION SOLUTION; WINRHO SDF 5,000 UNIT (1,000 MCG)/4.4 ML INJECTION SOLUTION <b>DL</b>	4	B vs D
XATMEP 2.5 MG/ML ORAL SOLUTION <b>MO</b>	3	PA
XELJANZ 10 MG, 5 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
XELJANZ XR 11 MG, 22 MG TABLET,EXTENDED RELEASE <b>DL</b>	4	PA,QL (30 per 30 days)
XEMBIFY 1 GRAM/5 ML (20 %), 10 GRAM/50 ML (20 %), 2 GRAM/10 ML (20 %), 4 GRAM/20 ML (20 %) SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA
XOLAIR 150 MG SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (6 per 28 days)
XOLAIR 150 MG/ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (6 per 28 days)
XOLAIR 75 MG/0.5 ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (3 per 28 days)
YF-VAX (PF) 10 EXP4.74 UNIT/0.5 ML SUBCUTANEOUS SUSPENSION <b>DL</b>	3	
ZORTRESS 0.25 MG, 0.75 MG, 1 MG TABLET <b>DL</b>	4	B vs D,QL (60 per 30 days)
ZORTRESS 0.5 MG TABLET <b>DL</b>	4	B vs D,QL (120 per 30 days)
ZOSTAVAX (PF) 19,400 UNIT/0.65 ML SUBCUTANEOUS SUSPENSION <b>DL</b>	3	QL (1 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>Inflammatory Bowel Disease Agents</b>		
APRISO 0.375 GRAM CAPSULE,EXTENDED RELEASE <b>MO</b>	3	ST,QL (120 per 30 days)
ASACOL HD 800 MG TABLET,DELAYED RELEASE <b>DL</b>	4	ST,QL (180 per 30 days)
AZULFIDINE 500 MG TABLET <b>MO</b>	3	
AZULFIDINE EN-TABS 500 MG TABLET,DELAYED RELEASE <b>MO</b>	3	
balsalazide disodium 750 mg cp <b>MO</b>	1	
budesonide ec 3 mg capsule <b>MO</b>	1	PA
budesonide er 9 mg tablet <b>DL</b>	4	PA,QL (30 per 30 days)
CANASA 1,000 MG RECTAL SUPPOSITORY <b>DL</b>	4	ST,QL (30 per 30 days)
COLAZAL 750 MG CAPSULE <b>DL</b>	4	PA
colocort 100 mg/60 ml enema <b>MO</b>	1	
CORTENEMA 100 MG/60 ML <b>MO</b>	3	
CORTIFOAM 10 % (80 MG) RECTAL <b>MO</b>	3	
DELZICOL 400 MG CAPSULE (DR TABLETS INSIDE) <b>MO</b>	3	ST,QL (180 per 30 days)
DIPENTUM 250 MG CAPSULE <b>DL</b>	4	ST,QL (120 per 30 days)
ENTOCORT EC 3 MG CAPSULE,DELAYED,EXTENDED RELEASE <b>DL</b>	4	PA
hydrocortisone 100 mg/60 ml <b>MO</b>	1	
LIALDA 1.2 GRAM TABLET,DELAYED RELEASE <b>MO</b>	3	ST,QL (120 per 30 days)
mesalamine 1,000 mg supp <b>MO</b>	1	ST,QL (30 per 30 days)
mesalamine 4 gm/60 ml enema <b>MO</b>	1	QL (1800 per 30 days)
mesalamine 800 mg dr tablet <b>MO</b>	1	ST,QL (180 per 30 days)
mesalamine dr 1.2 gm tablet <b>MO</b>	1	QL (120 per 30 days)
mesalamine dr 400 mg capsule <b>MO</b>	1	ST,QL (180 per 30 days)
mesalamine er 0.375 gram cap <b>MO</b>	1	ST,QL (120 per 30 days)
ORTIKOS 6 MG, 9 MG CAPSULE,EXTENDED RELEASE <b>DL</b>	4	PA,QL (30 per 30 days)
PENTASA 250 MG CAPSULE,CONTROLLED RELEASE <b>DL</b>	4	ST,QL (150 per 30 days)
PENTASA 500 MG CAPSULE,CONTROLLED RELEASE <b>DL</b>	4	ST,QL (300 per 30 days)
PROCTOFOAM HC 1 %-1 % <b>MO</b>	1	
ROWASA 4 GRAM/60 ML ENEMA <b>MO</b>	3	QL (1800 per 30 days)
SFROWASA 4 GRAM/60 ML ENEMA <b>MO</b>	3	QL (1800 per 30 days)
sulfasalazine 500 mg tablet; sulfasalazine dr 500 mg tab <b>MO</b>	1	
UCERIS 2 MG/ACTUATION RECTAL FOAM <b>DL</b>	4	PA
UCERIS 9 MG TABLET, EXTENDED RELEASE <b>DL</b>	4	PA,QL (30 per 30 days)
<b>METABOLIC BONE DISEASE AGENTS</b>		
ACTONEL 150 MG TABLET <b>MO</b>	3	PA,QL (1 per 30 days)
ACTONEL 35 MG TABLET <b>MO</b>	3	PA,QL (4 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ACTONEL 5 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
alendronate sod 70 mg/75 ml <b>MO</b>	1	QL (300 per 28 days)
alendronate sodium 10 mg, 40 mg, 5 mg tab; alendronate sodium 10 mg, 40 mg, 5 mg tablet <b>MO</b>	1	QL (30 per 30 days)
alendronate sodium 35 mg, 70 mg tab <b>MO</b>	1	QL (4 per 28 days)
ATELVIA 35 MG TABLET,DELAYED RELEASE <b>MO</b>	3	PA,QL (4 per 28 days)
BINOSTO 70 MG EFFERVESCENT TABLET <b>MO</b>	3	ST,QL (4 per 28 days)
BONIVA 150 MG TABLET <b>MO</b>	3	PA,QL (1 per 28 days)
BONIVA 3 MG/3 ML INTRAVENOUS SYRINGE <b>MO</b>	3	PA,QL (3 per 90 days)
calcitonin-salmon 200 units sp <b>MO</b>	1	QL (3.7 per 28 days)
calcitriol 0.25 mcg, 0.5 mcg capsule <b>MO</b>	1	
calcitriol 1 mcg/ml ampul; calcitriol 1 mcg/ml solution <b>MO</b>	1	
cinacalcet hcl 30 mg, 60 mg tablet <b>MO</b>	1	QL (60 per 30 days)
cinacalcet hcl 90 mg tablet <b>MO</b>	1	QL (120 per 30 days)
doxercalciferol 0.5 mcg, 1 mcg, 2.5 mcg cap; doxercalciferol 0.5 mcg, 1 mcg, 2.5 mcg capsule <b>MO</b>	1	
doxercalciferol 4 mcg/2 ml vl <b>MO</b>	1	
etidronate disodium 200 mg, 400 mg tab <b>MO</b>	1	
EVENITY 105 MG/1.17 ML, 210MG/2.34ML (105MG/1.17MLX2) SUBCUTANEOUS SYRINGE; EVENITY 210 MG/2.34 ML (105 MG/1.17 ML X 2) SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (2.34 per 30 days)
FORTEO 20 MCG/DOSE (600 MCG/2.4 ML) SUBCUTANEOUS PEN INJECTOR <b>MO</b>	3	PA,QL (2.4 per 28 days)
FOSAMAX 70 MG TABLET <b>MO</b>	3	PA,QL (4 per 28 days)
FOSAMAX PLUS D 70 MG-2,800 UNIT TABLET; FOSAMAX PLUS D 70 MG-5,600 UNIT TABLET <b>MO</b>	3	ST,QL (4 per 28 days)
HECTOROL 2 MCG/ML INTRAVENOUS SOLUTION <b>MO</b>	2	
HECTOROL 4 MCG/2 ML INTRAVENOUS SOLUTION <b>MO</b>	3	
ibandronate 3 mg/3 ml syringe <b>MO</b>	1	PA,QL (3 per 90 days)
ibandronate 3 mg/3 ml vial <b>MO</b>	1	PA,QL (3 per 90 days)
ibandronate sodium 150 mg tab <b>MO</b>	1	QL (1 per 28 days)
MIACALCIN 200 UNIT/ML INJECTION SOLUTION <b>DL</b>	4	
NATPARA 100 MCG/DOSE, 25 MCG/DOSE, 50 MCG/DOSE, 75 MCG/DOSE SUBCUTANEOUS CARTRIDGE <b>DL</b>	4	PA,QL (2 per 28 days)
pamidronate 30 mg/10 ml vial <b>MO</b>	1	B vs D,QL (30 per 21 days)
pamidronate 60 mg/10 ml vial; pamidronate 90 mg/10 ml vial <b>MO</b>	1	B vs D,QL (10 per 21 days)
paricalcitol 1 mcg, 2 mcg capsule <b>MO</b>	1	QL (30 per 30 days)
paricalcitol 10 mcg/2 ml vial; paricalcitol 5 mcg/ml vial <b>MO</b>	1	QL (48 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
paricalcitol 2 mcg/ml vial <b>MO</b>	1	QL (24 per 30 days)
paricalcitol 4 mcg capsule <b>MO</b>	1	QL (12 per 30 days)
PROLIA 60 MG/ML SUBCUTANEOUS SYRINGE <b>MO</b>	3	B vs D,QL (1 per 180 days)
RAYALDEE 30 MCG CAPSULE,EXTENDED RELEASE <b>DL</b>	4	QL (60 per 30 days)
RECLAST 5 MG/100 ML INTRAVENOUS PIGGYBACK <b>MO</b>	3	PA,QL (100 per 365 days)
risedronate sod dr 35 mg tab; risedronate sodium 35 mg tab <b>MO</b>	1	QL (4 per 28 days)
risedronate sodium 150 mg tab <b>MO</b>	1	QL (1 per 30 days)
risedronate sodium 30 mg, 5 mg tab; risedronate sodium 30 mg, 5 mg tablet <b>MO</b>	1	QL (30 per 30 days)
ROCALTROL 0.25 MCG, 0.5 MCG CAPSULE <b>MO</b>	3	
ROCALTROL 1 MCG/ML ORAL SOLUTION <b>MO</b>	3	
SENSIPAR 30 MG, 60 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
SENSIPAR 90 MG TABLET <b>DL</b>	4	PA,QL (120 per 30 days)
TYMLOS 80 MCG/DOSE (3,120 MCG/1.56 ML) SUBCUTANEOUS PEN INJECTOR <b>DL</b>	4	PA,QL (1.56 per 30 days)
XGEVA 120 MG/1.7 ML (70 MG/ML) SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (1.7 per 28 days)
ZEMPLAR 1 MCG, 2 MCG CAPSULE <b>MO</b>	3	QL (30 per 30 days)
ZEMPLAR 2 MCG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	QL (24 per 30 days)
ZEMPLAR 5 MCG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	QL (48 per 28 days)
zoledronic acid 4 mg/100 ml <b>MO</b>	1	B vs D,QL (300 per 21 days)
zoledronic acid 4 mg vial <b>MO</b>	1	B vs D
zoledronic acid 4 mg/5 ml vial <b>MO</b>	1	B vs D,QL (15 per 21 days)
zoledronic acid 4 mg/100 ml <b>MO</b>	1	B vs D,QL (300 per 21 days)
zoledronic acid 5 mg/100 ml <b>MO</b>	1	PA,QL (100 per 365 days)
ZOMETA 4 MG/100 ML INJECTION <b>DL</b>	4	B vs D,QL (300 per 21 days)
ZOMETA 4 MG/5 ML VIAL <b>DL</b>	4	B vs D,QL (15 per 21 days)
<b>MISCELLANEOUS THERAPEUTIC AGENTS</b>		
1ST TIER UNIFINE PENTIPS 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE <b>MO</b>	1	
1ST TIER UNIFINE PENTIPS PLUS 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE <b>MO</b>	1	
ABOUTTIME PEN NEEDLE 30 GAUGE X 5/16", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32" <b>MO</b>	1	
ACETADOTE 200 MG/ML (20 %) INTRAVENOUS SOLUTION <b>MO</b>	3	
acetic acid 0.25% irrig soln <b>MO</b>	1	
acetylcysteine 6 gram/30 ml vl <b>MO</b>	1	
ADAKVEO 10 MG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ADVOCATE PEN NEEDLE 29 GAUGE X 1/2", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 33 GAUGE X 5/32" <b>MO</b>	1	
ADVOCATE SYRINGES 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16; ADVOCATE SYRINGES 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16" <b>MO</b>	1	
ALCOHOL PADS <b>MO</b>	1	
ALCOHOL PREP PADS <b>MO</b>	1	
ALCOHOL SWAB <b>MO</b>	1	
ALCOHOL WIPES <b>MO</b>	1	
AMMONUL 10 %-10 % INTRAVENOUS SOLUTION <b>DL</b>	4	
ASSURE ID DUO-SHIELD 30 GAUGE X 3/16", 30 GAUGE X 5/16" NEEDLE <b>MO</b>	1	
ASSURE ID INSULIN SAFETY 0.5 ML 29 GAUGE X 1/2", 0.5 ML 31 GAUGE X 15/64", 1 ML 29 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64" SYRINGE <b>MO</b>	1	
ASSURE ID PEN NEEDLE 30 GAUGE X 3/16", 30 GAUGE X 5/16", 31 GAUGE X 3/16" <b>MO</b>	1	
AUTOJECT 2 INJECTION DEVICE SUBCUTANEOUS INSULIN PEN <b>MO</b>	1	
AUTOPEN 1 TO 21 UNITS SUBCUTANEOUS <b>MO</b>	1	
AUTOPEN 2 TO 42 UNITS SUBCUTANEOUS <b>MO</b>	1	
BAL IN OIL 100 MG/ML INTRAMUSCULAR SOLUTION <b>MO</b>	3	
BAND-AID GAUZE PADS 2" X 2" BANDAGE <b>MO</b>	1	
BD ALCOHOL SWABS <b>MO</b>	1	
BD AUTOSHIELD DUO PEN NEEDLE 30 GAUGE X 3/16" <b>MO</b>	1	
BD ECLIPSE LUER-LOK 1 ML 30 GAUGE X 1/2" SYRINGE <b>MO</b>	1	
BD INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.5 ML 29 GAUGE X 1/2", 1 ML 25 GAUGE X 5/8", 1 ML 25 X 1", 1 ML 26 X 1/2", 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" <b>MO</b>	1	
BD INSULIN SYRINGE HALF UNIT ULTRA-FINE 0.3 ML 31 GAUGE X 5/16" <b>MO</b>	1	
BD INSULIN SYRINGE MICRO-FINE 1 ML 28 GAUGE X 1/2" <b>MO</b>	1	
BD INSULIN SYRINGE SAFETY-LOK 1 ML 29 GAUGE X 1/2" <b>MO</b>	1	
BD INSULIN SYRINGE SLIP TIP 1 ML <b>MO</b>	1	
BD INSULIN SYRINGE U-500 1/2 ML 31 GAUGE X 15/64" <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BD INSULIN SYRINGE ULTRA-FINE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 5/16"; BD INSULIN SYRINGE ULTRA-FINE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 5/16" <b>MO</b>	1	
BD LO-DOSE MICRO-FINE IV 1/2 ML 28 GAUGE X 1/2" SYRINGE <b>MO</b>	1	
BD LO-DOSE ULTRA-FINE 0.5 ML 29 GAUGE X 1/2" SYRINGE <b>MO</b>	1	
BD NANO 2ND GEN PEN NEEDLE 32 GAUGE X 5/32" <b>MO</b>	1	
BD SAFETYGLIDE INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 1 ML 29 GAUGE X 1/2", 1 ML 31 GAUGE X 15/64" <b>MO</b>	1	
BD SAFETYGLIDE SYRINGE 1 ML 27 GAUGE X 5/8" <b>MO</b>	1	
BD ULTRA-FINE MICRO PEN NEEDLE 32 GAUGE X 1/4" <b>MO</b>	1	
BD ULTRA-FINE MINI PEN NEEDLE 31 GAUGE X 3/16" <b>MO</b>	1	
BD ULTRA-FINE NANO PEN NEEDLE 32 GAUGE X 5/32" <b>MO</b>	1	
BD ULTRA-FINE ORIGINAL PEN NEEDLE 29 GAUGE X 1/2" <b>MO</b>	1	
BD ULTRA-FINE SHORT PEN NEEDLE 31 GAUGE X 5/16" <b>MO</b>	1	
BD VEO INSULIN SYRINGE HALF UNIT ULTRA-FINE 0.3 ML 31 GAUGE X 15/64" <b>MO</b>	1	
BD VEO INSULIN SYRINGE ULTRA-FINE 0.3 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 15/64", 1/2 ML 31 GAUGE X 15/64" <b>MO</b>	1	
BORDERED GAUZE 2" X 2" BANDAGE <b>MO</b>	1	
CAFCIT 60 MG/3 ML (20 MG/ML) INTRAVENOUS SOLUTION <b>MO</b>	3	
caffeine cit 60 mg/3 ml oral; caffeine cit 60 mg/3 ml vial <b>MO</b>	1	
calcium disodium versenate 200 mg/ml injection solution <b>MO</b>	1	
CAREFINE PEN NEEDLE 29 GAUGE X 1/2", 30 GAUGE X 5/16", 31 GAUGE X 1/4", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/32" <b>MO</b>	1	
CARETOUCH ALCOHOL PREP PAD TOPICAL PADS <b>MO</b>	1	
CARETOUCH INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 X 5/16", 1 ML 29 GAUGE X 5/16, 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16; CARETOUCH INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 X 5/16", 1 ML 29 GAUGE X 5/16, 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16"; CARETOUCH INSULIN SYRINGE 1 ML 28 GAUGE X 5/16" <b>MO</b>	1	
CARETOUCH PEN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 3/16", 32 GAUGE X 5/32" <b>MO</b>	1	
CERVIDIL 10 MG VAGINAL INSERT,CONTROLLED RELEASE <b>MO</b>	3	
CINVANTI 7.2 MG/ML INTRAVENOUS EMULSION <b>MO</b>	3	PA,QL (36 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CLARINEX-D 12 HOUR 2.5 MG-120 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	ST,QL (60 per 30 days)
CLICKFINE PEN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16", 32 GAUGE X 5/32" <b>MO</b>	1	
COMFORT EZ INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"; COMFORT EZ INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" <b>MO</b>	1	
COMFORT EZ PEN NEEDLES 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 1/4", 33 GAUGE X 3/16", 33 GAUGE X 5/16", 33 GAUGE X 5/32" <b>MO</b>	1	
CURITY ALCOHOL SWABS <b>MO</b>	1	
CURITY GAUZE 2" X 2" BANDAGE <b>MO</b>	1	
DEFITELIO 80 MG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA
DERMACEA 2" X 2" BANDAGE <b>MO</b>	1	
DOJOLVI 8.3 KCAL/ML ORAL LIQUID <b>DL</b>	4	PA
DROPLET INSULIN SYRINGE HALF UNIT 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 0.5 ML 31 GAUGE X 5/16", 0.5ML 30 GAUGE X 15/64"; DROPLET INSULIN SYRINGE HALF UNIT 0.5 ML 30 GAUGE X 15/64" <b>MO</b>	1	
DROPLET INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 15/64", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 15/64", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16; DROPLET INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 15/64", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 15/64", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16" <b>MO</b>	1	
DROPLET MICRON PEN NEEDLE 34 GAUGE X 9/64" <b>MO</b>	1	
DROPLET PEN NEEDLE 29 GAUGE X 1/2", 29 GAUGE X 3/8", 30 GAUGE X 5/16", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/16", 32 GAUGE X 5/32" <b>MO</b>	1	
DROPSAFE PEN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16" <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
DROXIA 200 MG, 300 MG, 400 MG CAPSULE <b>MO</b>	2	
EASY COMFORT ALCOHOL PAD TOPICAL PADS <b>MO</b>	1	
EASY COMFORT INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16", 1 ML 32 GAUGE X 5/16", 1/2 ML 32 GAUGE X 5/16"; EASY COMFORT INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16", 1 ML 32 GAUGE X 5/16", 1/2 ML 32 GAUGE X 5/16"" <b>MO</b>	1	
EASY COMFORT PEN NEEDLES 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 1/4", 33 GAUGE X 3/16", 33 GAUGE X 5/32" <b>MO</b>	1	
EASY GLIDE INSULIN SYRINGE 0.3 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 15/64", 1/2 ML 31 GAUGE X 15/64" <b>MO</b>	1	
EASY GLIDE PEN NEEDLE 33 GAUGE X 5/32" <b>MO</b>	1	
EASY TOUCH 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/32" NEEDLE <b>MO</b>	1	
EASY TOUCH ALCOHOL PREP PADS <b>MO</b>	1	
EASY TOUCH FLIPLOCK INSULIN 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16" SYRINGE; EASY TOUCH FLIPLOCK INSULIN SYRINGE 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16" <b>MO</b>	1	
EASY TOUCH INSULIN SAFETY SYRINGE 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2" <b>MO</b>	1	
EASY TOUCH INSULIN SYRINGE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"; EASY TOUCH INSULIN SYRINGE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"" <b>MO</b>	1	
EASY TOUCH LUER LOCK INSULIN 1 ML SYRINGE <b>MO</b>	1	
EASY TOUCH PEN NEEDLE 30 GAUGE X 5/16" <b>MO</b>	1	
EASY TOUCH SAFETY PEN NEEDLE 29 GAUGE X 3/16", 30 GAUGE X 3/16" <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
EASY TOUCH SHEATHLOCK INSULIN 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16" SYRINGE; EASY TOUCH SHEATHLOCK INSULIN SYRINGE 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16" <b>MO</b>	1	
EASY TOUCH UNI-SLIP 1 ML SYRINGE <b>MO</b>	1	
EXEL INSULIN 0.3 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1 ML 30 GAUGE X 5/16, 1/2 ML 28 GAUGE X 1/2" SYRINGE; EXEL INSULIN 0.3 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1 ML 30 GAUGE X 5/16, 1/2 ML 28 GAUGE X 1/2" SYRINGE <b>MO</b>	1	
flumazenil 0.5 mg/5 ml vial <b>MO</b>	1	
fomepizole 1.5 gm/1.5 ml vial <b>MO</b>	1	
FREESTYLE PRECISION 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 SYRINGE; FREESTYLE PRECISION 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16" SYRINGE <b>MO</b>	1	
GAUZE PADS 2"X2" <b>MO</b>	1	
GAUZE PAD 2" X 2" BANDAGE <b>MO</b>	1	
GIVLAARI 189 MG/ML SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA
HEALTHWISE INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16; HEALTHWISE INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16" <b>MO</b>	1	
HEALTHWISE PEN NEEDLE 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32" <b>MO</b>	1	
HEALTHY ACCENTS UNIFINE PENTIP 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE <b>MO</b>	1	
HUMAPEN LUXURA HD <b>MO</b>	1	
INCONTROL ALCOHOL PADS <b>MO</b>	1	
INCONTROL PEN NEEDLE 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32" <b>MO</b>	1	
INSULIN SYR 0.3ML 31GX1/4(1/2) <b>MO</b>	1	
INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" <b>MO</b>	1	
INSULIN SYRINGE MICROFINE 1 ML 27 GAUGE X 5/8", 1/2 ML 28 GAUGE X 1/2" <b>MO</b>	1	
BD LUER-LOK SYRINGE 1 ML <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BD INSULIN SYR 1 ML 28GX1/2"; INSULIN 1 ML SYRINGE; INSULIN 1/2 ML SYRINGE; INSULIN 3/10 ML SYRINGE; INSULIN SYRIN 0.3 ML 30GX1/2"; INSULIN SYRIN 0.3 ML 31GX5/16"; INSULIN SYRIN 0.5 ML 30GX1/2"; INSULIN SYRING 0.5 ML 27GX1/2"; INSULIN SYRINGE 0.3 ML 31GX1/4; INSULIN SYRINGE 0.5 ML 31GX1/4; INSULIN SYRINGE 1 ML 27GX1/2"; INSULIN SYRINGE 1 ML 30GX1/2"; INSULIN SYRINGE 1 ML 31GX1/4"; INSULIN SYRINGE 1 ML 31GX5/16"; KMAR VALU PLUS SYR 1/2 ML; PREFERRED PLUS SYRINGE 0.5 ML; PREFERRED PLUS SYRINGE 1 ML; RELI-ON INSULIN 0.3 ML SYR; RELI-ON INSULIN 1 ML SYR; RELION INS SYR 0.3 ML 31GX6MM; RELION INS SYR 0.5 ML 31GX6MM; RELION INS SYR 1 ML 31GX15/64"; TERUMO INS SYRINGE U100-1 ML; ULTICARE INS SYR 1 ML 29GX1/2"; ULTICARE SYR 0.3 ML 30GX5/16"; ULTICARE SYR 0.5 ML 29GX1/2"; ULTICARE SYR 0.5 ML 30GX5/16"; ULTICARE SYR 0.5 ML 31GX5/16"; ULTICARE SYR 1 ML 30GX5/16"; ULTICARE SYRIN 0.3 ML 29GX1/2"; ULTICARE SYRIN 0.5 ML 28GX1/2" <b>MO</b>	1	
INSUPEN 29 GAUGE X 1/2", 30 GAUGE X 5/16", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 5/32" NEEDLE <b>MO</b>	1	
ISTURISA 1 MG TABLET <b>DL</b>	4	PA,QL (240 per 30 days)
ISTURISA 10 MG TABLET <b>DL</b>	4	PA,QL (180 per 30 days)
ISTURISA 5 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
IV PREP WIPES MEDICATED <b>MO</b>	1	
KORLYM 300 MG TABLET <b>DL</b>	4	PA,QL (120 per 30 days)
<i>lactated ringers irrigation</i> <b>MO</b>	1	
LITE TOUCH INSULIN PEN NEEDLES 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16" <b>MO</b>	1	
LITE TOUCH INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 GAUGE, 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE, 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE, 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 GAUGE; LITE TOUCH INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 GAUGE, 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE, 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 30 GAUGE X 7/16", 1 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE, 1/2 ML 30 GAUGE"; LITE TOUCH INSULIN SYRINGE 1/2 ML 29 <b>MO</b>	1	
LITHOSTAT 250 MG TABLET <b>DL</b>	4	
MAGELLAN INSULIN SAFETY SYRINGE 0.3 ML 29 X 1/2", 0.5 ML 29 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16" <b>MO</b>	1	
MAGELLAN SYRINGE 0.3 ML 30 X 5/16", 0.5 ML 30 GAUGE X 5/16" <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
MAXI-COMFORT INSULIN SYRINGE 1 ML 28 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2" <b>MO</b>	1	
MAXICOMFORT II PEN NEEDLE 31 GAUGE X 1/4" <b>MO</b>	1	
MAXICOMFORT INSULIN SYRINGE 1 ML 27 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2" <b>MO</b>	1	
MAXICOMFORT SAFETY PEN NEEDLE 29 GAUGE X 3/16", 29 GAUGE X 5/16" <b>MO</b>	1	
<i>methergine 0.2 mg tablet <b>DL</b></i>	4	
<i>methylergonovine 0.2 mg tablet <b>MO</b></i>	1	
<i>methylergonovine 0.2 mg/ml amp <b>MO</b></i>	1	
MICRODOT INSULIN PEN NEEDLE 31 GAUGE X 1/4", 32 GAUGE X 5/32", 33 GAUGE X 5/32" <b>MO</b>	1	
MINI ULTRA-THIN II 31 GAUGE X 3/16" NEEDLE <b>MO</b>	1	
MONOJECT INSULIN SAFETY SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16" <b>MO</b>	1	
MONOJECT INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 25 GAUGE X 5/8", 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16, 1/2 ML 28 GAUGE X 1/2"; MONOJECT INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 25 GAUGE X 5/8", 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16, 1/2 ML 28 GAUGE X 1/2""; MONOJECT INSULIN SYRINGE 1 ML <b>MO</b>	1	
MONOJECT SYRINGE 1/2 ML 28 GAUGE <b>MO</b>	1	
MONOJECT ULTRA COMFORT INSULIN 1/2 ML 28 GAUGE SYRINGE <b>MO</b>	1	
<i>neomy-polymyxin b 40 mg/ml amp <b>MO</b></i>	1	
NOVOFINE 32 32 GAUGE X 1/4" NEEDLE <b>MO</b>	1	
NOVOFINE AUTOCOVER 30 GAUGE X 1/3" NEEDLE <b>MO</b>	1	
NOVOFINE PLUS 32 GAUGE X 1/6" NEEDLE <b>MO</b>	1	
NOVOPEN ECHO SUBCUTANEOUS <b>MO</b>	1	
NOVOTWIST 32 GAUGE X 1/5" NEEDLE <b>MO</b>	1	
NURTEC ODT 75 MG DISINTEGRATING TABLET <b>DL</b>	4	PA,QL (8 per 30 days)
OMNIPOD DASH 5 PACK INSULIN POD SUBCUTANEOUS CARTRIDGE <b>MO</b>	2	
OMNIPOD INSULIN MANAGEMENT <b>MO</b>	2	
OMNIPOD INSULIN REFILL SUBCUTANEOUS CARTRIDGE <b>MO</b>	2	
ORIAHNN 300-1-0.5 MG(AM)/300 MG(PM) CAPSULES <b>DL</b>	4	PA,QL (56 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
OXBRYTA 500 MG TABLET <b>DL</b>	4	PA,QL (90 per 30 days)
oxytocin 10 unit/ml vial <b>MO</b>	1	
PEN NEEDLE 29 GAUGE X 1/2", 30 GAUGE X 5/16", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32" <b>MO</b>	1	
COMFORT POINT PEN NDL 31GX1/3"; COMFORT POINT PEN NDL 31GX1/6"; FIFTY50 PEN 31G X 3/16" NEEDLE; FIFTY50 PEN NEEDLE 32G X 1/4"; KRO PEN NEEDLE 4MM X 33G; PEN NEEDLE 12MM 29G; PEN NEEDLE 30G X 8MM; PEN NEEDLE 32G X 3/16"; PEN NEEDLE 32G X 5/32"; PEN NEEDLE 8MM 31G; PEN NEEDLES 6MM 31G <b>MO</b>	1	
PENTIPS 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32" NEEDLE <b>MO</b>	1	
PHYSIOLYTE 140 MEQ-5 MEQ-3 MEQ-98 MEQ/L IRRIGATION SOLUTION <b>MO</b>	1	
PHYSIOSOL IRRIGATION 140 MEQ-5 MEQ-3 MEQ-98 MEQ/L SOLUTION <b>MO</b>	1	
PITOCIN 10 UNIT/ML INJECTION SOLUTION <b>MO</b>	3	
PREVENT DROPSAFE PEN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16" <b>MO</b>	1	
PRIALT 100 MCG/ML, 25 MCG/ML INTRATHECAL SOLUTION <b>DL</b>	4	PA
PRO COMFORT ALCOHOL PADS <b>MO</b>	1	
PRO COMFORT INSULIN SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16; PRO COMFORT INSULIN SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16" <b>MO</b>	1	
PRO COMFORT PEN NEEDLE 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/32" <b>MO</b>	1	
PRODIGY INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 GAUGE X 1/2" <b>MO</b>	1	
<i>promethazine vc 6.25 mg-5 mg/5 ml oral syrup</i> <b>MO</b>	1	
<i>promethazine-phenylephrine syr</i> <b>MO</b>	1	
<i>protamine 250 mg/25 ml vial</i> <b>MO</b>	1	
PURE COMFORT ALCOHOL PADS <b>MO</b>	1	
PURE COMFORT PEN NEEDLE 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/16", 32 GAUGE X 5/32" <b>MO</b>	1	
RECTIV 0.4 % (W/W) OINTMENT <b>MO</b>	3	QL (30 per 30 days)
RELION NEEDLES 31 GAUGE X 1/4" <b>MO</b>	1	
RELION PEN NEEDLES 32 GAUGE X 5/32" <b>MO</b>	1	
RENACIDIN 1980.6 MG-59.4MG-980.4MG/30ML IRRIGATION SOLUTION <b>MO</b>	3	
<i>ribavirin 6 gm inhalation vial</i> <b>DL</b>	4	B vs D
RIMSO-50 50 % INTRAVESICAL SOLUTION <b>DL</b>	4	
<i>ringers irrigation solution</i> <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
SAFESNAP INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" <b>MO</b>	1	
SAFETY PEN NEEDLE 31 GAUGE X 3/16" <b>MO</b>	1	
SEMPREX-D 8 MG-60 MG CAPSULE <b>MO</b>	3	
SIKLOS 1,000 MG TABLET <b>DL</b>	4	PA
SIKLOS 100 MG TABLET <b>MO</b>	3	PA
sod phenylacet-sod benzoate v/ <b>DL</b>	4	
sodium chloride 0.9% irrig. <b>MO</b>	1	
sorbitol-mannitol irrig <b>MO</b>	1	
SURE COMFORT ALCOHOL PREP PADS <b>MO</b>	1	
SURE COMFORT INSULIN SYRINGE U-100 0.5 ML 29 GAUGE X 1/2" <b>MO</b>	1	
SURE COMFORT INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 1/4", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 1/4", 1 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 31 GAUGE X 1/4"; SURE COMFORT INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 1/4", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 1/4", 1 ML 31 GAUGE X 5/16, 1/2 ML 28 GAUGE X 1/2", 1/2 ML 31 GAUGE X 1/4" <b>MO</b>	1	
SURE COMFORT PEN NEEDLE 29 GAUGE X 1/2", 30 GAUGE X 5/16", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 5/32" <b>MO</b>	1	
SURE-FINE PEN NEEDLES 29 GAUGE X 1/2", 31 GAUGE X 3/16", 31 GAUGE X 5/16" <b>MO</b>	1	
SURE-JECT INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16, 1/2 ML 28 GAUGE X 1/2"; SURE-JECT INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16, 1/2 ML 28 GAUGE X 1/2" <b>MO</b>	1	
SURE-PREP ALCOHOL PREP PADS <b>MO</b>	1	
SYNAGIS 100 MG/ML, 50 MG/0.5 ML INTRAMUSCULAR SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TECHLITE INSULIN SYRINGE HALF UNIT 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 15/64", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 15/64", 0.5 ML 31 GAUGE X 5/16" <b>MO</b>	1	
TECHLITE INSULIN SYRINGE 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16; TECHLITE INSULIN SYRINGE 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 15/64", 1 ML 31 GAUGE X 5/16" <b>MO</b>	1	
TECHLITE PEN NEEDLE 29 GAUGE X 1/2", 29 GAUGE X 3/8", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 5/16", 32 GAUGE X 5/32" <b>MO</b>	1	
TEPEZZA 500 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
TERUMO INSULIN SYRINGE 0.3 ML 30 X 3/8", 0.5 ML 29 GAUGE X 1/2", 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8" <b>MO</b>	1	
THINPRO INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8", 0.3 ML 31 X 3/8", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 31 X 3/8", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 3/8", 1 ML 31 X 3/8", 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8" <b>MO</b>	1	
TOPCARE CLICKFINE 31 GAUGE X 1/4", 31 GAUGE X 5/16" NEEDLE <b>MO</b>	1	
TOPCARE ULTRA COMFORT 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 SYRINGE; TOPCARE ULTRA COMFORT 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16" <b>SYRINGE MO</b>	1	
TRUE COMFORT ALCOHOL PADS <b>MO</b>	1	
TRUE COMFORT INSULIN SYRINGE 0.5 ML 31 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16; TRUE COMFORT INSULIN SYRINGE 0.5 ML 31 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16" <b>MO</b>	1	
TRUE COMFORT PEN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 3/16", 32 GAUGE X 5/32" <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TRUEPLUS INSULIN 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" SYRINGE; TRUEPLUS INSULIN 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16", 1 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"" SYRINGE <b>MO</b>	1	
TRUEPLUS PEN NEEDLE 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32" <b>MO</b>	1	
UBRELVY 100 MG, 50 MG TABLET <b>DL</b>	4	PA,QL (8 per 30 days)
ULTICARE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 5/16 SYRINGE; ULTICARE 0.3 ML 30 GAUGE X 1/2", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 31 GAUGE X 5/16" SYRINGE <b>MO</b>	1	
ULTICARE INSULIN SYRINGE HALF UNIT 0.3 ML 31 GAUGE X 1/4" <b>MO</b>	1	
ULTICARE INSULIN SYRINGE 0.3 ML 31 GAUGE X 1/4", 1 ML 31 GAUGE X 1/4", 1/2 ML 31 GAUGE X 1/4" <b>MO</b>	1	
ULTICARE PEN NEEDLE 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 5/32" <b>MO</b>	1	
ULTIGUARD SAFE PACK 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 5/32" NEEDLE <b>MO</b>	1	
ULTILET ALCOHOL SWAB <b>MO</b>	1	
ULTILET INSULIN SYRINGE 0.3 ML 29 GAUGE, 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE, 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16; ULTILET INSULIN SYRINGE 0.3 ML 29 GAUGE, 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 29 GAUGE, 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16"; ULTILET INSULIN SYRINGE 1/2 ML 29 <b>MO</b>	1	
ULTILET PEN NEEDLE 29 GAUGE, 32 GAUGE X 5/32" <b>MO</b>	1	
ULTRA COMFORT INSULIN SYRINGE HALF UNIT 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16" <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ULTRA COMFORT INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30, 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 GAUGE, 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE, 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 30 GAUGE X 7/16", 1 ML 31 GAUGE X 5/16, 1/2 ML 28 GAUGE, 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 GAUGE; ULTRA COMFORT INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30, 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 28 GAUGE, 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE, 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 30 GAUGE X 7/16", 1 ML 31 GAUGE X 5/16, 1/2 ML 28 GAUGE, 1/2 ML 28 GAUGE X 1/2", 1/2 ML 30 GAUGE"; ULTRA COMFORT INSULIN SYRINGE 1/2 ML 29 <b>MO</b>	1	
ULTRA FLO INSULIN SYRINGE 0.3 ML 29 GAUGE X 1/2" <b>MO</b>	1	
ULTRA FLO PEN NEEDLE 29 GAUGE X 1/2", 31 GAUGE X 3/16" <b>MO</b>	1	
ULTRA THIN PEN NEEDLE 32 GAUGE X 5/32" <b>MO</b>	1	
ULTRA-THIN II (SHORT) INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16; ULTRA-THIN II (SHORT) INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16" <b>MO</b>	1	
ULTRA-THIN II (SHORT) PEN NDL 31 GAUGE X 5/16" NEEDLE <b>MO</b>	1	
ULTRA-THIN II INSULIN PEN NEEDLES 29 GAUGE X 1/2" <b>MO</b>	1	
ULTRA-THIN II INSULIN SYRINGE 0.5 ML 29 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" <b>MO</b>	1	
ULTRACARE INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16; ULTRACARE INSULIN SYRINGE 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16", 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16" <b>MO</b>	1	
ULTRACARE PEN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 3/16", 32 GAUGE X 5/32", 33 GAUGE X 5/32" <b>MO</b>	1	
UNIFINE PENTIPS 29 GAUGE, 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 1/4", 32 GAUGE X 5/32", 33 GAUGE X 5/32" NEEDLE <b>MO</b>	1	
UNIFINE PENTIPS MAXFLOW 30 GAUGE X 3/16" NEEDLE <b>MO</b>	1	
UNIFINE PENTIPS PLUS 29 GAUGE X 1/2", 31 GAUGE X 1/4", 31 GAUGE X 3/16", 31 GAUGE X 5/16", 32 GAUGE X 5/32", 33 GAUGE X 5/32" NEEDLE <b>MO</b>	1	
UNIFINE PENTIPS PLUS MAXFLOW 30 GAUGE X 3/16" NEEDLE <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
UNIFINE SAFECONTROL 30 GAUGE X 3/16", 30 GAUGE X 5/16" NEEDLE <b>MO</b>	1	
V-GO 20 DEVICE <b>MO</b>	2	
V-GO 30 DEVICE <b>MO</b>	2	
V-GO 40 DEVICE <b>MO</b>	2	
VANISHPOINT INSULIN SYRINGE 1 ML 30 GAUGE X 3/16" <b>MO</b>	1	
VANISHPOINT SYRINGE 0.5 ML 30 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2" <b>MO</b>	1	
VERIFINE PEN NEEDLE 31 GAUGE X 1/4", 31 GAUGE X 5/16", 32 GAUGE X 3/16", 32 GAUGE X 5/32" <b>MO</b>	1	
VIRAZOLE 6 GRAM SOLUTION FOR INHALATION <b>DL</b>	4	B vs D
sterile water for irrigation <b>MO</b>	1	
WEBCOL TOPICAL PADS <b>MO</b>	1	
XENICAL 120 MG CAPSULE <b>MO</b>	3	PA
<b>OPHTHALMIC AGENTS</b>		
ACULAR 0.5 % EYE DROPS <b>MO</b>	3	ST
ACULAR LS 0.4 % EYE DROPS <b>MO</b>	3	ST
ACUVAIL (PF) 0.45 % EYE DROPS IN A DROPPERETTE <b>MO</b>	3	ST
ak-poly-bac 500 unit-10,000 unit/gram eye ointment <b>MO</b>	1	
AKTEN (PF) 3.5 % EYE GEL <b>MO</b>	3	
ALCAINE 0.5 % EYE DROPS <b>MO</b>	1	
ALOCRIL 2 % EYE DROPS <b>MO</b>	3	
ALOMIDE 0.1 % EYE DROPS <b>MO</b>	3	
ALPHAGAN P 0.1 % EYE DROPS <b>MO</b>	2	
ALPHAGAN P 0.15 % EYE DROPS <b>MO</b>	3	PA
ALREX 0.2 % EYE DROPS,SUSPENSION <b>MO</b>	3	ST
apraclonidine hcl 0.5% drops <b>MO</b>	1	
atropine 1% eye drops <b>MO</b>	1	
AZASITE 1 % EYE DROPS <b>MO</b>	3	ST,QL (2.5 per 25 days)
azelastine hcl 0.05% drops <b>MO</b>	1	
AZOPT 1 % EYE DROPS,SUSPENSION <b>MO</b>	3	ST,QL (10 per 28 days)
BACIGUENT 500 UNIT/GRAM EYE OINTMENT <b>MO</b>	1	
bacitracin 500 unit/gm ophth <b>MO</b>	1	
bacitracin-polymyxin eye oint <b>MO</b>	1	
balanced salt intraocular solution <b>MO</b>	1	
BEPREVE 1.5 % EYE DROPS <b>MO</b>	3	ST,QL (5 per 25 days)
BESIVANCE 0.6 % EYE DROPS,SUSPENSION <b>MO</b>	3	ST
BETADINE OPHTHALMIC PREP 5 % SOLUTION <b>MO</b>	3	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
betaxolol hcl 0.5% eye drop <b>MO</b>	1	
BETIMOL 0.25 %, 0.5 % EYE DROPS <b>MO</b>	3	ST
BETOPTICS 0.25 % EYE DROPS,SUSPENSION <b>MO</b>	3	ST
bimatoprost 0.03% eye drops <b>MO</b>	1	QL (2.5 per 25 days)
BLEPH-10 10 % EYE DROPS <b>MO</b>	1	
BLEPHAMIDE 10 %-0.2 % EYE DROPS,SUSPENSION <b>MO</b>	3	
BLEPHAMIDE S.O.P. 10 %-0.2 % EYE OINTMENT <b>MO</b>	1	
brimonidine 0.2% eye drop; brimonidine tartrate 0.15% drp <b>MO</b>	1	
bromfenac sodium 0.09% eye drp <b>MO</b>	1	QL (1.7 per 30 days)
BROMSITE 0.075 % EYE DROPS <b>MO</b>	3	ST,QL (5 per 30 days)
BSS INTRAOCULAR SOLUTION <b>MO</b>	3	
BSS PLUS INTRAOCULAR SOLUTION <b>MO</b>	3	
carteolol hcl 1% eye drops <b>MO</b>	1	
CEQUA 0.09 % EYE DROPS IN A DROPPERETTE <b>MO</b>	3	PA,QL (60 per 30 days)
CILOXAN 0.3 % EYE DROPS <b>MO</b>	3	
CILOXAN 0.3 % EYE OINTMENT <b>MO</b>	3	
ciprofloxacin 0.3% eye drop <b>MO</b>	1	
COMBIGAN 0.2 %-0.5 % EYE DROPS <b>MO</b>	2	QL (5 per 25 days)
COSOPT 22.3 MG-6.8 MG/ML EYE DROPS <b>MO</b>	3	ST,QL (10 per 30 days)
COSOPT (PF) 2 %-0.5 % EYE DROPS IN A DROPPERETTE <b>MO</b>	3	ST,QL (60 per 30 days)
cromolyn 4% eye drops <b>MO</b>	1	
CYSTADROPS 0.37 % EYE DROPS <b>DL</b>	4	PA,QL (20 per 28 days)
CYSTARAN 0.44 % EYE DROPS <b>DL</b>	4	PA,QL (60 per 28 days)
dexamethasone 0.1% eye drop <b>MO</b>	1	
DEXTENZA 0.4 MG INTRACANALICULAR INSERT <b>MO</b>	3	B vs D,QL (1 per 30 days)
diclofenac 0.1% eye drops <b>MO</b>	1	
dorzolamide hcl 2% eye drops <b>MO</b>	1	QL (10 per 30 days)
dorzolamide-timolol eye drops <b>MO</b>	1	QL (10 per 30 days)
dorzolamide-timolol 2%-0.5% <b>MO</b>	1	ST,QL (60 per 30 days)
DUREZOL 0.05 % EYE DROPS <b>MO</b>	2	
DURYSTA 10 MCG INTRACAMERAL IMPLANT <b>DL</b>	4	PA,QL (2 per 365 days)
ELESTAT 0.05% EYE DROPS <b>MO</b>	3	ST,QL (5 per 25 days)
EMADINE 0.05% EYE DROPS <b>MO</b>	3	ST
epinastine hcl 0.05% eye drops <b>MO</b>	1	ST,QL (5 per 25 days)
erythromycin 0.5% eye ointment <b>MO</b>	1	
FLAREX 0.1 % EYE DROPS,SUSPENSION <b>MO</b>	3	ST

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fluorometholone 0.1% drops <b>MO</b>	1	
flurbiprofen 0.03% eye drop <b>MO</b>	1	
FML FORTE 0.25 % EYE DROPS,SUSPENSION <b>MO</b>	3	ST
FML LIQUIFILM 0.1 % EYE DROPS,SUSPENSION <b>MO</b>	3	ST
FML S.O.P. 0.1 % EYE OINTMENT <b>MO</b>	3	ST
gatifloxacin 0.5% eye drops <b>MO</b>	1	QL (2.5 per 25 days)
gentak 0.3 % (3 mg/gram) eye ointment <b>MO</b>	1	
gentamicin 3 mg/ml eye drop <b>MO</b>	1	
ILEVRO 0.3 % EYE DROPS,SUSPENSION <b>MO</b>	2	QL (3 per 30 days)
INVELTYS 1 % EYE DROPS,SUSPENSION <b>MO</b>	3	ST
IOPIDINE 0.5% EYE DROPS <b>MO</b>	3	PA
IOPIDINE 1 % EYE DROPS IN A DROPPERETTE <b>MO</b>	3	
ISOPTO CARPINE 1 %, 2 %, 4 % EYE DROPS <b>MO</b>	3	
ISTALOL 0.5 % EYE DROPS <b>MO</b>	3	
ketorolac 0.4% ophth solution; ketorolac 0.5% ophth solution <b>MO</b>	1	
LACRISERT 5 MG EYE INSERTS <b>MO</b>	3	
LASTACAFT 0.25 % EYE DROPS <b>MO</b>	3	ST
latanoprost 0.005% eye drops <b>MO</b>	1	QL (5 per 25 days)
levobunolol 0.5% eye drops <b>MO</b>	1	
levofloxacin 0.5% eye drops <b>MO</b>	1	
LOTEMAX 0.5 % EYE DROPS,SUSPENSION; LOTELEX 0.5 % EYE GEL DROPS <b>MO</b>	3	ST
LOTELEX 0.5 % EYE OINTMENT <b>MO</b>	3	ST
LOTELEX SM 0.38 % EYE GEL DROPS <b>MO</b>	3	
loteprednol etabonate 0.5% drp <b>MO</b>	1	ST
LUMIGAN 0.01 % EYE DROPS <b>MO</b>	2	QL (2.5 per 25 days)
MAXIDEX 0.1 % EYE DROPS,SUSPENSION <b>MO</b>	3	ST
MAXITROL 3.5 MG/G-10,000 UNIT/G-0.1 % EYE OINTMENT <b>MO</b>	3	
MAXITROL 3.5 MG/ML-10,000 UNIT/ML-0.1% EYE DROPS,SUSPENSION <b>MO</b>	1	
metipranolol 0.3% eye drops <b>MO</b>	1	
MIOSTAT 0.01 % INTRAOCULAR SOLUTION <b>MO</b>	3	
MOXEZA 0.5 % EYE DROPS <b>MO</b>	3	ST
moxifloxacin 0.5% eye drops <b>MO</b>	1	
moxifloxacin 0.5% eye drops <b>MO</b>	1	ST
NATACYN 5 % EYE DROPS,SUSPENSION <b>MO</b>	3	
neo-polycin 3.5 mg-400 unit-10,000 unit/g eye ointment <b>MO</b>	1	
neo-polycin hc 3.5 mg-400-10,000 unit/g-1 % eye ointment <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
neo-bacit-poly-hc eye ointment <b>MO</b>	1	
neomyc-bacit-polymix eye oint <b>MO</b>	1	
neomyc-polym-dexamet eye ointm <b>MO</b>	1	
neomyc-polym-dexameth eye drop <b>MO</b>	1	
neomyc-polym-gramicid eye drop <b>MO</b>	1	
neomycin-poly-hc eye drops <b>MO</b>	1	
NEVANAC 0.1 % EYE DROPS,SUSPENSION <b>MO</b>	3	ST
OCUFLOX 0.3 % EYE DROPS <b>MO</b>	3	
ofloxacin 0.3% eye drops <b>MO</b>	1	
olopatadine hcl 0.1% eye drops <b>MO</b>	1	ST
olopatadine hcl 0.2% eye drop <b>MO</b>	1	
OMNIPRED 1% EYE DROPS <b>MO</b>	3	ST
OXERVATE 0.002 % EYE DROPS <b>DL</b>	4	PA,QL (112 per 365 days)
PATADAY 0.2 % EYE DROPS <b>MO</b>	3	ST
PATANOL 0.1% EYE DROPS <b>MO</b>	3	ST
PAZEO 0.7 % EYE DROPS <b>MO</b>	2	QL (2.5 per 25 days)
PHOSPHOLINE IODIDE 0.125 % EYE DROPS <b>MO</b>	3	
pilocarpine 1% eye drops; pilocarpine 2% eye drops; pilocarpine 4% eye drops <b>MO</b>	1	
polycin 500 unit-10,000 unit/gram eye ointment <b>MO</b>	1	
polymyxin b-tmp eye drops <b>MO</b>	1	
POLYTRIM 10,000 UNIT-1 MG/ML EYE DROPS <b>MO</b>	3	
PRED FORTE 1 % EYE DROPS,SUSPENSION <b>MO</b>	3	ST
PRED MILD 0.12 % EYE DROPS,SUSPENSION <b>MO</b>	3	ST
PRED-G 0.3 %-1 % EYE DROPS,SUSPENSION <b>MO</b>	3	
PRED-G S.O.P. 0.3 %-0.6 % EYE OINTMENT <b>MO</b>	3	
prednisolone ac 1% eye drop <b>MO</b>	1	
prednisolone sod 1% eye drop <b>MO</b>	1	
PROLENSA 0.07 % EYE DROPS <b>MO</b>	3	ST,QL (3 per 30 days)
proparacaine 0.5% eye drops <b>MO</b>	1	
RESTASIS 0.05 % EYE DROPS IN A DROPPERETTE <b>MO</b>	2	QL (60 per 30 days)
RESTASIS MULTIDOSE 0.05 % EYE DROPS <b>MO</b>	2	QL (5.5 per 25 days)
RHOPRESSA 0.02 % EYE DROPS <b>MO</b>	2	ST,QL (2.5 per 25 days)
ROCKLATAN 0.02 %-0.005 % EYE DROPS <b>MO</b>	2	ST,QL (2.5 per 25 days)
SIMBRINZA 1 %-0.2 % EYE DROPS,SUSPENSION <b>MO</b>	3	ST,QL (16 per 30 days)
sulfacetamide 10% eye drops <b>MO</b>	1	
sulf-pred 10-0.23% eye drops <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
timolol 0.25% gfs gel-solution; timolol 0.5% gfs gel-solution <b>MO</b>	1	
timolol 0.5% eye drop; timolol maleate 0.25% eye drop; timolol maleate 0.5% eye drops <b>MO</b>	1	
TIMOPTIC 0.25 %, 0.5 % EYE DROPS <b>MO</b>	3	ST
TIMOPTIC OCUDOSE (PF) 0.25 %, 0.5 % EYE DROPS IN A DROPPERETTE <b>MO</b>	3	ST
TIMOPTIC-XE 0.25 %, 0.5 % EYE GEL <b>MO</b>	3	PA
TOBRADEX 0.3 %-0.1 % EYE DROPS,SUSPENSION <b>MO</b>	3	
TOBRADEX 0.3 %-0.1 % EYE OINTMENT <b>MO</b>	3	
TOBRADEX ST 0.3 %-0.05 % EYE DROPS,SUSPENSION <b>MO</b>	3	
tobramycin 0.3% eye drop <b>MO</b>	1	
tobramycin-dexameth ophth susp <b>MO</b>	1	
TOBREX 0.3 % EYE DROPS <b>MO</b>	3	
TOBREX 0.3 % EYE OINTMENT <b>MO</b>	3	
TRAVATAN Z 0.004 % EYE DROPS <b>MO</b>	3	ST,QL (2.5 per 25 days)
travoprost 0.004% eye drop <b>MO</b>	1	QL (2.5 per 25 days)
trifluridine 1% eye drops <b>MO</b>	1	
TRUSOPT 2 % EYE DROPS <b>MO</b>	3	QL (10 per 30 days)
VIGAMOX 0.5 % EYE DROPS <b>MO</b>	3	PA
VYZULTA 0.024 % EYE DROPS <b>MO</b>	3	QL (5 per 30 days)
XALATAN 0.005 % EYE DROPS <b>MO</b>	3	PA,QL (5 per 25 days)
XELPROS 0.005 % EYE DROP EMULSION <b>MO</b>	3	ST,QL (2.5 per 25 days)
XXIDRA 5 % EYE DROPS IN A DROPPERETTE <b>MO</b>	3	PA,QL (60 per 30 days)
ZERVIATE 0.24 % EYE DROPS IN A DROPPERETTE <b>MO</b>	3	ST,QL (60 per 30 days)
ZIOPTAN (PF) 0.0015 % EYE DROPS IN A DROPPERETTE <b>MO</b>	3	ST,QL (30 per 30 days)
ZYLET 0.3 %-0.5 % EYE DROPS,SUSPENSION <b>MO</b>	3	
ZYMAXID 0.5 % EYE DROPS <b>MO</b>	3	ST,QL (2.5 per 25 days)
<b>Otic Agents</b>		
CIPRO HC 0.2 %-1 % EAR DROPS,SUSPENSION <b>MO</b>	3	
CIPRODEX 0.3 %-0.1 % EAR DROPS,SUSPENSION <b>MO</b>	3	
ciprofloxacin 0.2% otic soln <b>MO</b>	1	
ciproflox-dexameth otic susp <b>MO</b>	1	
ciproflox-fluocinln 0.3-0.025% <b>MO</b>	3	
COLY-MYCIN S OTIC SUSP DROP <b>MO</b>	3	
CORTISPORIN-TC 3.3 MG-3 MG-10 MG-0.5 MG/ML EAR DROPS,SUSPENSION <b>MO</b>	3	
DERMOTIC OIL 0.01 % EAR DROPS <b>MO</b>	3	
flac otic (ear) oil 0.01 % drops <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
fluocinolone oil 0.01% ear drp <b>MO</b>	1	
hydrocortison-acetic acid soln <b>MO</b>	1	
neomycin-polymyxin-hc ear soln <b>MO</b>	1	
neomycin-polymyxin-hc ear susp <b>MO</b>	1	
ofloxacin 0.3% ear drops <b>MO</b>	1	
OTOVEL 0.3 %-0.025 % (0.25 ML) EAR SOLUTION <b>MO</b>	3	
<b>Respiratory Tract/Pulmonary Agents</b>		
ACCOLATE 10 MG, 20 MG TABLET <b>MO</b>	3	PA,QL (60 per 30 days)
acetylcysteine 10% vial; acetylcysteine 20% vial <b>MO</b>	1	B vs D
ADCIRCA 20 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
ADEMPAS 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG TABLET <b>DL</b>	4	PA,QL (90 per 30 days)
ADRENALIN 1 MG/ML, 1 MG/ML (1 ML) INJECTION SOLUTION <b>MO</b>	3	
ADVAIR DISKUS 100 MCG-50 MCG/DOSE POWDER FOR INHALATION; ADVAIR DISKUS 250 MCG-50 MCG/DOSE POWDER FOR INHALATION; ADVAIR DISKUS 500 MCG-50 MCG/DOSE POWDER FOR INHALATION <b>MO</b>	2	QL (60 per 30 days)
ADVAIR HFA 115 MCG-21 MCG/ACTUATION AEROSOL INHALER; ADVAIR HFA 230 MCG-21 MCG/ACTUATION AEROSOL INHALER; ADVAIR HFA 45 MCG-21 MCG/ACTUATION AEROSOL INHALER <b>MO</b>	2	QL (12 per 30 days)
AIRDUO DIGIHALER 113 MCG-14 MCG/ACTUATION, 232-14 MCG/ACTUATION, 55-14 MCG/ACTUATION BREATH ACT,POWDER SENSOR; AIRDUO DIGIHALER 232 MCG-14 MCG/ACTUATION BREATH ACT,POWDER SENSOR; AIRDUO DIGIHALER 55 MCG-14 MCG/ACTUATION BREATH ACT,POWDER SENSOR <b>MO</b>	3	ST,QL (1 per 30 days)
AIRDUO RESPICLICK 113 MCG-14 MCG/ACTUATION BREATH ACTIVATED; AIRDUO RESPICLICK 232 MCG-14 MCG/ACTUATION BREATH ACTIVATED; AIRDUO RESPICLICK 55 MCG-14 MCG/ACTUATION BREATH ACTIVATED <b>MO</b>	3	ST,QL (1 per 30 days)
albuterol 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml, 5 mg/ml sol; albuterol 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml, 5 mg/ml solution; albuterol sul 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml, 5 mg/ml sol; albuterol sul 2.5 mg/3 ml soln <b>MO</b>	1	B vs D
albuterol hfa 90 mcg inhaler <b>MO</b>	1	QL (36 per 30 days)
albuterol sulf 2 mg/5 ml syrup <b>MO</b>	1	
albuterol sulfate 2 mg tab <b>MO</b>	1	QL (120 per 30 days)
albuterol sulfate 4 mg tab <b>MO</b>	1	
albuterol sulfate er 4 mg, 8 mg tab <b>MO</b>	1	
ALVESCO 160 MCG/ACTUATION, 80 MCG/ACTUATION AEROSOL INHALER <b>MO</b>	3	ST,QL (18.3 per 28 days)
alyq 20 mg tablet <b>MO</b>	1	PA,QL (60 per 30 days)
ambrisentan 10 mg, 5 mg tablet <b>DL</b>	4	PA,QL (30 per 30 days)
aminophylline 250 mg/10 ml, 500 mg/20 ml vl <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ANORO ELLIPTA 62.5 MCG-25 MCG/ACTUATION POWDER FOR INHALATION <b>MO</b>	3	PA,QL (60 per 30 days)
ARCAPTA NEOHALER 75 MCG CAPSULE WITH INHALATION DEVICE <b>MO</b>	3	PA,QL (30 per 30 days)
ARMONAIR DIGIHALER 113 MCG/ACTUATION, 232 MCG/ACTUATION, 55 MCG/ACTUATION AEROSOL POWDER BREATH ACT, SENSOR <b>MO</b>	3	ST,QL (1 per 30 days)
ARMONAIR RESPICLICK 113 MCG; ARMONAIR RESPICLICK 113 MCG/ACTUATION, 232 MCG/ACTUATION, 55 MCG/ACTUATION BREATH ACTIVATED POWDER INHALER <b>MO</b>	3	ST,QL (1 per 30 days)
ARNUITY ELLIPTA 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION POWDER FOR INHALATION <b>MO</b>	2	QL (30 per 30 days)
ASMANEX HFA 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION AEROSOL INHALER <b>MO</b>	3	ST,QL (13 per 30 days)
ASMANEX TWISTHALER 110 MCG/ACTUATION(30 DOSES) BREATH ACTIVATED INHALR; ASMANEX TWISTHALER 220 MCG/ACTUATION(120 DOSES) BREATH ACTIVATED INHLR; ASMANEX TWISTHALER 220 MCG/ACTUATION(14 DOSES) BREATH ACTIVATED INHALR; ASMANEX TWISTHALER 220 MCG/ACTUATION(30 DOSES) BREATH ACTIVATED INHALR; ASMANEX TWISTHALER 220 MCG/ACTUATION(60 DOSES) BREATH ACTIVATED INHALR <b>MO</b>	3	ST,QL (1 per 28 days)
ATROVENT HFA 17 MCG/ACTUATION AEROSOL INHALER <b>MO</b>	3	QL (25.8 per 30 days)
azelastine 0.1% (137 mcg) spray <b>MO</b>	1	QL (30 per 25 days)
azelastine 0.15% nasal spray <b>MO</b>	1	QL (30 per 25 days)
azelastine-flutic 137-50mcg spr <b>MO</b>	1	ST,QL (23 per 28 days)
BECONASE AQ 42 MCG (0.042 %) NASAL SPRAY <b>MO</b>	3	ST,QL (50 per 30 days)
BEVESPI AEROSPHERE 9 MCG-4.8 MCG HFA AEROSOL INHALER <b>MO</b>	3	QL (10.7 per 30 days)
bosentan 125 mg, 62.5 mg tablet <b>DL</b>	4	PA,QL (60 per 30 days)
BREO ELLIPTA 100 MCG-25 MCG/DOSE POWDER FOR INHALATION; BREO ELLIPTA 200 MCG-25 MCG/DOSE POWDER FOR INHALATION <b>MO</b>	2	QL (60 per 30 days)
BREZTRI AEROSPHERE 160 MCG-9MCG-4.8MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	2	QL (10.7 per 30 days)
BROVANA 15 MCG/2 ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA,QL (120 per 30 days)
budesonide 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml inh susp; budesonide 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml susp <b>MO</b>	1	B vs D
carbinoxamine 4 mg/5 ml liquid <b>MO</b>	1	
carbinoxamine maleate 4 mg tab <b>MO</b>	1	
carbinoxamine maleate 6 mg tab <b>MO</b>	1	QL (120 per 30 days)
CAYSTON 75 MG/ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA,QL (84 per 28 days)
cetirizine hcl 1 mg/ml soln <b>MO</b>	1	QL (300 per 30 days)
CINQAIR 10 MG/ML INTRAVENOUS SOLUTION <b>DL</b>	4	PA

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
CLARINEX 0.5 MG/ML (2.5 MG/5) <b>MO</b>	3	ST,QL (300 per 30 days)
CLARINEX 5 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
clemastine fum 2.68 mg tab <b>MO</b>	1	
COMBIVENT RESPIMAT 20 MCG-100 MCG/ACTUATION SOLUTION FOR INHALATION <b>MO</b>	3	QL (4 per 20 days)
cromolyn 100 mg/5 ml oral conc <b>MO</b>	1	
cromolyn 20 mg/2 ml neb soln <b>DL</b>	4	B vs D
cyproheptadine 2 mg/5 ml syrup <b>MO</b>	1	
cyproheptadine 4 mg tablet <b>MO</b>	1	
DALIRESP 250 MCG TABLET <b>MO</b>	2	QL (28 per 365 days)
DALIRESP 500 MCG TABLET <b>MO</b>	2	QL (30 per 30 days)
desloratadine 2.5 mg, 5 mg odt <b>MO</b>	1	ST,QL (30 per 30 days)
desloratadine 5 mg tablet <b>MO</b>	1	QL (30 per 30 days)
dexchlorpheniramine 2 mg/5 ml <b>MO</b>	1	PA
diphen 12.5 mg/5 ml oral elixir <b>MO</b>	1	
diphenhydramine 12.5 mg/5 ml <b>MO</b>	1	
diphenhydramine 50 mg/ml syrng <b>MO</b>	1	
diphenhydramine 50 mg/ml vial <b>MO</b>	1	
DOPRAM 20 MG/ML INTRAVENOUS SOLUTION <b>MO</b>	3	
DUAKLIR PRESSAIR 400 MCG-12 MCG/ACTUATION BREATH ACTIVATED <b>DL</b>	4	PA,QL (1 per 30 days)
DULERA 100 MCG-5 MCG/ACTUATION HFA AEROSOL INHALER; DULERA 200 MCG-5 MCG/ACTUATION HFA AEROSOL INHALER; DULERA 50 MCG-5 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	3	ST,QL (13 per 30 days)
DYMISTA 137 MCG-50 MCG/SPRAY NASAL SPRAY <b>MO</b>	3	ST,QL (23 per 28 days)
ELIXOPHYLLIN 80 MG/15 ML ORAL ELIXIR <b>MO</b>	1	
epinephrine 0.15 mg auto-inject; epinephrine 0.3 mg auto-inject <b>MO</b>	1	QL (4 per 30 days)
EPIPEN 0.3 MG/0.3 ML INJECTION, AUTO-INJECTOR <b>MO</b>	3	PA,QL (4 per 30 days)
EPIPEN 2-PAK 0.3 MG/0.3 ML INJECTION, AUTO-INJECTOR <b>MO</b>	3	PA,QL (4 per 30 days)
EPIPEN JR 0.15 MG/0.3 ML INJECTION,AUTO-INJECTOR <b>MO</b>	3	PA,QL (4 per 30 days)
EPIPEN JR 2-PAK 0.15 MG/0.3 ML INJECTION,AUTO-INJECTOR <b>MO</b>	3	PA,QL (4 per 30 days)
epoprostenol sodium 0.5 mg, 1.5 mg vl <b>DL</b>	4	PA
ESBRIET 267 MG CAPSULE <b>DL</b>	4	PA,QL (270 per 30 days)
ESBRIET 267 MG TABLET <b>DL</b>	4	PA,QL (270 per 30 days)
ESBRIET 801 MG TABLET <b>DL</b>	4	PA,QL (90 per 30 days)
FASENRA 30 MG/ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (1 per 28 days)
FASENRA PEN 30 MG/ML SUBCUTANEOUS AUTO-INJECTOR <b>DL</b>	4	PA,QL (1 per 28 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
FLOVENT DISKUS 100 MCG/ACTUATION, 250 MCG/ACTUATION, 50 MCG/ACTUATION POWDER FOR INHALATION <b>MO</b>	2	QL (60 per 30 days)
FLOVENT HFA 110 MCG/ACTUATION, 220 MCG/ACTUATION AEROSOL INHALER <b>MO</b>	2	QL (24 per 30 days)
FLOVENT HFA 44 MCG/ACTUATION AEROSOL INHALER <b>MO</b>	2	QL (10.6 per 30 days)
flunisolide 0.025% spray <b>MO</b>	1	QL (50 per 30 days)
fluticasone-salmeterol 100-50; fluticasone-salmeterol 250-50; fluticasone-salmeterol 500-50 <b>MO</b>	1	QL (60 per 30 days)
fluticasone-salmeterol 113-14; fluticasone-salmeterol 232-14; fluticasone-salmeterol 55-14 <b>MO</b>	2	QL (1 per 30 days)
fluticasone prop 50 mcg spray <b>MO</b>	1	QL (16 per 30 days)
GASTROCROM 100 MG/5 ML ORAL CONCENTRATE <b>DL</b>	4	
GRASTEK 2,800 BAU SUBLINGUAL TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
hydroxyzine pam 100 mg, 25 mg, 50 mg cap <b>MO</b>	1	
INCRUSE ELLIPTA 62.5 MCG/ACTUATION POWDER FOR INHALATION <b>MO</b>	3	PA,QL (30 per 30 days)
ipratropium 0.03% spray <b>MO</b>	1	QL (30 per 30 days)
ipratropium 0.06% spray <b>MO</b>	1	QL (45 per 30 days)
ipratropium br 0.02% soln <b>MO</b>	1	B vs D
iprat-albut 0.5-3(2.5) mg/3 ml <b>MO</b>	1	B vs D
KALYDECO 150 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
KALYDECO 25 MG, 50 MG, 75 MG ORAL GRANULES IN PACKET <b>DL</b>	4	PA,QL (56 per 28 days)
KARBINAL ER 4 MG/5 ML ORAL SUSPENSION,EXTENDED RELEASE <b>MO</b>	3	
LETAIRIS 10 MG, 5 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
levalbuterol 0.31 mg/3 ml, 0.63 mg/3 ml, 1.25 mg/0.5 ml, 1.25 mg/3 ml sol; levalbuterol conc 1.25 mg/0.5 <b>MO</b>	1	B vs D
levalbuterol tar hfa 45mcg inh <b>MO</b>	1	ST,QL (30 per 30 days)
levocetirizine 2.5 mg/5 ml sol <b>MO</b>	1	QL (300 per 30 days)
levocetirizine 5 mg tablet <b>MO</b>	1	QL (30 per 30 days)
LONHALA MAGNAIR REFILL 25 MCG/ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA,QL (60 per 30 days)
LONHALA MAGNAIR STARTER 25 MCG/ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA,QL (60 per 365 days)
metaproterenol 10 mg, 20 mg tablet <b>MO</b>	1	
metaproterenol 10 mg/5 ml syr <b>MO</b>	1	
mometasone furoate 50 mcg spry <b>MO</b>	1	ST,QL (34 per 30 days)
montelukast sod 10 mg tablet <b>MO</b>	1	QL (30 per 30 days)
montelukast sod 4 mg granules <b>MO</b>	1	QL (30 per 30 days)
montelukast sod 4 mg, 5 mg tab chew <b>MO</b>	1	QL (30 per 30 days)
NASONEX 50 MCG/ACTUATION SPRAY <b>MO</b>	3	ST,QL (34 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
NUCALA 100 MG, 100 MG/ML SUBCUTANEOUS AUTO-INJECTOR; NUCALA 100 MG, 100 MG/ML SUBCUTANEOUS SOLUTION <b>DL</b>	4	PA,QL (3 per 28 days)
NUCALA 100 MG/ML SUBCUTANEOUS SYRINGE <b>DL</b>	4	PA,QL (3 per 28 days)
ODACTRA 12 SQ-HDM SUBLINGUAL TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
OFEV 100 MG, 150 MG CAPSULE <b>DL</b>	4	PA,QL (60 per 30 days)
olopatadine 665 mcg nasal spry <b>MO</b>	1	ST,QL (30.5 per 30 days)
OMNARIS 50 MCG NASAL SPRAY <b>MO</b>	3	ST,QL (12.5 per 30 days)
OPSUMIT 10 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
ORALAIR 100 INDEX OF REACTIVITY SUBLINGUAL TABLET; ORALAIR 100 INDEX OF REACTIVITY(3)/300 IDX REACT.(6) SUBLINGUAL TABLET; ORALAIR 300 IR SUBLINGUAL TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
ORENITRAM 0.125 MG TABLET,EXTENDED RELEASE <b>DL</b>	4	PA,QL (1000 per 30 days)
ORENITRAM 0.25 MG TABLET,EXTENDED RELEASE <b>DL</b>	4	PA,QL (500 per 30 days)
ORENITRAM 1 MG TABLET,EXTENDED RELEASE <b>DL</b>	4	PA,QL (720 per 30 days)
ORENITRAM 2.5 MG TABLET,EXTENDED RELEASE <b>DL</b>	4	PA,QL (300 per 30 days)
ORENITRAM 5 MG TABLET, EXTENDED RELEASE <b>DL</b>	4	PA,QL (150 per 30 days)
ORKAMBI 100 MG-125 MG ORAL GRANULES IN PACKET; ORKAMBI 150 MG-188 MG ORAL GRANULES IN PACKET <b>DL</b>	4	PA,QL (56 per 28 days)
ORKAMBI 100 MG-125 MG TABLET; ORKAMBI 200 MG-125 MG TABLET <b>DL</b>	4	PA,QL (112 per 28 days)
PATANASE 0.6 % NASAL SPRAY <b>MO</b>	3	ST,QL (30.5 per 30 days)
PERFOROMIST 20 MCG/2 ML SOLUTION FOR NEBULIZATION <b>MO</b>	3	PA,QL (120 per 30 days)
PROAIR DIGITALER 90 MCG/ACTUATION AEROSOL POWDER BREATH ACT, SENSOR <b>MO</b>	3	ST,QL (2 per 30 days)
PROAIR HFA 90 MCG/ACTUATION AEROSOL INHALER <b>MO</b>	3	ST,QL (36 per 30 days)
PROAIR RESPICLICK 90 MCG/ACTUATION BREATH ACTIVATED <b>MO</b>	3	ST,QL (2 per 30 days)
PROVENTIL HFA 90 MCG/ACTUATION AEROSOL INHALER <b>MO</b>	3	ST,QL (36 per 30 days)
PULMICORT 0.25 MG/2 ML, 0.5 MG/2 ML, 1 MG/2 ML SUSPENSION FOR NEBULIZATION <b>MO</b>	3	B vs D
PULMICORT FLEXHALER 180 MCG/ACTUATION, 90 MCG/ACTUATION BREATH ACTIVATED <b>MO</b>	3	ST,QL (2 per 30 days)
PULMOZYME 1 MG/ML SOLUTION FOR INHALATION <b>DL</b>	4	B vs D
QNASL 40 MCG/ACTUATION NASAL AEROSOL SPRAY <b>MO</b>	3	ST,QL (6.8 per 30 days)
QNASL 80 MCG/ACTUATION NASAL AEROSOL SPRAY <b>MO</b>	3	ST,QL (10.6 per 30 days)
QUZYTIR 10 MG/ML INTRAVENOUS SOLUTION <b>MO</b>	3	B vs D
QVAR REDIHALER 40 MCG/ACTUATION HFA BREATH ACTIVATED AEROSOL <b>MO</b>	3	ST,QL (10.6 per 30 days)
QVAR REDIHALER 80 MCG/ACTUATION HFA BREATH ACTIVATED AEROSOL <b>MO</b>	3	ST,QL (21.2 per 30 days)
RAGWITEK 12 AMB A 1 UNIT SUBLINGUAL TABLET <b>MO</b>	3	PA,QL (30 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
REMODULIN 1 MG/ML, 10 MG/ML, 2.5 MG/ML, 5 MG/ML INJECTION SOLUTION <b>DL</b>	4	PA
REVATIO 10 MG/ML ORAL SUSPENSION <b>DL</b>	4	PA,QL (180 per 30 days)
REVATIO 20 MG TABLET <b>DL</b>	4	PA,QL (90 per 30 days)
RYCLORA 2 MG/5 ML ORAL SOLUTION <b>MO</b>	1	
RYVENT 6 MG TABLET <b>MO</b>	1	QL (120 per 30 days)
SEEBRI NEOHALER 15.6 MCG CAPSULE WITH INHALATION DEVICE <b>MO</b>	3	PA,QL (60 per 30 days)
SEREVENT DISKUS 50 MCG/DOSE POWDER FOR INHALATION <b>MO</b>	3	PA,QL (60 per 30 days)
sildenafil 10 mg/ml oral susp <b>DL</b>	4	PA,QL (180 per 30 days)
sildenafil 20 mg tablet <b>MO</b>	1	PA,QL (90 per 30 days)
SINGULAIR 10 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
SINGULAIR 4 MG ORAL GRANULES IN PACKET <b>MO</b>	3	PA,QL (30 per 30 days)
SINGULAIR 4 MG, 5 MG CHEWABLE TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
SPIRIVA RESPIMAT 1.25 MCG/ACTUATION, 2.5 MCG/ACTUATION SOLUTION FOR INHALATION <b>MO</b>	2	QL (4 per 28 days)
SPIRIVA WITH HANDIHALER 18 MCG AND INHALATION CAPSULES <b>MO</b>	2	QL (30 per 30 days)
STIOLTO RESPIMAT 2.5 MCG-2.5 MCG/ACTUATION SOLUTION FOR INHALATION <b>MO</b>	2	QL (4 per 28 days)
STRIVERDI RESPIMAT 2.5 MCG/ACTUATION SOLUTION FOR INHALATION <b>MO</b>	2	QL (4 per 30 days)
SYMBICORT 160 MCG-4.5 MCG/ACTUATION HFA AEROSOL INHALER; SYMBICORT 80 MCG-4.5 MCG/ACTUATION HFA AEROSOL INHALER <b>MO</b>	2	QL (10.2 per 30 days)
SYMDEKO 100 MG-150 MG (DAY)/150 MG (NIGHT) TABLETS; SYMDEKO 50 MG-75 MG (DAY)/75 MG (NIGHT) TABLETS <b>DL</b>	4	PA,QL (56 per 28 days)
SYMJEPI 0.15 MG/0.3 ML, 0.3 MG/0.3 ML INJECTION SYRINGE; SYMJEPI 0.15 MG/0.3 ML, 0.3 MG/0.3 ML INJECTION SYRINGE (FOR 33 LB TO 66 LB PATIENTS) <b>MO</b>	2	QL (4 per 30 days)
tadalafil 20 mg tablet <b>MO</b>	1	PA,QL (60 per 30 days)
terbutaline sulf 1 mg/ml vial <b>DL</b>	4	
terbutaline sulfate 2.5 mg, 5 mg tab <b>MO</b>	1	
THEO-24 100 MG, 200 MG, 300 MG, 400 MG CAPSULE, EXTENDED RELEASE <b>MO</b>	1	
theophylline 80 mg/15 ml soln <b>MO</b>	1	
theophylline er 100 mg, 200 mg, 300 mg tab; theophylline er 100 mg, 200 mg, 300 mg tablet <b>MO</b>	1	
theophylline er 400 mg, 600 mg tablet <b>MO</b>	1	
theophylline er 450 mg tab <b>MO</b>	1	QL (30 per 30 days)
theophylline 200 mg/100 ml, 200 mg/50 ml, 400 mg/250 ml, 400 mg/500 ml, 800 mg/250 ml d5w <b>MO</b>	1	

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
TOBI PODHALER 28 MG CAPSULE WITH INHALATION DEVICE; TOBI PODHALER 28 MG INHALE CAP <b>DL</b>	4	PA,QL (224 per 28 days)
TRACLEAR 125 MG, 62.5 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
TRACLEAR 32 MG TABLET FOR ORAL SUSPENSION <b>DL</b>	4	PA,QL (120 per 30 days)
TRELEGY ELLIPTA 100 MCG-62.5 MCG-25 MCG POWDER FOR INHALATION <b>MO</b> treprostinil 100 mg/20 ml vial; treprostinil 20 mg/20 ml vial; treprostinil 200 mg/20 ml vial; treprostinil 50 mg/20 ml vial <b>DL</b>	2 4	QL (60 per 30 days) PA
TRIKAFTA 100-50-75 MG (D)/150 MG (N) TABLETS <b>DL</b>	4	PA,QL (84 per 28 days)
TUDORZA PRESSAIR 400 MCG/ACTUATION BREATH ACTIVATED <b>MO</b>	3	PA,QL (1 per 30 days)
TYVASO 1.74 MG/2.9 ML (0.6 MG/ML) SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
TYVASO INSTITUTIONAL STARTER KIT 1.74 MG/2.9 ML SOLN FOR NEBULIZATION <b>DL</b>	4	PA
TYVASO REFILL KIT 1.74 MG/2.9 ML (0.6 MG/ML) SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
TYVASO STARTER KIT 1.74 MG/2.9 ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA
UPTRAVI 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 200 MCG, 400 MCG, 600 MCG, 800 MCG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
UPTRAVI 200 MCG (140)-800 MCG (60) TABLETS IN A DOSE PACK <b>DL</b>	4	PA,QL (200 per 30 days)
UTIBRON NEOHALER 27.5 MCG-15.6 MCG CAPSULE WITH INHALATION DEVICE <b>MO</b>	3	PA,QL (60 per 30 days)
VELETRI 0.5 MG, 1.5 MG INTRAVENOUS SOLUTION <b>DL</b>	4	PA
VENTAVIS 10 MCG/ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA,QL (150 per 30 days)
VENTAVIS 20 MCG/ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA,QL (90 per 30 days)
VENTOLIN HFA 90 MCG/ACTUATION AEROSOL INHALER <b>MO</b>	2	QL (36 per 30 days)
VISTARIL 25 MG, 50 MG CAPSULE <b>MO</b>	3	
wixela inhlu 100 mcg-50 mcg/dose powder for inhalation; wixela inhlu 250 mcg-50 mcg/dose powder for inhalation; wixela inhlu 500 mcg-50 mcg/dose powder for inhalation <b>MO</b>	1	QL (60 per 30 days)
XHANCE 93 MCG/ACTUATION BREATH ACTIVATED AEROSOL <b>MO</b>	3	PA,QL (32 per 30 days)
XOPENEX 0.31 MG/3 ML, 0.63 MG/3 ML, 1.25 MG/3 ML SOLUTION FOR NEBULIZATION <b>MO</b>	3	B vs D
XOPENEX CONCENTRATE 1.25 MG/0.5 ML SOLUTION FOR NEBULIZATION <b>MO</b>	3	B vs D
XOPENEX HFA 45 MCG/ACTUATION AEROSOL INHALER <b>MO</b>	3	ST,QL (30 per 30 days)
YUPELRI 175 MCG/3 ML SOLUTION FOR NEBULIZATION <b>DL</b>	4	PA,QL (90 per 30 days)
zafirlukast 10 mg, 20 mg tablet <b>MO</b>	1	QL (60 per 30 days)
ZETONNA 37 MCG/ACTUATION NASAL HFA INHALER <b>MO</b>	3	ST,QL (6.1 per 28 days)
zileuton er 600 mg tablet <b>DL</b>	4	ST,QL (120 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
ZYFLO 600 MG TABLET <b>DL</b>	4	ST,QL (120 per 30 days)
ZYFLO CR 600 MG TABLET <b>DL</b>	4	ST,QL (120 per 30 days)
<b>SKELETAL MUSCLE RELAXANTS</b>		
AMRIX 15 MG, 30 MG CAPSULE,EXTENDED RELEASE <b>DL</b>	4	ST,QL (21 per 30 days)
carisoprodol 250 mg, 350 mg tablet <b>MO</b>	1	QL (120 per 30 days)
carisoprodol-aspirin 200-325 mg <b>MO</b>	1	
carisoprodol-aspirin-codein tb <b>DL</b>	1	QL (360 per 30 days)
chlorzoxazone 250 mg tablet <b>MO</b>	1	ST,QL (360 per 30 days)
chlorzoxazone 375 mg, 750 mg tablet <b>MO</b>	1	ST,QL (120 per 30 days)
chlorzoxazone 500 mg tablet <b>MO</b>	1	ST
cyclobenzaprine 10 mg, 5 mg tablet <b>MO</b>	1	
cyclobenzaprine 7.5 mg tablet <b>MO</b>	1	QL (90 per 30 days)
cyclobenzaprine er 15 mg, 30 mg cap <b>MO</b>	1	ST,QL (21 per 30 days)
FEXMID 7.5 MG TABLET <b>MO</b>	1	ST,QL (90 per 30 days)
LORZONE 375 MG, 750 MG TABLET <b>MO</b>	1	ST,QL (120 per 30 days)
metaxall 800 mg tablet <b>MO</b>	1	QL (120 per 30 days)
metaxalone 400 mg, 800 mg tablet <b>MO</b>	1	QL (120 per 30 days)
methocarbamol 1,000 mg/10 ml <b>MO</b>	1	
methocarbamol 500 mg, 750 mg tablet <b>MO</b>	1	
NORGESIC FORTE 50 MG-770 MG-60 MG TABLET <b>DL</b>	4	PA,QL (120 per 30 days)
orphenadrine 30 mg/ml vial <b>MO</b>	1	
orphenadrine er 100 mg tablet <b>MO</b>	1	
orphenad-asa-caff 50-770-60 mg <b>DL</b>	4	PA,QL (120 per 30 days)
orphengesic forte 50 mg-770 mg-60 mg tablet <b>DL</b>	4	PA,QL (120 per 30 days)
ROBAXIN 100 MG/ML INJECTION SOLUTION <b>DL</b>	4	
ROBAXIN 500 MG TABLET <b>MO</b>	3	
ROBAXIN-750 750 MG TABLET <b>MO</b>	3	
SKELAXIN 800 MG TABLET <b>DL</b>	4	PA,QL (120 per 30 days)
SOMA 250 MG TABLET <b>DL</b>	4	PA,QL (120 per 30 days)
SOMA 350 MG TABLET <b>MO</b>	3	PA,QL (120 per 30 days)
vanadom 350 mg tablet <b>MO</b>	1	QL (120 per 30 days)
<b>SLEEP DISORDER AGENTS</b>		
AMBIEN 10 MG, 5 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
AMBIEN CR 12.5 MG, 6.25 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	PA,QL (30 per 30 days)
armodafinil 150 mg, 200 mg, 250 mg tablet <b>MO</b>	1	PA,QL (30 per 30 days)
armodafinil 50 mg tablet <b>MO</b>	1	PA,QL (60 per 30 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
 MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
BELSOMRA 10 MG TABLET <b>MO</b>	2	QL (60 per 30 days)
BELSOMRA 15 MG, 20 MG TABLET <b>MO</b>	2	QL (30 per 30 days)
BELSOMRA 5 MG TABLET <b>MO</b>	2	QL (120 per 30 days)
DAYVIGO 10 MG, 5 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
doxepin hcl 3 mg, 6 mg tablet <b>MO</b>	1	QL (30 per 30 days)
EDLUAR 10 MG SUBLINGUAL TABLET <b>MO</b>	3	
EDLUAR 5 MG SUBLINGUAL TABLET <b>MO</b>	3	QL (30 per 30 days)
estazolam 1 mg, 2 mg tablet <b>DL</b>	1	QL (30 per 30 days)
eszopiclone 1 mg, 2 mg, 3 mg tablet <b>MO</b>	1	QL (30 per 30 days)
flurazepam 15 mg capsule <b>DL</b>	1	QL (60 per 30 days)
flurazepam 30 mg capsule <b>DL</b>	1	QL (30 per 30 days)
HALCION 0.25 MG TABLET <b>DL</b>	3	PA,QL (30 per 30 days)
HETLIOZ 20 MG CAPSULE <b>DL</b>	4	PA,QL (30 per 30 days)
INTERMEZZO 1.75 MG, 3.5 MG SUBLINGUAL TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
LUNESTA 1 MG, 2 MG, 3 MG TABLET <b>MO</b>	3	PA,QL (30 per 30 days)
modafinil 100 mg, 200 mg tablet <b>MO</b>	1	PA,QL (60 per 30 days)
NUVIGIL 150 MG, 200 MG, 250 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
NUVIGIL 50 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
PROVIGIL 100 MG, 200 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
ramelteon 8 mg tablet <b>MO</b>	1	ST,QL (30 per 30 days)
RESTORIL 15 MG, 22.5 MG, 30 MG, 7.5 MG CAPSULE <b>DL</b>	4	PA,QL (30 per 30 days)
ROZEREM 8 MG TABLET <b>MO</b>	3	ST,QL (30 per 30 days)
SILENOR 3 MG, 6 MG TABLET <b>MO</b>	3	QL (30 per 30 days)
SUNOSI 150 MG, 75 MG TABLET <b>DL</b>	4	PA,QL (30 per 30 days)
temazepam 15 mg, 22.5 mg, 30 mg, 7.5 mg capsule <b>DL</b>	1	QL (30 per 30 days)
triazolam 0.125 mg, 0.25 mg tablet <b>DL</b>	1	QL (30 per 30 days)
WAKIX 17.8 MG, 4.45 MG TABLET <b>DL</b>	4	PA,QL (60 per 30 days)
XYREM 500 MG/ML ORAL SOLUTION <b>DL</b>	4	PA,QL (540 per 30 days)
XYWAV 0.5 GRAM/ML ORAL SOLUTION <b>DL</b>	4	PA,QL (540 per 30 days)
zaleplon 10 mg, 5 mg capsule <b>MO</b>	1	QL (30 per 30 days)
zolpidem tart 1.75 mg, 10 mg, 12.5 mg, 3.5 mg, 5 mg, 6.25 mg tab sl; zolpidem tart 1.75 mg, 10 mg, 12.5 mg, 3.5 mg, 5 mg, 6.25 mg tablet sl; zolpidem tart er 1.75 mg, 10 mg, 12.5 mg, 3.5 mg, 5 mg, 6.25 mg tab; zolpidem tartrate 1.75 mg, 10 mg, 12.5 mg, 3.5 mg, 5 mg, 6.25 mg tablet <b>MO</b>	1	QL (30 per 30 days)
ZOLPIMIST 5 MG/SPRAY (0.1 ML) ORAL SPRAY <b>MO</b>	3	QL (23.1 per 365 days)

Need more information about the indicators displayed by the drug names? Please go to page 9.

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

# Humana Medicare Employer Plan Coverage of Additional Prescription Drugs

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>ERECTILE DYSFUNCTION</b>		
sildenafil 100 mg, 25 mg, 50 mg tablet <b>ED,MO</b>	1	QL (6 per 30 days)
VIAGRA 100 MG, 25 MG, 50 MG TABLET <b>ED,MO</b>	3	QL (6 per 30 days)
<b>VITAMINS/MINERALS</b>		
ascorbic acid 500 mg/ml vial <b>MO</b>	1	
b complex 100 100 mg-2 mg-100 mg-2mg-2mg/ml injectable solution <b>MO</b>	1	
b-complex 100 mg-2 mg-100 mg-2mg-2mg/ml injection solution <b>MO</b>	1	
cyanocobalamin 1,000 mcg/ml <b>MO</b>	1	
DRISDOL 1,250 MCG (50,000 UNIT) CAPSULE <b>MO</b>	3	
vitamin d2 1.25mg(50,000 unit) <b>MO</b>	1	
folic acid 1 mg tablet <b>MO</b>	1	
folic acid 5 mg/ml vial <b>MO</b>	1	
hydroxocobalamin 1,000 mcg/ml <b>MO</b>	1	
INFUVITE ADULT 3300 UNIT-150 MCG/10 ML INTRAVENOUS SOLUTION <b>MO</b>	3	
INFUVITE PEDIATRIC 80 MG-400 UNIT-200 MCG/5 ML INTRAVENOUS SOLUTION <b>MO</b>	3	
M.V.I. ADULT 3,300 UNIT-150 MCG/10 ML INTRAVENOUS SOLUTION <b>MO</b>	3	
M.V.I. PEDIATRIC 80 MG-400 UNIT-200 MCG INTRAVENOUS SOLUTION <b>MO</b>	3	
M.V.I.-12 (WITHOUT VIT K) 3,300 UNIT-200 UNIT/10 ML INTRAVENOUS SOLN <b>MO</b>	3	
MEPHYTON 5 MG TABLET <b>MO</b>	3	
NASCOBAL 500 MCG/SPRAY NASAL SPRAY <b>MO</b>	3	
phytonadione 1 mg/0.5 ml syr <b>MO</b>	1	
phytonadione 10 mg/ml ampul <b>MO</b>	1	
phytonadione 5 mg tablet <b>MO</b>	1	
pnv-dha 27 mg iron-1 mg-300 mg capsule <b>MO</b>	1	
pnv-omega 28 mg-1 mg-300 mg capsule <b>MO</b>	1	

Your Humana Medicare Employer plan has additional coverage of some drugs. These drugs aren't normally covered under Medicare Part D. These drugs aren't subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D

MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>VITAMINS/MINERALS</b>		
POTABA 500 MG CAPSULE <b>MO</b>	3	
prenatal-u 106.5 mg-1 mg capsule <b>MO</b>	1	
pyridoxine 100 mg/ml vial <b>MO</b>	1	
thiamine 200 mg/2 ml vial <b>MO</b>	1	
virt-pn dha 27 mg iron-1 mg-300 mg capsule <b>MO</b>	1	
vitamin d2 1,250 mcg (50,000 unit) capsule <b>MO</b>	1	
vitamin k 1 mg/0.5 ml injection solution <b>MO</b>	1	
vitamin k1 10 mg/ml injection solution <b>MO</b>	1	
zatean-pn dha 27 mg iron-1 mg-300 mg capsule <b>MO</b>	1	
zatean-pn plus 28 mg-1 mg-300 mg capsule <b>MO</b>	1	
zingiber 1.2 mg-40 mg-124.1 mg-100 mg tablet <b>MO</b>	1	
<b>WEIGHT LOSS</b>		
adipex-p 37.5 mg capsule <b>MO</b>	1	
ADIPEX-P 37.5 MG TABLET <b>MO</b>	1	
benzphetamine hcl 25 mg, 50 mg tablet <b>MO</b>	1	
CONTRAVE 8 MG-90 MG TABLET,EXTENDED RELEASE <b>MO</b>	3	QL (120 per 30 days)
diethylpropion 25 mg tablet <b>MO</b>	1	
diethylpropion er 75 mg tablet <b>MO</b>	1	
lomaira 8 mg tablet <b>MO</b>	1	
phendimetrazine 35 mg tablet <b>MO</b>	1	
phendimetrazine er 105 mg cap <b>MO</b>	3	
phentermine 15 mg, 30 mg, 37.5 mg capsule <b>MO</b>	1	
phentermine 37.5 mg tablet <b>MO</b>	1	
QSYMIA 11.25 MG-69 MG CAPSULE, EXTENDED RELEASE; QSYMIA 15 MG-92 MG CAPSULE, EXTENDED RELEASE; QSYMIA 3.75 MG-23 MG CAPSULE, EXTENDED RELEASE; QSYMIA 7.5 MG-46 MG CAPSULE, EXTENDED RELEASE <b>MO</b>	3	QL (30 per 30 days)

Your Humana Medicare Employer plan has additional coverage of some drugs. These drugs aren't normally covered under Medicare Part D. These drugs aren't subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

DRUG NAME	TIER	UTILIZATION MANAGEMENT REQUIREMENTS
<b>WEIGHT LOSS</b>		
REGIMEX 25 MG TABLET <b>MO</b>	1	
SAXENDA 3 MG/0.5 ML (18 MG/3 ML) SUBCUTANEOUS PEN INJECTOR <b>MO</b>	3	

Your Humana Medicare Employer plan has additional coverage of some drugs. These drugs aren't normally covered under Medicare Part D. These drugs aren't subject to the Medicare appeals process. The amount you pay when you fill a prescription for these drugs does not count toward your total drug costs (in other words, the amount you pay does not help you qualify for catastrophic coverage).

ST - Step Therapy • QL - Quantity Limit • PA - Prior Authorization • B vs D - Part B versus Part D  
MD - Maintenance Drug • DL - Dispensing Limit

# Index

A	acetazolamide sodium... 82 acetazolamide... 82 acetic acid... 21, 150 acetylcysteine... 150, 168 ACIPHEX SPRINKLE... 118 ACIPHEX... 118 acitretin... 102 ACTEMRA ACTPEN... 140 ACTEMRA... 140 ACTHAR... 125 ACTHIB (PF)... 140 ACTICLATE... 21 ACTIGALL... 118 ACTIMMUNE... 140 ACTIQ... 10 ACTIVELLA... 128 ACTONEL... 148, 149 ACTOPLUS MET XR... 72 ACTOPLUS MET... 72 ACTOS... 72 ACULAR LS... 163 ACULAR... 163 ACUVAIL (PF)... 163 acyclovir sodium... 66 acyclovir... 66 ACZONE... 102	ADACEL(TDAP ADOLESN/ADULT)(PF)... 140 ADAGEN... 121 ADAKVEO... 150 ADALAT CC... 82 adapalene... 102 adapalene-benzoyl peroxide... 102 ADCETRIS... 48 ADCIRCA... 168 ADDERALL XR... 96, 97 ADDERALL... 96 adefovir... 66 ADEMPAS... 168 adenosine... 82 adipex-p... 178 ADLYXIN... 72 ADMELOG SOLOSTAR U-100 INSULIN... 72 ADMELOG U-100 INSULIN LISPRO... 73 ADRENALIN... 168 adriamycin... 48 adrucil... 48 ADVAIR DISKUS... 168 ADVAIR HFA... 168 ADVOCATE PEN NEEDLE... 151 ADVOCATE SYRINGES... 151
---	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

ADZENYS ER... 97	albendazole... 59	ALOPRIM... 45
ADZENYS XR-ODT... 97	ALBENZA... 59	ALORA... 128
AEMCOLO... 118	albuterol sulfate... 168	alosetron... 118
afeditab cr... 83	ALCAINE... 163	ALPHAGAN P... 163
AFINITOR DISPERZ... 48	alclometasone... 102	alprazolam intensol... 71
AFINITOR... 48	ALCOHOL PADS... 151	alprazolam... 71
afirmelle... 128	ALCOHOL PREP PADS... 151	ALREX... 163
AFREZZA... 73	ALCOHOL SWABS... 151	ALTABAX... 102
AGGRASTAT CONCENTRATE... 78	ALCOHOL WIPES... 151	ALTACE... 83
AGGRASTAT IN SODIUM CHLORIDE... 78	ALDACTAZIDE... 83	altavera (28)... 128
AGGRENOX... 78	ALDACTONE... 83	ALTOPREV... 83
AGRYLIN... 78	ALDARA... 102	ALTRENO... 102
AIMOVIG AUTOINJECTOR (2 PACK)... 45	ALDURAZYME... 121	ALUNBRIG... 48
AIMOVIG AUTOINJECTOR... 45	ALECENSA... 48	ALVESCO... 168
AIRDUO DIGIHALER... 168	alendronate... 149	alyacen 1/35 (28)... 129
AIRDUO RESPICLICK... 168	alfuzosin... 124	alyacen 7/7/7 (28)... 129
AJOVY AUTOINJECTOR... 46	ALIMTA... 48	alyq... 168
AJOVY SYRINGE... 46	ALINIA... 59	amabelz... 129
ak-poly-bac... 163	ALIQOPA... 48	amantadine hcl... 60
AKLIEF... 102	aliskiren... 83	AMARYL... 73
AKTEN (PF)... 163	ALKERAN (AS HCL)... 48	AMBIEN CR... 175
AKTIPAK... 102	ALKERAN... 48	AMBIEN... 175
AKYNZEO (FOSNETUPITANT)... 40, 41	allopurinol sodium... 45	AMBISOME... 42
AKYNZEO (NETUPITANT)... 41	allopurinol... 45	ambrisentan... 168
ALA-CORT... 102	ALLZITAL... 10	amcinonide... 102
ALA-SCALP... 102	almotriptan malate... 46	AMERGE... 46
	ALOCRIL... 163	amethia lo... 129
	ALOMIDE... 163	amethia... 129

amethyst (28)... 129	amitriptyline-chlordiazepoxide... 37	anastrozole... 48
AMICAR... 78, 79	amlodipine... 83	ANCOBON... 42
amifostine crystalline... 48	amlodipine-atorvastatin... 83	ANDRODERM... 129
amikacin... 22	amlodipine-benazepril... 83	ANDROGEL... 129
amiloride... 83	amlodipine-olmesartan... 83	ANDROID... 129
amiloride-hydrochlorothiazide... 83	amlodipine-valsartan... 83	ANGELIQ... 129
aminocaproic acid... 79	amlodipine-valsartan-hcthiazid... 83	ANNOVERA... 129
aminophylline... 168	ammonium lactate... 102	ANORO ELLIPTA... 169
AMINOSYN II 10 %... 111	AMMONUL... 151	ANTABUSE... 20
AMINOSYN II 15 %... 111	amnesteem... 102	ANTARA... 83
AMINOSYN II 7 %... 111	amoxapine... 37	anusol-hc... 102
AMINOSYN II 8.5 %... 111	amoxicil-clarithromy-lansopraz... 118	ANZEMET... 41
AMINOSYN II 8.5 %-ELECTROLYTES... 111	amoxicillin... 22	apexicon e... 102
AMINOSYN M 3.5 %... 111	amoxicillin-pot clavulanate... 22	APIDRA SOLOSTAR U-100
AMINOSYN 10 %... 111	amphetamine sulfate... 97	INSULIN... 73
AMINOSYN 7 % WITH ELECTROLYTES... 111	amphetamine... 97	APIDRA U-100 INSULIN... 73
AMINOSYN 8.5 %... 111	amphotericin b... 42	APLENZIN... 37
AMINOSYN 8.5 %-ELECTROLYTES... 111	ampicillin sodium... 22	APOKYN... 60
AMINOSYN-HBC 7%... 111	ampicillin... 22	apraclonidine... 163
AMINOSYN-PF 10 %... 111	ampicillin-sulbactam... 22	aprepitant... 41
AMINOSYN-PF 7 % (SULFITE-FREE)... 111	AMPYRA... 97	apri... 129
AMINOSYN-RF 5.2 %... 111	AMRIX... 175	APRISO... 148
amiodarone... 83	AMZEEQ... 102	APTENSIO XR... 97
AMITIZA... 118	ANADROL-50... 129	APTIOM... 31
amitriptyline... 37	ANAFRANIL... 37	APTIVUS (WITH VITAMIN E)... 66
	anagrelide... 79	APTIVUS... 66
	ANAPROX DS... 10	ARALAST NP... 121
		aranelle (28)... 129

ARANESP (IN POLYSORBATE)... 79	ASCENIV... 140	AUBAGIO... 97
ARAVA... 140	ascomp with codeine... 10	aubra eq... 129
ARAZLO... 103	ascorbic acid (vitamin c)... 177	aubra... 129
ARCALYST... 140	ashlyna... 129	AUGMENTIN ES-600... 22
ARCAPTA NEOHALER... 169	ASMANEX HFA... 169	AUGMENTIN XR... 22
ARICEPT... 36	ASMANEX TWISTHALER... 169	AUGMENTIN... 22
ARIKAYCE... 22	ASPARLAS... 48	aurovela fe 1.5/30 (28)... 129
ARIMIDEX... 48	aspirin-dipyridamole... 79	aurovela fe 1-20 (28)... 129
aripiprazole... 62	ASSURE ID DUO-SHIELD... 151	aurovela 1.5/30 (21)... 129
ARISTADA INITIO... 62	ASSURE ID INSULIN SAFETY... 151	aurovela 1/20 (21)... 129
ARISTADA... 62	ASSURE ID PEN NEEDLE... 151	aurovela 24 fe... 129
ARISTOSCAN INTRA-ARTICULAR... 125	ASTAGRAF XL... 140	AURYXIA... 111
ARISTOSCAN INTRALESIONAL... 125	ATACAND HCT... 83	AUSTEDO... 97
ARIXTRA... 79	ATACAND... 83	AUTOJECT 2 INJECTION DEVICE... 151
armodafinil... 175	atazanavir... 66	AUTOPEN 1 TO 21 UNITS... 151
ARMONAIR DIGIHALER... 169	ATELVIA... 149	AUTOPEN 2 TO 42 UNITS... 151
ARMONAIR RESPICLICK... 169	atenolol... 83	AVALIDE... 83
ARMOUR THYROID... 138	atenolol-chlorthalidone... 83	AVANDIA... 73
ARNUITY ELLIPTA... 169	ATGAM... 140	AVAPRO... 83
AROMASIN... 48	ATIVAN... 71	AVASTIN... 49
ARRANON... 48	atomoxetine... 97	AVC VAGINAL... 22
arsenic trioxide... 48	atorvastatin... 83	AVEED... 129
ARTHROTEC 50... 10	atovaquone... 59	AVELOX IN NACL (ISO-OSMOTIC)... 22
ARTHROTEC 75... 10	atovaquone-proguanil... 59	AVELOX... 22
ARYMO ER... 10	ATRALIN... 103	aviane... 129
ARZERRA... 48	ATRIPLA... 66	avidox... 22
ASACOL HD... 148	atropine... 118, 163	
	ATROVENT HFA... 169	

AVITA... 103	AZULFIDINE... 148	BAVENCIO... 49
AVODART... 124	azurette (28)... 129	BAXDELA... 23
AVONEX (WITH ALBUMIN)... 97		BCG VACCINE, LIVE (PF)... 141
AVONEX... 97	<b>B</b>	BD ALCOHOL SWABS... 151
AVSOLA... 140	b complex 100... 177	BD AUTOSHIELD DUO PEN NEEDLE...
AVYCAZ... 22	b-complex injection... 177	151
AXIRON... 129	BACIGUENT... 163	BD ECLIPSE LUER-LOK... 151
AYGESTIN... 129	baciim... 23	BD INSULIN SYRINGE HALF UNIT...
ayuna... 129	bacitracin... 23, 163	151
AYVAKIT... 49	bacitracin-polymyxin b... 163	BD INSULIN SYRINGE MICRO-FINE...
azacitidine... 49	baclofen... 65	151
AZACTAM IN DEXTROSE (ISO-OSM)... 22	BACTRIM DS... 23	BD INSULIN SYRINGE SAFETY-LOK...
AZACTAM... 22	BACTRIM... 23	151
AZASAN... 141	BACTROBAN NASAL... 103	BD INSULIN SYRINGE SLIP TIP... 151
AZASITE... 163	BACTROBAN... 103	BD INSULIN SYRINGE U-500... 151
azathioprine sodium... 141	BAFIERTAM... 97	BD INSULIN SYRINGE ULTRA-FINE...
azathioprine... 141	BAL IN OIL... 151	152
azelaic acid... 103	bal-care dha... 111	BD INSULIN SYRINGE... 151
azelastine... 163, 169	balanced salt... 163	BD LO-DOSE MICRO-FINE IV... 152
azelastine-fluticasone... 169	BALCOLTRA... 129	BD LO-DOSE ULTRA-FINE... 152
AZELEX... 103	balsalazide... 148	BD NANO 2ND GEN PEN NEEDLE...
AZILECT... 60	BALVERSA... 49	152
azithromycin... 22	balziva (28)... 129	BD SAFETYGLIDE INSULIN
AZOPT... 163	BAND-AID GAUZE PADS... 151	SYRINGE... 152
AZOR... 83	BANZEL... 31	BD SAFETYGLIDE SYRINGE... 152
aztreonam... 23	BAQSIMI... 73	BD ULTRA-FINE MICRO PEN
AZULFIDINE EN-TABS... 148	BARACLEDE... 66	NEEDLE... 152
	BASAGLAR KWIKPEN U-100	BD ULTRA-FINE MINI PEN NEEDLE...
	INSULIN... 73	152
		BD ULTRA-FINE NANO PEN
		NEEDLE... 152

BD ULTRA-FINE ORIG PEN NEEDLE... 152	BESPONSA... 49	bimatoprost... 164
BD ULTRA-FINE SHORT PEN NEEDLE... 152	BETADINE OPHTHALMIC PREP... 163	BINOSTO... 149
BD VEO INSULIN SYR HALF UNIT... 152	betamethasone acet,sod phos... 125	BIORPHEN... 84
BD VEO INSULIN SYRINGE UF... 152	betamethasone dipropionate... 103	bisoprolol fumarate... 84
BECONASE AQ... 169	betamethasone valerate... 103	bisoprolol-hydrochlorothiazide... 84
bekyree (28)... 129	betamethasone, augmented... 103	BIVIGAM... 141
BELBUCA... 10	BETAPACE AF... 84	BLENREP... 49
BELEODAQ... 49	BETAPACE... 84	bleomycin... 49
BELSOMRA... 176	BETASERON... 97	BLEPH-10... 164
benazepril... 83	betaxolol... 84, 164	BLEPHAMIDE S.O.P.... 164
benazepril-hydrochlorothiazide... 84	bethanechol chloride... 124	BLEPHAMIDE... 164
BENDEKA... 49	BETHKIS... 23	blisovi fe 1.5/30 (28)... 130
BENICAR HCT... 84	BETIMOL... 164	blisovi fe 1/20 (28)... 130
BENICAR... 84	BETOPTIC S... 164	blisovi 24 fe... 130
BENLYSTA... 141	BEVESPI AEROSPHERE... 169	BONIVA... 149
BENTYL... 118	BEVYXXA... 79	BONJESTA... 41
BENZACLIN PUMP... 103	bexarotene... 49	BOOSTRIX TDAP... 141
BENZACLIN... 103	BEXSERO... 141	BORDERED GAUZE... 152
BENZAMYCIN... 103	BEYAZ... 129	bortezomib... 49
benznidazole... 59	bicalutamide... 49	bosentan... 169
benzphetamine... 178	BICILLIN C-R... 23	BOSULIF... 49
benztropine... 60	BICILLIN L-A... 23	BRAFTOVI... 49
BEPREVE... 163	BICNU... 49	BREO ELLIPTA... 169
BERINERT... 141	BIDIL... 84	bretylium tosylate... 84
beser... 103	BIJUVA... 130	BREVIBLOC IN NACL (ISO-OSM)... 84
BESIVANCE... 163	BIKTARVY... 66	BREVIBLOC... 84
	BILTRICIDE... 59	BREZTRI AEROSPHERE... 169
		brielllyn... 130

BRILINTA... 79	bupropion hcl (smoking deter)... 21	CALAN SR... 84
brimonidine... 164	bupropion hcl... 37, 38	CALAN... 84
BRISDELLE... 37	buspirone... 71	calcipotriene... 103
BRIVIACT... 31	busulfan... 49	calcipotriene-betamethasone... 103
bromfenac... 164	BUSULFEX... 49	calcitonin (salmon)... 149
bromocriptine... 60	butalbital compound w/codeine... 10	calcitrene... 103
BROMSITE... 164	butalbital-acetaminop-caf-cod... 10	calcitriol... 103, 149
BROVANA... 169	butalbital-acetaminophen... 10	calcium acetate(phosphat bind)... 111
BRUKINSA... 49	butalbital-acetaminophen-caff... 10	calcium chloride... 111
BRYHALI... 103	butalbital-aspirin-caffeine... 10	calcium disodium versenate... 152
BSS PLUS... 164	butorphanol... 10, 11	calcium gluc in nacl, iso-osm... 111
BSS... 164	BUTRANS... 11	calcium gluconate... 111
budesonide... 148, 169	BYDUREON BCISE... 73	CALDOLOR... 11
bumetanide... 84	BYDUREON... 73	CALQUENCE... 49
BUNAVAIL... 21	BYETTA... 73	CAMBIA... 11
bupap... 10	BYNFEZIA... 139	camila... 130
BUPHENYL... 121	BYSTOLIC... 84	CAMPTOSAR... 49
bupivacaine (pf)... 19	BYVALSON... 84	camrese lo... 130
bupivacaine... 19	<b>C</b>	camrese... 130
bupivacaine-dextrose-water(pf)... 19	c-nate dha... 111	CANASA... 148
bupivacaine-epinephrine (pf)... 19	cabergoline... 139	CANCIDAS... 42
bupivacaine-epinephrine bitart... 19	CABLIVI... 79	candesartan... 84
bupivacaine-epinephrine... 19	CABOMETYX... 49	candesartan-hydrochlorothiazid... 84
BUPRENEX... 10	CADUET... 84	CAPASTAT... 47
buprenorphine hcl... 10, 21	CAF CIT... 152	CAPEX... 103
buprenorphine... 10	CAFERGOT... 46	CAPLYTA... 62
buprenorphine-naloxone... 21	caffeine citrate... 152	

CAPRELSA... 49	CARETOUCH PEN NEEDLE... 152	cefixime... 23
captopril... 84	carisoprodol... 175	CEFOTAN... 23
captopril-hydrochlorothiazide... 84	carisoprodol-aspirin... 175	cefotaxime... 23
CARAC... 103	carisoprodol-aspirin-codeine... 175	cefotetan in dextrose, iso-osm... 23
CARAFATE... 118	carmustine... 49	cefotetan... 23
CARBAGLU... 111	CARNITOR (SUGAR-FREE)... 111	cefoxitin in dextrose, iso-osm... 23
carbamazepine... 31	CARNITOR... 111	cefoxitin... 23
CARBATROL... 31	CAROSPIR... 85	cefpodoxime... 24
carbidopa... 60	carteolol... 164	cefprozil... 24
carbidopa-levodopa... 60	cartia xt... 85	ceftazidime in d5w... 24
carbidopa-levodopa-entacapone... 60	carvedilol phosphate... 85	ceftazidime... 24
carbinoxamine maleate... 169	carvedilol... 85	ceftriaxone in dextrose,iso-os... 24
CARBOCAINE (PF)... 19	CASODEX... 49	ceftriaxone... 24
CARBOCAINE WITH NEO-COBEFRIN... 19	caspofungin... 42	cefuroxime axetil... 24
CARBOCAINE... 19	CATAPRES... 85	cefuroxime sodium... 24
carboplatin... 49	CATAPRES-TTS-1... 85	CELEBREX... 11
carboprost tromethamine... 128	CATAPRES-TTS-2... 85	celecoxib... 11
CARDIZEM CD... 85	CATAPRES-TTS-3... 85	CELESTONE SOLUSPAN... 125
CARDIZEM LA... 85	CAYSTON... 169	CELEXA... 38
CARDIZEM... 84	caziant (28)... 130	CELLCEPT INTRAVENOUS... 141
CARDURA XL... 85	cefaclor... 23	CELLCEPT... 141
CARDURA... 85	cefadroxil... 23	CELONTIN... 31
CAREFINE PEN NEEDLE... 152	cefazolin in dextrose (iso-os)... 23	CENTANY... 103
CARETOUCH ALCOHOL PREP PAD... 152	cefazolin... 23	cephalexin... 24
CARETOUCH INSULIN SYRINGE... 152	cefdinir... 23	CEQUA... 164
	cefepime in dextrose 5 %... 23	CERDELGA... 121
	cefepime in dextrose,iso-osm... 23	CEREBYX... 32
	cefepime... 23	CEREZYME... 121

CERVIDIL...	152	CHORIONIC GONADOTROPIN, HUMAN...	127	cisplatin...	49
CESAMET...	41	CIALIS...	124	citalopram...	38
cetirizine...	169	cyclodan...	42	CITRANATAL B-CALM (FE GLUC)...	
cevimeline...	101	ciclopirox...	42, 43	111	
CHANTIX CONTINUING MONTH BOX...	21	cidofovir...	66	cladribine...	49
CHANTIX STARTING MONTH BOX...	21	cilostazol...	79	CLAFORAN...	24
CHANTIX...	21	CILOXAN...	164	claravis...	103
charlotte 24 fe...	130	CIMDUO...	66	CLARINEX...	170
chateal (28)...	130	cimetidine hcl...	118	CLARINEX-D 12 HOUR...	153
chateal eq (28)...	130	cimetidine...	118	clarithromycin...	24
CHEMET...	111	CIMZIA POWDER FOR RECONST...		clemastine...	170
CHENODAL...	118	141		CLENPIQ...	118
chloramphenicol sod succinate...	24	CIMZIA STARTER KIT...	141	CLEOCIN HCL...	24
chlordiazepoxide hcl...	71	CIMZIA...	141	CLEOCIN IN 5 % DEXTROSE...	25
chlorhexidine gluconate...	101	cinacalcet...	149	CLEOCIN PEDIATRIC...	25
chlorprocaine (pf)...	19	CINQAIR...	169	CLEOCIN T...	104
chloroquine phosphate...	59	CINRYZE...	141	CLEVIPREX...	85
chlorothiazide sodium...	85	CINVANTI...	152	CLICKFINE PEN NEEDLE...	153
chlorothiazide...	85	CIPRO HC...	167	CLIMARA PRO...	130
chlorpromazine...	62	CIPRO...	24	CLIMARA...	130
chlorpropamide...	73	CIPRODEX...	167	clindacin etz...	104
chlorthalidone...	85	ciprofloxacin (mixture)...	24	clindacin p...	104
chlorzoxazone...	175	ciprofloxacin hcl...	24, 164, 167	CLINDAGEL...	104
CHOLBAM...	121	ciprofloxacin in 5 % dextrose...	24	clindamycin hcl...	25
cholestyramine (with sugar)...	85	ciprofloxacin...	24	clindamycin in 0.9 % sod chlor...	25
cholestyramine light...	85	ciprofloxacin-dexamethasone...		clindamycin in 5 % dextrose...	25
		167		clindamycin palmitate hcl...	25
		ciprofloxacin-fluocinolone...	167		

clindamycin pediatric... 25	CLINIMIX	COARTEM... 59
clindamycin phosphate... 25, 104	5%-D20W(SULFITE-FREE)... 112	codeine sulfate... 11
clindamycin-benzoyl peroxide... 104	CLINIMIX 5%/D15W SULFITE FREE... 111	codeine-butalbital-asa-caff... 11
clindamycin-tretinoin... 104	CLINIMIX 5%/D25W SULFITE-FREE... 111	COGENTIN... 60
CLINDESSE... 25	CLINISOL SF 15 %... 112	COLAZAL... 148
CLINIMIX E 2.75%/D10W SULF FREE... 112	CLINOLIPID... 112	colesevelam... 85
CLINIMIX E 2.75%/D5W SULF FREE... 112	clobazam... 32	COLESTID FLAVORED... 85
CLINIMIX E 4.25%/D10W SULF FREE... 112	clobetasol... 104	COLESTID... 85
CLINIMIX E 4.25%/D25W SULF FREE... 112	clobetasol-emollient... 104	colestipol... 85
CLINIMIX E 4.25%/D5W SULF FREE... 112	CLOBEX... 104	colistin (colistimethate na)... 25
CLINIMIX E 5%/D15W SULFIT FREE... 112	clocortolone pivalate... 104	colocort... 148
CLINIMIX E 5%/D20W SULFIT FREE... 112	clodan... 104	COLY-MYCIN M PARENTERAL... 25
CLINIMIX E 5%/D25W SULFIT FREE... 112	CLODERM... 104	COLY-MYCIN S... 167
CLINIMIX E 5%/D5W SULFIT FREE... 112	clofarabine... 49	COLYTE WITH FLAVOR PACKS... 118
CLINIMIX 4.25%-D20W SULF-FREE... 112	CLOLAR... 49	COMBIGAN... 164
CLINIMIX 4.25%-D25W SULF-FREE... 112	clomipramine... 38	COMBIPATCH... 130
CLINIMIX 4.25%-D5W SULFIT FREE... 112	clonazepam... 71	COMBIVENT RESPIMAT... 170
CLINIMIX 4.25%-D20W SULF-FREE... 112	clonidine hcl... 85, 97	COMBIVIR... 66
CLINIMIX 4.25%-D25W SULF-FREE... 112	clonidine... 85	COMETRIQ... 50
CLINIMIX 4.25%/D10W SULF FREE... 112	clopidogrel... 79	COMFORT EZ INSULIN SYRINGE... 153
CLINIMIX 4.25%/D5W SULFIT FREE... 112	clorazepate dipotassium... 71	COMFORT EZ PEN NEEDLES... 153
CLINIMIX 4.25%-D15W SULF-FREE... 112	CLOROTEKAL... 19	COMPazine... 41
CLINIMIX 4.25%-D20W SULF-FREE... 112	clotrimazole... 43	COMPLERA... 66
CLINIMIX 4.25%-D25W SULF-FREE... 112	clotrimazole-betamethasone... 43	complete natal dha... 112
CLINIMIX 4.25%-D5W SULF-FREE... 112	clovique... 112	compro... 41
CLINIMIX 4.25%-D15W SULF-FREE... 112	clozapine... 62	COMTAN... 60
CLINIMIX 4.25%-D20W SULF-FREE... 112	CLOZARIL... 62	CONCERTA... 97

CONDYLOX...	104	COSOPT (PF)...	164	cyclophosphamide...	50
constulose...	118	COSOPT...	164	cycloserine...	47
CONTRAVE...	178	COTELLIC...	50	CYCLOSET...	73
CONZIP...	11	COTEMPLA XR-ODT...	97	cyclosporine modified...	141
COPAXONE...	97	COUMADIN...	79	cyclosporine...	141
COPIKTRA...	50	COZAAR...	86	CYKLOKAPRON...	79
CORDRAN TAPE LARGE ROLL...	105	CREON...	122	CYMBALTA...	38
CORDRAN...	104, 105	CRESEMBOL...	43	ciproheptadine...	170
COREG CR...	86	CRESTOR...	86	CYRAMZA...	50
COREG...	85	CRINONE...	130	cyred eq...	130
coremino...	25	CRIXIVAN...	66	cyred...	130
CORGARD...	86	cromolyn...	164, 170	CYSTADANE...	122
CORLANOR...	86	crotan...	105	CYSTADROPS...	164
CORLOPAM...	86	cryselle (28)...	130	CYSTAGON...	122
cormax...	105	CRYSVITA...	122	CYSTARAN...	164
CORTEF...	105	CUBICIN RF...	25	cytarabine (pf)...	50
CORTENEMA...	148	CUBICIN...	25	cytarabine...	50
CORTIFOAM...	148	CUPRIMINE...	112	CYTOGAM...	141
cortisone...	125	CURITY ALCOHOL SWABS...	153	CYTOMEL...	138
CORTISPORIN...	105	CURITY GAUZE...	153	CYTOTEC...	118
CORTISPORIN-TC...	167	CUTAQUIG...	141	CYTOVENE...	66
CORVERT...	86	CUTIVATE...	105	<b>D</b>	
CORZIDE...	86	CUVPOSA...	118	D.H.E.45...	46
COSENTYX (2 SYRINGES)...	141	cyanocobalamin (vitamin b-12)...		dacarbazine...	50
COSENTYX PEN (2 PENS)...	141	177		DACOGEN...	50
COSENTYX PEN...	141	cyclafem 1/35 (28)...	130	dactinomycin...	50
COSENTYX...	141	cyclafem 7/7/7 (28)...	130	DAKLINZA...	66
COSMEGEN...	50	cyclobenzaprine...	175	dalfampridine...	97

DALIRESP... 170	DEFITELIO... 153	DESCOVY... 66
DALVANCE... 25	DELESTROGEN... 130	DESFERAL... 113
danazol... 130	DELSTRIGO... 66	desipramine... 38
DANTRIUM... 65	DELZICOL... 148	desloratadine... 170
dantrolene... 65	DEMADEX... 86	desmopressin... 127
dapsone... 47, 105	demeclocycline... 25	desog-e.estradiol/e.estriadiol... 130
ADAPTACEL (DTAP PEDIATRIC) (PF)... 142	DEMEROL (PF)... 11	desogestrel-ethinyl estradiol... 130
daptomycin... 25	DEMEROL... 11	DESONATE... 105
DARAPRIM... 59	DEMSEER... 86	desonide... 105
darifenacin... 124	DENAVIR... 66	DESOWEN... 105
DARZALEX FASPRO... 50	DEPACON... 32	desoximetasone... 105
DARZALEX... 50	DEPAKENE... 32	DESOXYN... 97
dasetta 1/35 (28)... 130	DEPAKOTE ER... 32	desvenlafaxine succinate... 38
dasetta 7/7/7 (28)... 130	DEPAKOTE SPRINKLES... 32	desvenlafaxine... 38
daunorubicin... 50	DEPAKOTE... 32	DETROL LA... 124
DAURISMO... 50	DEPEN TITRATABS... 112	DETROL... 124
DAYPRO... 11	DEPO-ESTRADIOL... 130	dexabli... 125
daysee... 130	DEPO-MEDROL... 125	dexamethasone intensol... 125
DAYTRANA... 97	DEPO-PROVERA... 130	dexamethasone sodium phos (pf)... 125
DAYVIGO... 176	DEPO-SUBQ PROVERA 104... 130	dexamethasone sodium phosphate... 125, 164
DDAVP... 127	DEPO-TESTOSTERONE... 130	dexamethasone... 125
deblitane... 130	DERMA-SMOOTH/FS BODY OIL... 105	dexchlorpheniramine maleate... 170
decadron... 125	DERMA-SMOOTH/FS SCALP OIL... 105	DEXEDRINE SPANSULE... 97
decitabine... 50	DERMACEA... 153	DEXILANT... 118
deferasirox... 112	DERMATOP... 105	dexamethylphenidate... 97, 98
deferiprone... 112	DERMOTIC OIL... 167	DEXPAK 10 DAY... 125
deferoxamine... 112		

DEXPAK 13 DAY...	125	diazepam...	32, 71	diltiazem hcl...	86
DEXPAK 6 DAY...	126	diazoxide...	73	dimenhydrinate...	41
dexrazoxane hcl...	50	DIBENZYLINE...	86	DIOVAN HCT...	86
DEXTENZA...	164	DICLEGIS...	41	DIOVAN...	86
dextroamphetamine...	98	diclofenac epolamine...	11	DIPENTUM...	148
dextroamphetamine-amphetamine...	98	diclofenac potassium...	11	diphen...	170
dextrose 10 % and 0.2 % nacl...	113	diclofenac sodium...	11, 105, 164	diphenhydramine hcl...	170
dextrose 10 % in water (d10w)...	113	diclofenac-misoprostol...	11	diphenoxylate-atropine...	118
dextrose 20 % in water (d20w)...	113	dicloxacillin...	25	DIPROLENE...	105
dextrose 25 % in water (d25w)...	113	dicyclomine...	118	dipyridamole...	79
dextrose 30 % in water (d30w)...	113	didanosine...	66	disopyramide phosphate...	86
dextrose 40 % in water (d40w)...	113	diethylpropion...	178	disulfiram...	21
dextrose 5 % in water (d5w)...	113	DIFFERIN...	105	DITROPAN XL...	124
dextrose 5 %-lactated ringers...	113	DIFCID...	25	DIURIL IV...	86
dextrose 5%-0.2 % sod chloride...	113	diflorasone...	105	DIURIL...	86
dextrose 5%-0.3 % sod.chloride...	113	DIFLUCAN...	43	divalproex...	32
dextrose 50 % in water (d50w)...	113	diflunisal...	11	DIVIGEL...	131
dextrose 70 % in water (d70w)...	113	digitek...	86	dobutamine in d5w...	87
DIASTAT ACUDIAL...	32	digox...	86	dobutamine...	86
DIASTAT...	32	digoxin...	86	DOCEFREZ...	50
diazepam intensol...	71	dihydroergotamine...	46	docetaxel...	50
		DILANTIN EXTENDED...	32	dofetilide...	87
		DILANTIN INFATABS...	32	DOJOLVI...	153
		DILANTIN...	32	DOLOPHINE...	12
		DILANTIN-125...	32	donepezil...	36
		DILATRATE-SR...	86	dopamine in 5 % dextrose...	87
		DILAUDID...	11	dopamine...	87
		dilt-xr...	86	DOPRAM...	170

DOPTELET (10 TAB PACK)... 79	DROPLET INSULIN SYR HALF UNIT... 153	DUZALLO... 45
DOPTELET (15 TAB PACK)... 79	DROPLET INSULIN SYRINGE... 153	dvorah... 12
DOPTELET (30 TAB PACK)... 79	DROPLET MICRON PEN NEEDLE... 153	DXEVO... 126
doripenem... 25	DROPLET PEN NEEDLE... 153	DYANAVEL XR... 98
DORYX MPC... 25	DROPSAFE PEN NEEDLE... 153	DYAZIDE... 87
DORYX... 25	drospirenone-e.estradiol-lm.fa... 131	DYMISTA... 170
dorzolamide... 164	drospirenone-ethinyl estradiol... 131	DYRENIUM... 87
dorzolamide-timolol (pf)... 164	DROXIA... 154	d10 %-0.45 % sodium chloride... 112
dorzolamide-timolol... 164	DUAKLIR PRESSAIR... 170	d2.5 %-0.45 % sodium chloride... 112
dothelle dha... 113	DUAVEE... 131	d5 % and 0.9 % sodium chloride... 112
dotti... 131	DUET DHA WITH OMEGA-3... 113	d5 %-0.45 % sodium chloride... 112
DOVATO... 66	DUETACT... 73	<b>E</b>
DOVONEX... 105	DUEXIS... 12	E.E.S. GRANULES... 26
doxazosin... 87	DULERA... 170	E.E.S. 400... 26
doxepin... 71, 105, 176	duloxetine... 38	EASY COMFORT ALCOHOL PAD... 154
doxercalciferol... 149	DUOBRII... 106	EASY COMFORT INSULIN SYRINGE... 154
DOXIL... 50	DUOPA... 60	EASY COMFORT PEN NEEDLES... 154
doxorubicin... 50	DUPIXENT PEN... 142	EASY GLIDE INSULIN SYRINGE... 154
doxorubicin, peg-liposomal... 50	DUPIXENT SYRINGE... 142	EASY GLIDE PEN NEEDLE... 154
doxy-100... 25	DURAGESIC... 12	EASY TOUCH ALCOHOL PREP PADS... 154
doxycycline hyclate... 25, 26	DURAMORPH (PF)... 12	EASY TOUCH FLIPLOCK INSULIN... 154
doxycycline monohydrate... 26	DUREZOL... 164	EASY TOUCH INSULIN SAFETY SYR... 154
doxylamine-pyridoxine (vit b6)... 41	DURYSTA... 164	
DRISDOL... 177	dutasteride... 124	
DRIZALMA SPRINKLE... 38	dutasteride-tamsulosin... 124	
dronabinol... 41	DUTOPROL... 87	
droperidol... 62		

EASY TOUCH INSULIN SYRINGE... 154	electrolyte-48 in d5w... 113	EMFLAZA... 126
EASY TOUCH LUER LOCK INSULIN... 154	ELELYSO... 122	EMGALITY PEN... 46
EASY TOUCH PEN NEEDLE... 154	ELESTAT... 164	EMGALITY SYRINGE... 46
EASY TOUCH SAFETY PEN NEEDLE... 154	ELESTRIN... 131	emoquette... 131
EASY TOUCH SHEATHLOCK INSULIN... 155	eletriptan... 46	EMPILICITI... 51
EASY TOUCH UNI-SLIP... 155	ELIDEL... 106	EMSAM... 38
EASY TOUCH... 154	ELIGARD (3 MONTH)... 139	emtricitabine... 67
EC-NAPROSYN... 12	ELIGARD (4 MONTH)... 139	EMTRIVA... 67
ec-naproxen... 12	ELIGARD (6 MONTH)... 139	emverm... 59
econazole... 43	ELIGARD... 139	ENABLEX... 124
EDARBI... 87	ELIMITE... 106	enalapril maleate... 87
EDARBYCLOR... 87	elinest... 131	enalapril-hydrochlorothiazide... 87
EDECRIN... 87	ELIQUIS DVT-PE TREAT 30D START... 80	enalaprilat... 87
EDLUAR... 176	ELIQUIS... 80	ENBREL MINI... 142
EDURANT... 66	ELITEK... 50	ENBREL SURECLICK... 142
efavirenz... 66, 67	ELIXOPHYLLIN... 170	ENBREL... 142
efavirenz-lamivu-tenofovir disop... 67	ELLA... 131	ENDARI... 118
EFFEXOR XR... 38	ELLENCE... 50	endocet... 12
EFFIENT... 80	ELMIRON... 124	ENDOMETRIN... 131
EFUDEX... 106	ELOCON... 106	ENGERIX-B (PF)... 142
EGATEN... 59	eluryng... 131	ENGERIX-B PEDIATRIC (PF)... 142
EGRIFTA SV... 127	ELZONRIS... 50	ENHERTU... 51
EGRIFTA... 127	EMADINE... 164	enoxaparin... 80
ELAPRASE... 122	EMBEDA... 12	enpresse... 131
	EMCYT... 51	enskyce... 131
	EMEND (FOSAPREPITANT)... 41	ENSPRYNG... 142
	EMEND... 41	ENSTILAR... 106
		entacapone... 60

entecavir... 67	EQUETRO... 32	ESGIC... 12
ENTOCORT EC... 148	ERAXIS(WATER DILUENT)... 43	esmolol in nacl (iso-osm)... 87
ENTRESTO... 87	ERBITUX... 51	esmolol... 87
ENTYVIO... 142	ergocalciferol (vitamin d2)... 177	esomeprazole magnesium... 118
enulose... 118	ergoloid... 36	esomeprazole sodium... 118
ENVARSUS XR... 142	ERGOMAR... 46	esomeprazole strontium... 118
EPANED... 87	ergotamine-caffeine... 46	estarrylla... 131
EPCLUSA... 67	ERIVEDGE... 51	estazolam... 176
EPIDIOLEX... 32	ERLEADA... 51	ESTRACE... 131
EPIDUO FORTE... 106	erlotinib... 51	estradiol valerate... 131
EPIDUO... 106	errin... 131	estradiol... 131
EPIFOAM... 106	ERTACZO... 43	estradiol-norethindrone acet... 131
epinastine... 164	ertapenem... 26	ESTRING... 131
epinephrine... 170	ERWINAZE... 51	ESTROGEL... 131
EPIPEN JR 2-PAK... 170	ery pads... 106	ESTROSTEP FE-28... 131
EPIPEN JR... 170	ERY-TAB... 26	eszopiclone... 176
EPIPEN 2-PAK... 170	ERYGEL... 106	ethacrynone sodium... 87
EPIPEN... 170	ERYPED 200... 26	ethacrynic acid... 87
epirubicin... 51	ERYPED 400... 26	ethambutol... 47
epitol... 32	ERYTHROCIN (AS STEARATE)... 26	ethosuximide... 32
EPIVIR HBV... 67	ERYTHROCIN... 26	ethynodiol diac-eth estradiol... 131
EPIVIR... 67	erythromycin ethylsuccinate... 26	ETHYOL... 51
eplerenone... 87	erythromycin with ethanol... 106	etidronate disodium... 149
EPOGEN... 80	erythromycin... 26, 164	etodolac... 12
epoprostenol (glycine)... 170	erythromycin-benzoyl peroxide... 106	etonogestrel-ethinyl estradiol... 131
eprosartan... 87	ESBRIET... 170	ETOPOPHOS... 51
eftifibatide... 80	escitalopram oxalate... 38	etoposide... 51
EPZICOM... 67		EUCRISA... 106

EURAX... 106	FABIOR... 106	fenofibric acid (choline)... 88
EUTHYROX... 138	FABRAZYME... 122	fenofibric acid... 88
EVAMIST... 131	falmina (28)... 132	FENOGLIDE... 88
EVEKEO ODT... 98	famciclovir... 67	fenoprofen... 12
EVEKEO... 98	famotidine (pf)... 119	FENSOLVI... 139
EVENITY... 149	famotidine (pf)-nacl (iso-os)... 119	fentanyl citrate (pf)... 12
everolimus (immunosuppressive)... 142	famotidine... 118, 119	fentanyl citrate... 12
EVISTA... 132	FANAPT... 62	fentanyl... 12
EVOCLIN... 106	FARESTON... 51	FENTORA... 13
EVOMELA... 51	FARXIGA... 73	FERRIPROX (2 TIMES A DAY)... 113
EVOTAZ... 67	FARYDAK... 51	FERRIPROX... 113
EVOXAC... 101	FASENRA PEN... 170	FETROJA... 26
EVZIO... 21	FASENRA... 170	FETZIMA... 38
EXALGO ER... 12	FASLODEX... 51	FEXMID... 175
EXEL INSULIN... 155	fayosim... 132	FIASP FLEXTOUCH U-100 INSULIN... 73
EXELDERM... 43	FAZACLO... 62, 63	FIASP PENFILL U-100 INSULIN... 73
EXELON... 36	febuxostat... 45	FIASP U-100 INSULIN... 73
exemestane... 51	felbamate... 32	FIBRICOR... 88
EXFORGE HCT... 87	FELBATOL... 32	FINACEA... 106
EXFORGE... 87	FELDENE... 12	finasteride... 124
EXJADE... 113	felodipine... 88	FINTEPLA... 32
EXTAVIA... 98	FEMARA... 51	FIORICET WITH CODEINE... 13
EXTINA... 43	FEMHRT LOW DOSE... 132	fioricet... 13
EZALLOR SPRINKLE... 87	FEMRING... 132	FIORINAL... 13
ezetimibe... 88	femynor... 132	FIORINAL-CODEINE #3... 13
ezetimibe-simvastatin... 88	fenofibrate micronized... 88	FIRAZYR... 142
<b>F</b>		
	fenofibrate nanocrystallized... 88	FIRDAPSE... 98
	fenofibrate... 88	

FIRMAGON KIT W DILUENT SYRINGE...	139	fluocinonide... 106 fluocinonide-e... 106 fluocinonide-emollient... 106	FORFIVO XL... 38 FORTAMET... 73 FORTAZ... 26
FIRMAGON...	139	fluorometholone... 165	FORTEO... 149
FIRVANQ...	26	FLUOROPLEX... 106	FORTESTA... 132
flac otic oil...	167	fluorouracil... 51, 107	FOSAMAX PLUS D... 149
FLAGYL...	26	fluoxetine... 38	FOSAMAX... 149
FLAREX...	164	fluphenazine decanoate... 63	fosamprenavir... 67
flavoxate...	124	fluphenazine hcl... 63	fosaprepitant... 41
FLEBOGAMMA DIF...	142	flurandrenolide... 107	FOSCAVIR... 67
flecainide...	88	flurazepam... 176	fosinopril... 88
FLECTOR...	13	flurbiprofen sodium... 165	fosinopril-hydrochlorothiazide... 88
FLOLIPID...	88	flurbiprofen... 13	fosphenytoin... 32
FLOMAX...	124	flutamide... 51	FOSRENOL... 113
FLOVENT DISKUS...	171	fluticasone propion-salmeterol... 171	FRAGMIN... 80
FLOVENT HFA...	171	fluticasone propionate... 107, 171	FREAMINE HBC 6.9 %... 113
fluxuridine...	51	fluvastatin... 88	FREAMINE III 10 %... 113
fluconazole in dextrose(iso-o)... 43		fluvoxamine... 38	FREESTYLE PRECISION... 155
fluconazole in nacl (iso-osm)... 43		FML FORTE... 165	FROVA... 46
fluconazole...	43	FML LIQUIFILM... 165	frovatriptan... 46
flucytosine...	43	FML S.O.P.... 165	FULPHILA... 80
fludarabine...	51	FOCALIN XR... 98	fulvestrant... 51
fludrocortisone...	126	FOCALIN... 98	FURADANTIN... 26
FLUMADINE...	67	folic acid... 177	furosemide... 88
flumazenil...	155	FOLOTYN... 51	FUSILEV... 51
flunisolide...	171	fomepizole... 155	FUZEON... 67
fluocinolone acetonide oil...	168	fondaparinux... 80	fyavolv... 132
fluocinolone and shower cap...	106		FYCOMPA... 32
fluocinolone...	106		

**G**

- gabapentin... 32, 33  
GABITRIL... 33  
GALAFOLD... 122  
galantamine... 37  
GAMASTAN S/D... 142  
GAMASTAN... 142  
GAMMAGARD LIQUID... 142  
GAMMAGARD S-D (IGA < 1 MCG/ML)... 142  
GAMMAKED... 142  
GAMMAPLEX (WITH SORBITOL)... 142  
GAMMAPLEX... 142  
GAMUNEX-C... 142  
ganciclovir sodium... 67  
GARDASIL 9 (PF)... 142  
GASTROCROM... 171  
gatifloxacin... 165  
GATTEX ONE-VIAL... 119  
GATTEX 30-VIAL... 119  
GAUZE BANDAGE... 155  
GAUZE PAD... 155  
gavilyte-c... 119  
gavilyte-g... 119  
gavilyte-n... 119  
GAVRETO... 51  
GAZYVA... 51  
GELNIQUE... 124  
gemcitabine... 51  
gemfibrozil... 88  
GEMZAR... 51  
GENERESS FE... 132  
generlac... 119  
gengraf... 143  
GENOTROPIN MINIQUICK... 128  
GENOTROPIN... 127  
gentak... 165  
gentamicin in nacl (iso-osm)... 26  
gentamicin sulfate (ped) (pf)... 26  
gentamicin sulfate (pf)... 26  
gentamicin... 26, 165  
GENVOYA... 67  
GEODON... 63  
gianvi (28)... 132  
GILENYA... 98  
GILOTrif... 51  
GIVLAARI... 155  
GLASSIA... 122  
glatiramer... 98  
glatopa... 98  
GLEEVEC... 52  
glimepiride... 73  
glipizide... 73  
glipizide-metformin... 73  
GLOPERBA... 45  
GLUCAGEN HYPOKIT... 73  
GLUCAGON (HCL) EMERGENCY KIT... 73  
GLUCAGON EMERGENCY KIT (HUMAN)... 74  
GLUCOPHAGE XR... 74  
GLUCOPHAGE... 74  
GLUCOTROL XL... 74  
GLUCOTROL... 74  
GLUMETZA... 74  
glyburide micronized... 74  
glyburide... 74  
glyburide-metformin... 74  
GLYCATE... 119  
GLYCOPHOS... 113  
glycopyrrolate (pf) in water... 119  
glycopyrrolate... 119  
glydo... 19  
GLYNASE... 74  
GLYSET... 74  
GLYXAMBI... 74  
GOCOVRI... 60  
GOLYTELY... 119  
GONITRO... 88  
GRALISE 30-DAY STARTER PACK... 98  
GRALISE... 98  
granisetron (pf)... 41  
granisetron hcl... 41  
GRANIX... 80

GRASTEK... 171	HEALTHWISE INSULIN SYRINGE... 155	HUMALOG MIX 50-50 INSULN U-100... 74
griseofulvin microsize... 43	HEALTHWISE PEN NEEDLE... 155	HUMALOG MIX 50-50 KWIKPEN... 74
griseofulvin ultramicrosize... 43	HEALTHY ACCENTS UNIFINE PENTIP... 155	HUMALOG MIX 75-25 KWIKPEN... 74
guanfacine... 88, 98	heather... 132	HUMALOG MIX 75-25(U-100)INSULN... 74
guanidine... 47	HECTOROL... 149	HUMALOG U-100 INSULIN... 74
GVOKE HYPOOPEN 1-PACK... 74	helidac... 119	HUMAPEN LUXURA HD... 155
GVOKE HYPOOPEN 2-PACK... 74	HEMABATE... 128	HUMATROPE... 128
GVOKE PFS 1-PACK SYRINGE... 74	HEMADY... 126	HUMIRA PEDIATRIC CROHNS START... 143
GVOKE PFS 2-PACK SYRINGE... 74	HEMANGEOL... 88	HUMIRA PEN CROHNS-UC-HS START... 143
gynazole-1... 43	hemenatal ob + dha... 113	HUMIRA PEN PSOR-UVEITS-ADOL HS... 143
<b>H</b>		
HAEGARDA... 143	heparin (porcine)... 80	HUMIRA PEN... 143
hailey fe 1.5/30 (28)... 132	heparin, porcine (pf)... 80, 81	HUMIRA... 143
hailey fe 1/20 (28)... 132	HEPATAMINE 8%... 113	HUMIRA(CF) PEDI CROHNS STARTER... 143
hailey 24 fe... 132	HEPSERA... 67	HUMIRA(CF) PEN CROHNS-UC-HS... 143
hailey... 132	HERCEPTIN HYLECTA... 52	HUMIRA(CF) PEN PSOR-UV-ADOL HS... 143
HALAVEN... 52	HERCEPTIN... 52	HUMIRA(CF) PEN... 143
halcinonide... 107	HERZUMA... 52	HUMIRA(CF)... 143
HALCION... 176	HETLIOZ... 176	HUMULIN N NPH INSULIN KWIKPEN... 75
HALDOL DECANOATE... 63	HIBERIX (PF)... 143	HUMULIN N NPH U-100 INSULIN... 75
HALDOL... 63	hidex... 126	HUMULIN R REGULAR U-100 INSULN... 75
halobetasol propionate... 107	HIPREX... 27	
HALOG... 107	HIZENTRA... 143	
haloperidol decanoate... 63	HORIZANT... 98	
haloperidol lactate... 63	HUMALOG JUNIOR KWIKPEN U-100... 74	
haloperidol... 63	HUMALOG KWIKPEN INSULIN... 74	
HARVONI... 67		
HAVRIX (PF)... 143		

HUMULIN R U-500 (CONC)	hydroxyprogesterone cap(ppres)...	ILUMYA... 143
INSULIN... 75	132	imatinib... 52
HUMULIN R U-500 (CONC)	hydroxyprogesterone caproate...	IMBRUVICA... 52
KWIKPEN... 75	132	IMFINZI... 52
HUMULIN 70/30 U-100 INSULIN...	hydroxyurea... 52	imipenem-cilastatin... 27
75	hydroxyzine hcl... 72	imipramine hcl... 39
HUMULIN 70/30 U-100 KWIKPEN...	hydroxyzine pamoate... 171	imipramine pamoate... 39
75	HYPERRAB (PF)... 143	imiquimod... 107
HYCAMTIN... 52	HYPERRAB S/D (PF)... 143	IMITREX STATDOSE PEN... 46
hydralazine... 88	HYPERTET S/D (PF)... 143	IMITREX STATDOSE REFILL... 46
HYDREA... 52	HYSINGLA ER... 13	IMITREX... 46
hydrochlorothiazide... 88	HYZAAR... 89	IMLYGIC... 52
hydrocodone bitartrate... 13	<b>I</b>	IMOGRAM RABIES-HT (PF)... 143
hydrocodone-acetaminophen... 13	ibandronate... 149	IMOVAX RABIES VACCINE (PF)... 143
hydrocodone-ibuprofen... 13	IBRANCE... 52	IMPAVIDO... 59
hydrocortisone butyr-emollient...	ibu... 14	IMPOYZ... 107
107	IBUDONE... 14	IMURAN... 143
hydrocortisone butyrate... 107	ibuprofen... 14	INBRIJA... 60
hydrocortisone valerate... 107	ibuprofen-oxycodone... 14	incassia... 132
hydrocortisone... 107, 148	ibutilide fumarate... 89	INCONTROL ALCOHOL PADS... 155
hydrocortisone-acetic acid... 168	icatibant... 143	INCONTROL PEN NEEDLE... 155
hydrocortisone-min oil-wht pet...	ICLUSIG... 52	INCRELEX... 128
107	IDAMYCIN PFS... 52	INCRUSE ELLIPTA... 171
hydromorphone (pf)... 13	idarubicin... 52	indapamide... 89
hydromorphone... 13	IDHIFA... 52	INDERAL LA... 89
hydroxocobalamin... 177	IFEX... 52	INDOCIN... 14
hydroxychloroquine... 59	ifosfamide... 52	indomethacin sodium... 14
hydroxyprogest(pf)(preg presv)...	ILEVRO... 165	indomethacin... 14
132		

INFANRIX (DTAP) (PF)... 144	INTELENCE... 67	isochron... 89
INFLECTRA... 144	INTERMEZZO... 176	ISOLYTE S PH 7.4... 113
INFUGEM... 52	INTRALIPID... 113	ISOLYTE-P IN 5 % DEXTROSE... 113
INFUMORPH P/F... 14	INTRON A... 144	ISOLYTE-S... 113
INFUVITE ADULT... 177	introvale... 132	isoniazid... 47
INFUVITE PEDIATRIC... 177	INTUNIV ER... 99	ISOPTO CARPINE... 165
INGREZZA INITIATION PACK... 99	INVANZ... 27	ISORDIL TITRADOSE... 89
INGREZZA... 98	INVEGA SUSTENNA... 63	ISORDIL... 89
INLYTA... 52	INVEGA TRINZA... 63	isosorbide dinitrate... 89
INNOPRAN XL... 89	INVEGA... 63	isosorbide mononitrate... 89
INQOVI... 52	INVELTYS... 165	isotretinoin... 107
INREBIC... 52	INVIRASE... 67	isradipine... 89
INSPRA... 89	INVOKAMET XR... 75	ISTALOL... 165
INSULIN ASP PRT-INSULIN ASPART... 75	INVOKAMET... 75	ISTODAX... 53
INSULIN ASPART U-100... 75	INVOKANA... 75	ISTURISA... 156
INSULIN LISPRO PROTAMIN-LISPRO... 75	IONOSOL-B IN D5W... 113	ISUPREL... 89
INSULIN LISPRO... 75	IONOSOL-MB IN D5W... 113	itraconazole... 43
INSULIN SYR/NDL U100 HALF MARK... 155	IOPIDINE... 165	IV PREP WIPES... 156
INSULIN SYRINGE MICROFINE... 155	IPOL... 144	ivermectin... 59, 107
INSULIN SYRINGE NEEDLELESS... 155	ipratropium bromide... 171	IXEMPRA... 53
INSULIN SYRINGE... 155	ipratropium-albuterol... 171	IXIARO (PF)... 144
INSULIN SYRINGE-NEEDLE U-100... 156	irbesartan... 89	J
INSUPEN... 156	irbesartan-hydrochlorothiazide... 89	JADENU SPRINKLE... 114
INTEGRILIN... 81	IRESSA... 53	JADENU... 113
	irinotecan... 53	jaimiess... 132
	ISENTRESS HD... 67	JAKAFI... 53
	ISENTRESS... 67	JALYN... 124
	isibloom... 132	jantoven... 81

JANUMET XR... 75	KADIAN... 14	KEVEYIS... 122
JANUMET... 75	kaitlib fe... 132	KEVZARA... 144
JANUVIA... 75	KALETRA... 67, 68	KEYTRUDA... 53
JARDIANCE... 75	kalliga... 132	KHAPZORY... 53
jasmiel (28)... 132	KALYDECO... 171	KHEDEZLA... 39
jencycla... 132	KANJINTI... 53	KINERET... 144
JENTADUETO XR... 75	KANUMA... 122	KINRIX (PF)... 144
JENTADUETO... 75	KAPSPARGO SPRINKLE... 89	kionex (with sorbitol)... 114
jevantique lo... 132	KAPVAY... 99	KISQALI FEMARA CO-PACK... 53
JEVTANA... 53	KARBINAL ER... 171	KISQALI... 53
jintel... 132	kariva (28)... 133	KITABIS PAK... 27
jolessa... 132	KATERZIA... 89	KLARON... 27
jolivette... 132	KAZANO... 76	KLONOPIN... 72
JORNAY PM... 99	KEDRAB (PF)... 144	klor-con m10... 114
JUBLIA... 43	KEFLEX... 27	KLOR-CON M15... 114
juleber... 132	kelnor 1-50... 133	klor-con m20... 114
JULUCA... 67	kelnor 1/35 (28)... 133	KLOR-CON 10... 114
junel fe 1.5/30 (28)... 132	KENALOG... 126	KLOR-CON 8... 114
junel fe 1/20 (28)... 132	KENALOG-80... 126	klor-con... 114
junel fe 24... 132	KENGREAL... 81	KOMBIGLYZE XR... 76
junel 1.5/30 (21)... 132	KEPIVANCE... 101	KORLYM... 156
junel 1/20 (21)... 132	KEPPRA XR... 33	KOSELUGO... 53
JUXTAPID... 89	KEPPRA... 33	KOSHER PRENATAL PLUS IRON...
JYNARQUE... 114	KERYDIN... 43	114
<b>K</b>		
K-TAB... 114	ketoconazole... 43, 44	KRINTAFEL... 59
KABIVEN... 114	ketodan... 44	KRISTALOSE... 119
KADCYLA... 53	ketoprofen... 14	kurvelo (28)... 133
	ketorolac... 14, 165	KUVAN... 122

KYNMOBI... 60	LANOXIN PEDIATRIC... 89	LETAIRIS... 171
KYPROLIS... 53	LANOXIN... 89	letrozole... 53
<b>L</b>	lansoprazole... 119	leucovorin calcium... 53
Inorgest/e.estradiol-e.estrad...	lanthanum... 114	LEUKERAN... 53
labetalol... 89	LANTUS SOLOSTAR U-100	LEUKINE... 81
LACRISERT... 165	INSULIN... 76	leuprolide... 139
lactated ringers... 114, 156	LANTUS U-100 INSULIN... 76	levalbuterol hcl... 171
lactulose... 119	larin fe 1.5/30 (28)... 133	levalbuterol tartrate... 171
LAMICTAL ODT STARTER (BLUE)... 33	larin fe 1/20 (28)... 133	LEVAQUIN... 27
LAMICTAL ODT STARTER (GREEN)... 33	larin 1.5/30 (21)... 133	LEVEMIR FLEXTOUCH U-100
LAMICTAL ODT STARTER (ORANGE)... 33	larin 1/20 (21)... 133	INSULN... 76
LAMICTAL ODT... 33	larin 24 fe... 133	LEVEMIR U-100 INSULIN... 76
LAMICTAL STARTER (BLUE) KIT... 33	larissia... 133	levetiracetam in nacl (iso-os)... 34
LAMICTAL STARTER (GREEN) KIT... 33	LARTRUVO... 53	levetiracetam... 34
LAMICTAL STARTER (ORANGE) KIT... 33	LASIX... 89	LEVO-T... 138
LAMICTAL XR STARTER (BLUE)... 33	LASTACAFT... 165	levobunolol... 165
LAMICTAL XR STARTER (GREEN)... 33	latanoprost... 165	levocarnitine (with sugar)... 114
LAMICTAL XR STARTER (ORANGE)... 33	LATUDA... 63	levocarnitine... 114
LAMICTAL XR... 33	LAYOLIS FE... 133	levocetirizine... 171
LAMICTAL... 33	LAZANDA... 14	levofloxacin in d5w... 27
lamivudine... 68	ledipasvir-sofosbuvir... 68	levofloxacin... 27, 165
lamivudine-zidovudine... 68	leena 28... 133	levoleucovorin calcium... 53
lamotrigine... 33, 34	leflunomide... 144	levonest (28)... 133
LAMPIT... 59	LEMTRADA... 99	levonorg-eth estrad triphasic... 133
	LENVIMA... 53	levonorgestrel-ethinyl estrad... 133
	LESCOL XL... 90	LEVOPHED (BITARTRATE)... 90
	LESCOL... 89	levora-28... 133
	lessina... 133	levorphanol tartrate... 14

levothyroxine... 138	LIPITOR... 90	LOMOTIL... 119
LEVOXYL... 138	lipodox 50... 54	LONHALA MAGNAIR REFILL... 171
LEVULAN... 54	lipodox... 54	LONHALA MAGNAIR STARTER... 171
LEXAPRO... 39	LIPOFEN... 90	LONSURF... 54
LEXETTE... 108	lisinopril... 90	loperamide... 119
LEXIVA... 68	lisinopril-hydrochlorothiazide... 90	LOPID... 90
LIALDA... 148	LITE TOUCH INSULIN PEN NEEDLES... 156	lopinavir-ritonavir... 68
LIBTAYO... 54	LITE TOUCH INSULIN SYRINGE... 156	lopreeza... 133
LICART... 14	lithium carbonate... 72	LOPRESSOR HCT... 90
lidocaine (pf) in d7.5w... 19	lithium citrate... 72	LOPRESSOR... 90
lidocaine (pf)... 19, 90	LITHOBID... 72	LOPROX (AS OLAMINE)... 44
lidocaine hcl... 19	LITHOSTAT... 156	LOPROX... 44
lidocaine in 5 % dextrose (pf)... 90	LIVALO... 90	lorazepam intensol... 72
lidocaine viscous... 19	LO LOESTRIN FE... 133	lorazepam... 72
lidocaine... 19	lo-zumandimine (28)... 133	LORBRENA... 54
lidocaine-epinephrine bit... 19	LOCOID LIPOCREAM... 108	loracet (hydrocodone)... 14
lidocaine-epinephrine... 19	LOCOID... 108	loracet hd... 14
lidocaine-prilocaine... 19	LODINE... 14	loracet plus... 14
LIDODERM... 20	LODOSYN... 60	lortab elixir... 14
lillow (28)... 133	LOESTRIN FE 1.5/30 (28-DAY)... 133	loryna (28)... 133
LINCOCIN... 27	LOESTRIN FE 1/20 (28-DAY)... 133	LORZONE... 175
lincomycin... 27	LOESTRIN 1.5/30 (21)... 133	losartan... 90
lindane... 108	LOESTRIN 1/20 (21)... 133	losartan-hydrochlorothiazide... 90
linezolid in dextrose 5%... 27	lojaimiess... 133	LOSEASONIQUE... 133
linezolid... 27	LOKELMA... 114	LOTEMAX SM... 165
linezolid-0.9% sodium chloride... 27	lomaira... 178	LOTEMAX... 165
LINZESS... 119		LOTENSIN HCT... 90
liothyronine... 138		LOTENSIN... 90

loteprednol etabonate...	165	LYRICA CR...	99	MALARONE...	59
LOTREL...	90	LYRICA...	99	malathion...	108
LOTRISONE...	44	LYSODREN...	138	mannitol 10 %...	90
LOTRONEX...	119	LYSTEDA...	81	mannitol 20 %...	90
lovastatin...	90	LYUMJEV KWIKPEN U-100		mannitol 25 %...	90
LOVAZA...	90	INSULIN...	76	mannitol 5 %...	90
LOVENOX...	81	LYUMJEV KWIKPEN U-200		maprotiline...	39
low-ogestrel (28)...	133	INSULIN...	76	MARCAINE (PF)...	20
loxapine succinate...	63	LYUMJEV U-100 INSULIN...	76	MARCAINE SPINAL (PF)...	20
LUCEMYRA...	21	lyza...	133	MARCAINE...	20
luliconazole...	44	<b>M</b>			
LUMIGAN...	165	M.V.I. ADULT...	177	MARCAINE-EPINEPHRINE (PF)...	20
LUMIZYME...	122	M.V.I. PEDIATRIC...	177	MARCAINE-EPINEPHRINE...	20
LUMOXITI...	54	M.V.I.-12 (WITHOUT VITAMIN K)...	177	MARINOL...	41
LUNESTA...	176	M-M-R II (PF)...	144	marlissa (28)...	134
LUPANETA PACK (1 MONTH)...	139	m-natal plus...	114	MARPLAN...	39
LUPANETA PACK (3 MONTH)...	139	MACROBID...	27	MARQIBO...	54
LUPRON DEPOT (3 MONTH)...	139	MACRODANTIN...	27	MATULANE...	54
LUPRON DEPOT (4 MONTH)...	139	mafenide acetate...	108	matzim la...	90
LUPRON DEPOT (6 MONTH)...	139	MAGELLAN INSULIN SAFETY		MAVENCLAD (10 TABLET PACK)...	99
LUPRON DEPOT...	139	SYRNG...	156	MAVENCLAD (4 TABLET PACK)...	99
LUPRON DEPOT-PED (3 MONTH)...	139	MAGELLAN SYRINGE...	156	MAVENCLAD (5 TABLET PACK)...	99
LUPRON DEPOT-PED...	139	magnesium sulfate in d5w...	114	MAVENCLAD (6 TABLET PACK)...	99
lutera (28)...	133	magnesium sulfate in water...	114	MAVENCLAD (7 TABLET PACK)...	99
LUXIQ...	108	magnesium sulfate...	114	MAVENCLAD (8 TABLET PACK)...	99
LUZU...	44	MAKENA (PF)...	134	MAVENCLAD (9 TABLET PACK)...	99
LYNPARZA...	54	MAKENA...	133	MAVYRET...	68
		MALARONE PEDIATRIC...	59	MAXALT...	46
				MAXALT-MLT...	46

MAXI-COMFORT INSULIN SYRINGE... 157	memantine... 37	metaxalone... 175
MAXICOMFORT II PEN NEEDLE... 157	MENACTRA (PF)... 144	metformin... 76
MAXICOMFORT INSULIN SYRINGE... 157	MENEST... 134	methadone intensol... 15
MAXICOMFORT SAFETY PEN NEEDLE... 157	MENOSTAR... 134	methadone... 15
MAXIDEX... 165	MENQUADFI (PF)... 144	METHADOSE... 15
MAXIPIME... 27	MENTAX... 44	methamphetamine... 99
MAXITROL... 165	MENVEO A-C-Y-W-135-DIP (PF)... 144	methazolamide... 90
MAXZIDE... 90	meperidine (pf)... 15	methenamine hippurate... 27
MAXZIDE-25MG... 90	meperidine... 15	methergine... 157
MAYZENT STARTER PACK... 99	MEPHYTON... 177	methimazole... 140
MAYZENT... 99	mepivacaine (pf)... 20	METHITEST... 134
meclizine... 41	meprobamate... 72	methocarbamol... 175
meclofenamate... 14	MEPRON... 59	methotrexate sodium (pf)... 144
MEDROL (PAK)... 126	MEPSEVII... 122	methotrexate sodium... 144
MEDROL... 126	mercaptopurine... 54	methoxsalen... 108
medroxyprogesterone... 134	meropenem... 27	methscopolamine... 119
mefenamic acid... 14	meropenem-0.9% sodium chloride... 27	methylclothiazide... 90
mefloquine... 59	MERREM... 27	methyldopa... 90
MEGACE ES... 134	mesalamine... 148	methyldopa-hydrochlorothiazide... 90
megestrol... 134	mesna... 54	methyldopate... 90
MEKINIST... 54	MESNEX... 54	methylergonovine... 157
MEKTOVI... 54	MESTINON TIMESPAN... 47	METHYLIN... 99
melodetta 24 fe... 134	MESTINON... 47	methylphenidate hcl... 99, 100
meloxicam... 14	metadata er... 99	methylprednisolone acetate... 126
melphalan hcl... 54	metaproterenol... 171	methylprednisolone sodium succ... 126
melphalan... 54	metaxall... 175	methylprednisolone... 126

methyltestosterone...	134	microgestin fe 1/20 (28)...	134	MIRCERA...	81
metipranolol...	165	microgestin 1.5/30 (21)...	134	MIRCETTE (28)...	134
metoclopramide hcl...	41	microgestin 1/20 (21)...	134	mirtazapine...	39
metolazone...	91	MICROZIDE...	91	MIRVASO...	108
metoprolol succinate...	91	midodrine...	91	misoprostol...	119
metoprolol ta-hydrochlorothiaz...	91	migergot...	46	MITIGARE...	45
metoprolol tartrate...	91	miglitol...	76	mitigo (pf)...	15
METRO I.V....	27	miglustat...	122	mitomycin...	54
METROCREAM...	27	MIGRANAL...	46	mitoxantrone...	54
METROGEL VAGINAL...	27	mili...	134	MOBIC...	15
METROGEL...	27	millipred dp...	126	modafinil...	176
METROLOTION...	27	millipred...	126	moderiba...	68
metronidazole in nacl (iso-os)...	27	milrinone in 5 % dextrose...	91	moexipril...	91
metronidazole...	27	milrinone...	91	moexipril-hydrochlorothiazide...	91
metyrosine...	91	mimvey lo...	134	molindone...	63
mexiletine...	91	mimvey...	134	mometasone...	108, 171
MIACALCIN...	149	MINASTRIN 24 FE...	134	monodoxine nl...	28
mibelas 24 fe...	134	MINI ULTRA-THIN II...	157	MONJUVI...	144
micafungin...	44	MINIPRESS...	91	mono-linyah...	134
MICARDIS HCT...	91	minitran...	91	MONODOX...	28
MICARDIS...	91	MINIVELLE...	134	MONOJECT INSULIN SAFETY	
miconazole nitrate-zinc ox-pet...	44	MINOCIN...	27, 28	SYRING...	157
miconazole-3...	44	minocycline...	28	MONOJECT INSULIN SYRINGE...	157
micort-hc...	126	MINOLIRA ER...	28	MONOJECT SYRINGE...	157
MICRODOT INSULIN PEN NEEDLE...	157	minoxidil...	91	MONOJECT ULTRA COMFORT	
microgestin fe 1.5/30 (28)...	134	MIOSTAT...	165	INSULIN...	157
		MIRAPEX ER...	60	mononessa (28)...	134
		MIRAPEX...	60	montelukast...	171

MONUROL... 28	MYCOBUTIN... 47	NAMENDA... 37
morgidox... 28	mycophenolate mofetil (hcl)... 144	NAMZARIC... 37
MORPHABOND ER... 15	mycophenolate mofetil... 144	NAPRELAN CR... 16
morphine (pf)... 16	mycophenolate sodium... 144	NAPROSYN... 16
morphine concentrate... 16	MYDAYIS... 100	naproxen sodium... 16
morphine... 15, 16	MYFORTIC... 144	naproxen... 16
MOTEGRITY... 119	MYLOTARG... 54	naproxen-esomeprazole... 16
MOTOFEN... 119	myorisan... 108	naratriptan... 46
MOVANTIK... 119	MYRBETRIQ... 124	NARCAN... 21
MOVIPREP... 119	MYSOLINE... 34	NARDIL... 39
MOXEZA... 165	MYTESI... 119	NAROPIN (PF)... 20
moxifloxacin... 28, 165	myzilra... 134	NASCOBAL... 177
moxifloxacin-sod.ace,sul-water... 28	<b>N</b>	NASONEX... 171
moxifloxacin-sod.chloride(iso)... 28	nabumetone... 16	NATACHEW (FE BIS-GLYCINATE)... 114
MOZOBIL... 81	nadolol... 91	NATACYN... 165
MS CONTIN... 16	nadolol-bendroflumethiazide... 91	NATAZIA... 134
MULPLETA... 81	nafcillin in dextrose iso-osm... 28	nateglinide... 76
MULTAQ... 91	nafcillin... 28	NATESTO... 134
mupirocin calcium... 108	naftifine... 44	NATPARA... 149
mupirocin... 108	NAFTIN... 44	NATRECOR... 91
MUSTARGEN... 54	NAGLAZYME... 122	NATROBA... 108
MUTAMYCIN... 54	nalbuphine... 16	NAVELBINE... 54
MVASI... 54	NALFON... 16	NAYZILAM... 34
MYALEPT... 119	nalocet... 16	NEBUPENT... 59
MYAMBUTOL... 47	naloxone... 21	necon 0.5/35 (28)... 134
MYCAMINE... 44	naltrexone... 21	nefazodone... 39
MYCAPSSA... 139	NAMENDA TITRATION PAK... 37	NEMBUTAL SODIUM... 34
	NAMENDA XR... 37	

neo-polycin hc... 165	NEXIUM... 120	NITROSTAT... 92
neo-polycin... 165	NEXLETOL... 91	NITYR... 122
NEO-SYNALAR... 108	NEXLIZET... 91	NIVESTYM... 81
neomycin... 28	NEXTERONE... 91	nizatidine... 120
neomycin-bacitracin-poly-hc... 166	niacin... 91	NIZORAL... 44
neomycin-bacitracin-polymyxin... 166	niacor... 91	NOCDURNA (MEN)... 128
neomycin-polymyxin b gu... 157	NIASPAN EXTENDED-RELEASE... 91	NOCDURNA (WOMEN)... 128
neomycin-polymyxin b-dexameth... 166	nicardipine... 91, 92	nolix... 108
neomycin-polymyxin-gramicidin... 166	NICOTROL NS... 21	nora-be... 134
neomycin-polymyxin-hc... 166, 168	NICOTROL... 21	NORCO... 16
NEORAL... 144	nifedipine... 92	NORDITROPIN FLEXPRO... 128
NEPHRAMINE 5.4 %... 114	nikki (28)... 134	norepinephrine bitartrate... 92
NERLYNX... 54	NILANDRON... 54	noreth-ethinyl estradiol-iron... 134
NESACAINE... 20	nilutamide... 54	norethindrone (contraceptive)... 134
NESACAINE-MPF... 20	nimodipine... 92	norethindrone ac-eth estradiol... 134
NESINA... 76	NINLARO... 54	norethindrone acetate... 135
neuac... 108	NIPENT... 54	norethindrone-e.estriadiol-iron... 135
NEULASTA... 81	nisoldipine... 92	NORGESIC FORTE... 175
NEUPOGEN... 81	nitisinone... 122	norgestimate-ethinyl estradiol... 135
NEUPRO... 60	NITRO-BID... 92	NORITATE... 28
NEURONTIN... 34	NITRO-DUR... 92	norlyda... 135
NEVANAC... 166	nitrofurantoin macrocrystal... 28	NORMOSOL-M IN 5 % DEXTROSE... 114
nevirapine... 68	nitrofurantoin monohyd/m-cryst... 28	NORMOSOL-R IN 5 % DEXTROSE... 114
NEXAVAR... 54	nitrofurantoin... 28	NORMOSOL-R PH 7.4... 114
NEXIUM IV... 120	nitroglycerin in 5 % dextrose... 92	
NEXIUM PACKET... 120	nitroglycerin... 92	
	NITROLINGUAL... 92	

NORMOSOL-R... 114	NOVOLOG MIX 70-30 U-100	NUZYRA... 28
NORPACE CR... 92	INSULN... 76	nyamyc... 44
NORPACE... 92	NOVOLOG MIX 70-30FLEXPEN U-100... 76	NYMALIZE... 92
NORPRAMIN... 39	NOVOLOG PENFILL U-100	nystatin... 44
NORTHERA... 92	INSULIN... 77	nystatin-triamcinolone... 44
nortrel 0.5/35 (28)... 135	NOVOLOG U-100 INSULIN ASPART... 77	nystop... 44
nortrel 1/35 (21)... 135	NOVOPEN ECHO... 157	<b>0</b>
nortrel 1/35 (28)... 135	NOVOTWIST... 157	O-CAL PRENATAL... 115
nortrel 7/7/7 (28)... 135	NOXAFILE... 44	OB COMPLETE ONE... 115
nortriptyline... 39	NUBEQA... 54	OB COMPLETE PETITE... 115
NORVASC... 92	NUCALA... 172	OB COMPLETE PREMIER... 115
NORVIR... 68	NUCYNTA ER... 17	OCALIVA... 120
NOURIANZ... 60	NUCYNTA... 17	ocella... 135
NOVAREL... 128	NUEDEXTA... 100	OCREVUS... 100
NOVOFINE AUTOCOVER... 157	NULYTLY LEMON-LIME... 120	OCTAGAM... 145
NOVOFINE PLUS... 157	NULYTLY WITH FLAVOR PACKS... 120	octreotide acetate... 139
NOVOFINE 32... 157	NUPLAZID... 63, 64	OCUFLOX... 166
NOVOLIN N FLEXPEN... 76	NURTEC ODT... 157	ODACTRA... 172
NOVOLIN N NPH U-100 INSULIN... 76	NUTRILIPID... 114	ODEFSEY... 68
NOVOLIN R FLEXPEN... 76	NUTROPIN AQ NUSPIN... 128	ODOMZO... 54
NOVOLIN R REGULAR U-100 INSULN... 76	NUVARING... 135	OFEV... 172
NOVOLIN 70-30 FLEXPEN U-100... 76	NUVESSA... 28	ofloxacin... 28, 166, 168
NOVOLIN 70/30 U-100 INSULIN... 76	NUVIGIL... 176	ogestrel (28)... 135
NOVOLOG FLEXPEN U-100 INSULIN... 76	NUZYRA (7 DAY WITH LOAD DOSE)... 28	OGIVRI... 55
	NUZYRA (7 DAY)... 28	okebo... 28
		olanzapine... 64
		olanzapine-fluoxetine... 39
		olmesartan... 92

olmesartan-amlodipin-hctiazid... 92	ONGLYZA... 77 ONIVYDE... 55	ORTHO MICRONOR... 135 ORTHO TRI-CYCLEN (28)... 135
olmesartan-hydrochlorothiazide... 92	ONMEL... 44	ORTHO TRI-CYCLEN LO (28)... 135
olopatadine... 166, 172	ONTRUZANT... 55	ORTHO-CYCLEN (28)... 135
OLUMIANT... 145	ONUREG... 55	ORTHO-NOVUM 7/7/7 (28)... 135
OLUX... 108	ONZETRA XSAIL... 46	ORTIKOS... 148
OLUX-E... 108	OPANA... 17	oseltamivir... 68
OMECLAMOX-PAK... 120	OPDIVO... 55	OSENI... 77
omega-3 acid ethyl esters... 93	opium tincture... 120	OSMITROL 10 %... 93
OMEGAVEN... 115	OPSUMIT... 172	OSMITROL 15 %... 93
omeppi... 120	ORACEA... 28	OSMITROL 20 %... 93
omeprazole... 120	ORALAIR... 172	OSMITROL 5 %... 93
omeprazole-sodium bicarbonate... 120	oralone... 101	OSMOLEX ER... 61
OMNARIS... 172	ORAP... 64	OSMOPREP... 120
OMNIPOD DASH 5 PACK POD... 157	ORAPRED ODT... 126	OSPHENA... 135
OMNIPOD INSULIN MANAGEMENT... 157	ORAVIG... 44	OTEZLA STARTER... 108
OMNIPOD INSULIN REFILL... 157	ORBACTIV... 28	OTEZLA... 108
OMNIPRED... 166	ORENCIA CLICKJECT... 145	OTOVEL... 168
OMNITROPE... 128	ORENCIA... 145	OTREXUP (PF)... 145
ONCASPAR... 55	ORENITRAM... 172	OVIDE... 108
ondansetron hcl (pf)... 42	ORFADIN... 122	oxacillin in dextrose(iso-osm)... 28
ondansetron hcl... 41, 42	ORKAMBI... 172	oxacillin... 28
ondansetron... 41	orphenadrine citrate... 175	oxaliplatin... 55
ONEXTON... 108	orphenadrine-asa-caffeine... 175	oxandrolone... 135
ONFI... 34	orphengesic forte... 175	oxaprozin... 17
ONGENTYS... 61	orsythia... 135	OXAYDO... 17
		oxazepam... 72
		OXBRYTA... 158

oxcarbazepine... 34	paraplatin... 55	PEMAZYRE... 55
OXERVATE... 166	paricalcitol... 149, 150	PEN NEEDLE... 158
oxiconazole... 44	PARLODEL... 61	PEN NEEDLE, DIABETIC... 158
OXISTAT... 44, 45	PARNATE... 39	penicillamine... 115
OXSORALEN ULTRA... 108	paroex oral rinse... 101	penicillin g pot in dextrose... 29
OXTELLAR XR... 34	paromomycin... 28	penicillin g potassium... 29
oxybutynin chloride... 124	paroxetine hcl... 39	penicillin g procaine... 29
oxycodone... 17	paroxetine mesylate(menop.sym)... 39	penicillin g sodium... 29
oxycodone-acetaminophen... 17	PASER... 47	penicillin v potassium... 29
oxycodone-aspirin... 17	PATADAY... 166	PENLAC... 45
OXYCONTIN... 17	PATANASE... 172	PENNSAID... 17
oxymorphone... 17	PATANOL... 166	PENTACEL (PF)... 145
oxytocin... 158	PAXIL CR... 39	PENTAM... 59
OXYTROL... 124	PAXIL... 39	pentamidine... 59
OZEMPIC... 77	PAZEO... 166	PENTASA... 148
<b>P</b>		
PACERONE... 93	PEDIAPRED... 126	pentazocine-naloxone... 17
paclitaxel... 55	PEDIARIX (PF)... 145	PENTIPS... 158
PADCEV... 55	PEDVAX HIB (PF)... 145	pentobarbital sodium... 34
paliperidone... 64	peg 3350-electrolytes... 120	pentoxifylline... 93
PALYNZIQ... 122	peg-electrolyte soln... 120	pepcid... 120
PAMELOR... 39	peg-prep... 120	PERCOCET... 17
pamidronate... 149	PEGANONE... 34	PERFOROMIST... 172
PANCREAZE... 122	PEGASYS PROCLICK... 145	PERIKABIVEN... 115
PANDEL... 108	PEGASYS... 145	perindopril erbumine... 93
PANRETIN... 55	PEGINTRON... 145	periogard... 101
pantoprazole... 120	peg3350-sod sul-nacl-kcl-asp-c... 120	PERJETA... 55
PANZYGA... 145		permethrin... 108
		perphenazine... 64

perphenazine-amitriptyline...	39	pilocarpine hcl...	101, 166	polycin...	166
PERSERIS...	64	pimecrolimus...	109	polymyxin b sulf-trimethoprim...	
PERTZYE...	123	pimozide...	64	166	
PEXEVA...	39	pimtrea (28)...	135	polymyxin b sulfate...	29
pfizerpen-g...	29	pindolol...	93	POLYTRIM...	166
phenadot...	42	pioglitazone...	77	POMALYST...	55
phendimetrazine tartrate...	178	pioglitazone-glimepiride...	77	portia 28...	135
phenelzine...	39	pioglitazone-metformin...	77	PORTRAZZA...	55
PHENERGAN...	42	piperacillin-tazobactam...	29	posaconazole...	45
phenobarbital sodium...	34	PIQRAY...	55	POTABA...	178
phenobarbital...	34	pirmella...	135	potassium acetate...	115
phenoxybenzamine...	93	piroxicam...	17	potassium chlorid-d5-0.45%nacl...	
phentermine...	178	PITOCIN...	158	115	
phenylephrine hcl...	93	PLAQUENIL...	59	potassium chloride in lr-d5...	115
PHENYTEK...	34	PLASMA-LYTE A...	115	potassium chloride in water...	115
phenytoin sodium extended...	34	PLASMA-LYTE 148...	115	potassium chloride in 0.9%nacl...	
phenytoin sodium...	34	PLAVIX...	81	115	
phenytoin...	34	PLEGRIDY...	100	potassium chloride in 5 % dex...	115
PHESGO...	55	plenamine...	115	potassium chloride...	115
philith...	135	PLENVU...	120	potassium chloride-d5-0.2%nacl...	
PHOSLYRA...	115	PLIAGLIS...	20	115	
PHOSPHOLINE IODIDE...	166	pnv ob+dha...	115	potassium chloride-d5-0.3%nacl...	
phrenilin forte(with caffeine)...	17	pnv-dha...	177	115	
PHYSIOLYTE...	158	pnv-omega...	177	potassium chloride-d5-0.9%nacl...	
PHYSIOSOL IRRIGATION...	158	podofilox...	109	115	
phytonadione (vitamin k1)...	177	POLIVY...	55	potassium chloride-0.45 % nacl...	
PICATO...	108, 109	polocaine...	20	115	
PIFELTRO...	68	polocaine-mpf...	20	potassium citrate...	115
				POTELIGEO...	55
				pr natal 400 ec...	116

pr natal 400... 115	PREMASOL 10 %... 116	PRIMAXIN IV... 29
pr natal 430 ec... 116	PREMASOL 6 %... 116	primidone... 34
pr natal 430... 116	PREMPHASE... 135	primlev... 17
PRADAXA... 81	PREMPRO... 135	PRIMSOL... 29
PRALUENT PEN... 93	PRENATA... 116	PRINVIL... 93
pramipexole... 61	PRENATABS FA... 116	PRISTIQ... 39
PRANDIN... 77	prenatal plus (calcium carb)... 116	PRIVIGEN... 145
prasugrel... 81	prenatal plus dha... 116	PRO COMFORT ALCOHOL PADS... 158
PRAVACHOL... 93	prenatal vitamin plus low iron... 116	PRO COMFORT INSULIN SYRINGE... 158
pravastatin... 93	prenatal-u... 178	PRO COMFORT PEN NEEDLE... 158
praziquantel... 59	PRENATE ELITE... 116	PROAIR DIGIHALER... 172
prazosin... 93	preplus... 116	PROAIR HFA... 172
PRECOSE... 77	PREPOPIK... 120	PROAIR RESPICLICK... 172
PRED FORTE... 166	PRESTALIA... 93	probenecid... 45
PRED MILD... 166	PRETOMANID... 47	probenecid-colchicine... 45
PRED-G S.O.P.... 166	PREVACID SOLUTAB... 120	procainamide... 93
PRED-G... 166	PREVACID... 120	PROCALAMINE 3%... 116
prednicarbate... 109	prevalite... 93	PROCARDIA XL... 93
prednisolone acetate... 166	PREVENT DROPSAFE PEN NEEDLE... 158	PROCARDIA... 93
prednisolone sodium phosphate... 126, 166	previfem... 135	procentra... 100
prednisolone... 126	PREVYMIS... 68	prochlorperazine edisylate... 42
prednisone intensol... 126	PREZCOBIX... 68	prochlorperazine maleate... 42
prednisone... 126	PREZISTA... 68	prochlorperazine... 42
PREFEST... 135	PRIALT... 158	PROCRIT... 81
pregabalin... 100	PRIFTIN... 47	procto-med hc... 109
PREGNYL... 128	PRILOSEC... 120	procto-pak... 109
PREMARIN... 135	primaquine... 59	PROCTOFOAM HC... 148

proctosol hc... 109	PROSOL 20 %... 116	QNASL... 172
protozone-hc... 109	protamine... 158	QSYMIA... 178
PROCYSBI... 123	PROTONIX... 120	QTERN... 77
PRODIGY INSULIN SYRINGE... 158	PROTOPIC... 109	QUADRACEL (PF)... 145
profeno... 17	protriptyline... 39	QUALAQUIN... 59
progesterone micronized... 136	PROVENTIL HFA... 172	QUARTETTE... 136
progesterone... 135	PROVERA... 136	quasense... 136
PROGLYCEM... 77	PROVIGIL... 176	QUDEXY XR... 35
PROGRAF... 145	PROZAC... 39	QUESTRAN LIGHT... 93
PROLASTIN-C... 123	PRUDOXIN... 109	QUESTRAN... 93
prolate... 17	psorcon... 109	quetiapine... 64
PROLENSA... 166	PULMICORT FLEXHALER... 172	QUILLICHEW ER... 100
PROLEUKIN... 55	PULMICORT... 172	QUILLIVANT XR... 100
PROLIA... 150	PULMOZYME... 172	quinapril... 94
PROMACTA... 81, 82	PURE COMFORT ALCOHOL PADS...	quinapril-hydrochlorothiazide... 94
promethazine vc... 158	158	quinidine gluconate... 94
promethazine... 42	PURE COMFORT PEN NEEDLE... 158	quinidine sulfate... 94
promethazine-phenylephrine... 158	PURIXAN... 55	quinine sulfate... 59
promethegan... 42	PYLERA... 120	QUZYTIR... 172
PROMETRIUM... 136	pyrazinamide... 47	QVAR REDIHALER... 172
propafenone... 93	pyridostigmine bromide... 47	<b>R</b>
propantheline... 120	pyridoxine (vitamin b6)... 178	RABAVERT (PF)... 145
proparacaine... 166	pyrimethamine... 59	rabeprazole... 121
propranolol... 93	<b>Q</b>	RADICAVA... 100
propranolol-hydrochlorothiazid... 93	QBRELIS... 93	RAGWITEK... 172
propylthiouracil... 140	QBREXZA... 109	rajan... 136
PROQUAD (PF)... 145	QINLOCK... 55	raloxifene... 136
PROSCAR... 124	QMIIZ ODT... 18	ramelteon... 176

ramipril... 94	RELENZA DISKHALER... 68	RETEVMO... 55
RANEXA... 94	relexxii... 100	RETIN-A MICRO PUMP... 109
ranolazine... 94	RELION NEEDLES... 158	RETIN-A MICRO... 109
RAPAFLO... 124	RELION PEN NEEDLES... 158	RETIN-A... 109
RAPAMUNE... 145	RELISTOR... 121	RETROVIR... 69
rasagiline... 61	RELPAX... 46	REVATIO... 173
RASUVO (PF)... 145, 146	REMERON SOLTAB... 40	REVCovi... 123
RAVICTI... 123	REMERON... 40	REVLIMID... 55
RAYALDEE... 150	REMICADE... 146	revonto... 65
RAYOS... 126	REMODULIN... 173	REXULTI... 64
RAZADYNE ER... 37	RENACIDIN... 158	REYATAZ... 69
RAZADYNE... 37	RENAGEL... 116	REYVOW... 46
REBETOL... 68	RENFLEXIS... 146	RHOFADE... 109
REBIF (WITH ALBUMIN)... 100	RENVELA... 116	RHOPHYLAC... 146
REBIF REBIDOSE... 100	REOPRO... 82	RHOPRESSA... 166
REBIF TITRATION PACK... 100	repaglinide... 77	RIASTAP... 82
REBLOZYL... 82	repaglinide-metformin... 77	RIBASPERE RIBAPAK... 69
RECARBRIО... 29	REPATHA PUSHTRONEX... 94	ribasphere... 69
RECLAST... 150	REPATHA SURECLICK... 94	ribavirin... 69, 158
reclipsen (28)... 136	REPATHA SYRINGE... 94	RIDAURA... 146
RECOMBIVAX HB (PF)... 146	REQUIP XL... 61	rifabutin... 48
RECTIV... 158	REQUIP... 61	RIFADIN... 48
REGIMEX... 179	RESCRIPTOR... 68, 69	RIFAMATE... 48
REGLAN... 42	RESECTISOL... 94	rifampin... 48
REGONOL... 47	RESTASIS MULTIDOSE... 166	RIFATER... 48
REGRANEX... 109	RESTASIS... 166	RILUTEK... 100
RELAFEN DS... 18	RESTORIL... 176	riluzole... 100
RELAFEN... 18	RETACRIT... 82	rimantadine... 69

RIMSO-50...	158	ROTATEQ VACCINE...	146	SANCUSO...	42
ringer's...	116, 158	ROWASA...	148	SANDIMMUNE...	146
RINVOQ...	146	roweepra xr...	35	SANDOSTATIN LAR DEPOT...	140
RIOMET ER...	77	roweepra...	35	SANDOSTATIN...	139
RIOMET...	77	ROXICODONE...	18	SANTYL...	109
risedronate...	150	ROXYBOND...	18	SAPHRIS...	64
RISPERDAL CONSTA...	64	ROZEREM...	176	sapropterin...	123
RISPERDAL...	64	ROZLYTREK...	56	SARAFEM...	40
risperidone...	64	RUBRACA...	56	SARCLISA...	56
RITALIN LA...	100	RUCONEST...	146	SAVAYS...	82
RITALIN...	100	RUKOBIA...	69	SAVELLA...	101
ritonavir...	69	RUXIENCE...	56	SAXENDA...	179
RITUXAN HYCELA...	55, 56	RUZURGI...	101	scopolamine base...	42
RITUXAN...	55	RYBELSUS...	77	se-natal 19 chewable...	116
rivastigmine tartrate...	37	RYCLORA...	173	SEASONIQUE...	136
rivastigmine...	37	RYDAPT...	56	SECONAL SODIUM...	35
rivelsa...	136	RYTARY...	61	SECUADO...	64
rizatriptan...	46	RYTHMOL SR...	94	SEEBRI NEOHALER...	173
ROBAXIN...	175	RYVENT...	173	SEGLUROMET...	77
ROBAXIN-750...	175	<b>S</b>		SELECT-OB (FOLIC ACID)...	116
ROCALTROL...	150	SABRIL...	35	SELECT-OB + DHA...	116
ROCKLATAN...	166	SAFESNAP INSULIN SYRINGE...	159	SELECT-OB...	116
romidepsin...	56	SAFETY PEN NEEDLE...	159	selegiline hcl...	61
ropinirole...	61	SAFYRAL...	136	selenium sulfide...	109
ropivacaine (pf)...	20	SAIZEN SAIZENPREP...	128	SELZENTRY...	69
rosadan...	29	SAIZEN...	128	SEMGLEE PEN U-100 INSULIN...	77
rosuvastatin...	94	SALAGEN (PILOCARPINE)...	102	SEMGLEE U-100 INSULIN...	77
ROTARIX...	146	SAMSCA...	116	SEMPREX-D...	159

SENSIPAR...	150	silver sulfadiazine...	109	sodium chloride...	116, 159
SENSORCAINE...	20	SIMBRINZA...	166	SODIUM EDECRIN...	94
sensorcaine-epinephrine...	20	simliya (28)...	136	sodium lactate...	117
sensorcaine-mpf spinal...	20	simpesse...	136	sodium phenylbutyrate...	123
SENSORCAINE-MPF...	20	SIMPONI ARIA...	146	sodium phosphate...	117
sensorcaine-mpf/epinephrine...	20	SIMPONI...	146	sodium polystyrene (sorb free)...	
SEREVENT DISKUS...	173	SIMULECT...	146	117	
SERNIVO...	109	simvastatin...	94	sodium polystyrene sulfonate...	117
SEROQUEL XR...	65	SINEMET CR...	61	SOLARAZE...	109
SEROQUEL...	64, 65	SINEMET...	61	solifenacin...	124
SEROSTIM...	128	SINGULAIR...	173	SOLIQUA 100/33...	77
sertraline...	40	sirolimus...	146	SOLODYN...	29
setlakin...	136	SIRTURO...	48	SOLOSEC...	29
sevelamer carbonate...	116	SITAVIG...	69	soloxide...	29
sevelamer hcl...	116	SIVEXTRO...	29	SOLTAMOX...	56
SEYSARA...	29	SKELAXIN...	175	SOLU-CORTEF ACT-O-VIAL (PF)...	
SFROWASA...	148	SKLICE...	59	127	
sharobel...	136	SKYRIZI...	146	SOLU-CORTEF...	126
SHINGRIX (PF)...	146	SLYND...	136	SOLU-MEDROL (PF)...	127
SIGNIFOR LAR...	140	SMOFLIPID...	116	SOLU-MEDROL...	127
SIGNIFOR...	140	sodium acetate...	116	SOMA...	175
SIKLOS...	159	sodium benzoate-sod phenylacet...		SOMATULINE DEPOT...	140
sildenafil (pulm.hypertension)...	173	159		SOMAVERT...	140
sildenafil...	177	sodium bicarbonate...	116	SOOLANTRA...	109
SILENOR...	176	sodium chloride 0.45 %...	116	sorbitol-mannitol...	159
SILIQ...	146	sodium chloride 0.9 %...	116	SORIATANE...	109
silodosin...	124	sodium chloride 3 %...	117	SORILUX...	109
SILVADENE...	109	sodium chloride 5 %...	117	sorine...	94

sotalol af...	94	STELARA...	146	SULFATRIM...	29
sotalol...	94	STIMATE...	128	sulindac...	18
SOTYLIZE...	94	STIOLTO RESPIMAT...	173	sumatriptan succinate...	46, 47
SOVALDI...	69	STIVARGA...	56	sumatriptan...	46
SPIRIVA RESPIMAT...	173	STRATTERA...	101	sumatriptan-naproxen...	47
SPIRIVA WITH HANDIHALER...	173	STRENSIQ...	123	SUMAVEL DOSEPRO...	47
spironolacton-hydrochlorothiaz...		streptomycin...	29	SUNOSI...	176
94		STRIANT...	136	SUPRAX...	29
spironolactone...	94	STRIBILD...	69	SUPREP BOWEL PREP KIT...	121
SPORANOX PULSEPAK...	45	STRIVERDI RESPIMAT...	173	SURE COMFORT ALCOHOL PREP	
SPORANOX...	45	STROMECTOL...	59	PADS...	159
sprintec (28)...	136	SUBOXONE...	21	SURE COMFORT INS. SYR. U-100...	
SPRITAM...	35	SUBSYS...	18	159	
SPRIX...	18	subvenite starter (blue) kit...	35	SURE COMFORT INSULIN SYRINGE...	
SPRYCEL...	56	subvenite starter (green) kit...	35	159	
SPS (WITH SORBITOL)...	117	subvenite starter (orange) kit...	35	SURE COMFORT PEN NEEDLE...	159
sronyx...	136	subvenite...	35	SURE-FINE PEN NEEDLES...	159
SSD...	109	SUCRAID...	123	SURE-JECT INSULIN SYRINGE...	159
STALEVO 100...	61	sucralfate...	121	SURE-PREP ALCOHOL PREP PADS...	
STALEVO 125...	61	SULAR...	94	159	
STALEVO 150...	61	sulfacetamide sodium (acne)...	29	SURMONTIL...	40
STALEVO 200...	61	sulfacetamide sodium...	29, 166	SUSTIVA...	69
STALEVO 50...	61	sulfacetamide-prednisolone...	166	SUTENT...	56
STALEVO 75...	61	sulfadiazine...	29	syeda...	136
STARLIX...	77	sulfamethoxazole-trimethoprim...		SYLATRON...	146
stavudine...	69	29		SYLVANT...	146
STEGLATRO...	77	SULFAMYLYON...	109	SYMBICORT...	173
STEGLUJAN...	77	sulfasalazine...	148	SYMBYAX...	40
				SYMDEKO...	173

SYMFIL... 69	TAKHZYRO... 146	tazicef... 30
SYMFI... 69	TALICIA... 121	TAZORAC... 110
SYMJEPI... 173	TALTZ AUTOINJECTOR (2 PACK)... 147	taztia xt... 94
SYMLINPEN 120... 77	TALTZ AUTOINJECTOR (3 PACK)... 147	TAZVERIK... 56
SYMLINPEN 60... 77	TALTZ AUTOINJECTOR... 147	TDVAX... 147
SYMPAZAN... 35	TALTZ SYRINGE... 147	TECENTRIQ... 56
SYMPROIC... 121	TALWIN... 18	TECFIDERA... 101
SYMTUZA... 69	TALZENNA... 56	TECHLITE INSULIN SYR HALF UNIT... 160
SYNAGIS... 159	TAMIFLU... 69	TECHLITE INSULIN SYRINGE... 160
SYNALAR... 109	tamoxifen... 56	TECHLITE PEN NEEDLE... 160
SYNAREL... 140	tamsulosin... 125	TEFLARO... 30
SYNDROS... 42	TAPAZOLE... 140	TEGRETOL XR... 35
SYNERA... 20	taperdex... 127	TEGRETOL... 35
SYNERCID... 29	TARCEVA... 56	TEGSEDI... 123
SYNJARDY XR... 77, 78	TARGADOX... 30	TEKTURN HCT... 94
SYNJARDY... 77	TARGETIN... 56	TEKTURN... 94
SYNRIBO... 56	tarina fe 1-20 eq (28)... 136	telmisartan... 94, 95
SYNTROID... 138	tarina fe 1/20 (28)... 136	telmisartan-amlodipine... 95
SYPRINE... 117	tarina 24 fe... 136	telmisartan-hydrochlorothiazid... 95
<b>T</b>		
TABLOID... 56	TARKA... 94	temazepam... 176
TABRECTA... 56	TASIGNA... 56	TEMIXYS... 70
TACLONEX... 109	TASMAR... 61	TEMODAR... 56
tacrolimus... 109, 146	TAVALISSE... 82	TEMOVATE... 110
tadalafil (pulm. hypertension)... 173	TAXOTERE... 56	temsirolimus... 56
tadalafil... 125	TAYTULLA... 136	tencon... 18
TAFINLAR... 56	tazarotene... 110	teniposide... 56
TAGRISSO... 56		TENIVAC (PF)... 147

tenofovir disoproxil fumarate... 70	THIOLA... 125	TIVICAY... 70
TENORETIC 100... 95	thioridazine... 65	TIVORBEX... 18
TENORETIC 50... 95	thiotepa... 57	tizanidine... 65
TENORMIN... 95	thiothixene... 65	TOBI PODHALER... 174
TEPEZZA... 160	THYMOGLOBULIN... 147	TOBI... 30
terazosin... 95	THYROLAR-1... 138	TOBRADEX ST... 167
terbinafine hcl... 45	THYROLAR-1/2... 138	TOBRADEX... 167
terbutaline... 173	THYROLAR-1/4... 138	tobramycin in 0.225 % nacl... 30
terconazole... 45	THYROLAR-2... 138	tobramycin sulfate... 30
TERUMO INSULIN SYRINGE... 160	THYROLAR-3... 138	tobramycin with nebulizer... 30
TESTIM... 136	tiadylt er... 95	tobramycin... 30, 167
testosterone cypionate... 136	tiagabine... 35	tobramycin-dexamethasone... 167
testosterone enanthate... 136	TIAZAC... 95	TOBREX... 167
testosterone... 136	TIBSOVO... 57	TOFRANIL... 40
TESTRED... 136	TIGAN... 42	TOLAK... 110
TETANUS,DIPHTHERIA TOX PED(PF)... 147	tigecycline... 30	tolazamide... 78
tetrabenazine... 101	TIGLUTIK... 101	tolbutamide... 78
tetracycline... 30	TIKOSYN... 95	tolcapone... 61
TEXACORT... 110	tilia fe... 136	tolmetin... 18
THALOMID... 57	timolol maleate... 95, 167	TOLSURA... 45
THAM... 117	TIMOPTIC OCUDOSE (PF)... 167	tolterodine... 125
THEO-24... 173	TIMOPTIC... 167	tolvaptan... 117
theophylline in dextrose 5 %... 173	TIMOPTIC-XE... 167	TOPAMAX... 35
theophylline... 173	TINDAMAX... 30	TOPCARE CLICKFINE... 160
thiamine hcl (vitamin b1)... 178	tinidazole... 30	TOPCARE ULTRA COMFORT... 160
THINPRO INSULIN SYRINGE... 160	TIROSINT... 138	TOPICORT... 110
THIOLA EC... 125	TIROSINT-SOL... 138	topiramate... 35
	TIVICAY PD... 70	toposar... 57

topotecan... 57	TREANDA... 57	tri-vylibra lo... 137
TOPROL XL... 95	TRECATOR... 48	tri-vylibra... 137
toremifene... 57	TRELEGY ELLIPTA... 174	triamcinolone acetonide... 102, 127
TORISEL... 57	TRELSTAR... 140	triamterene... 95
torsemide... 95	TREMFYA... 147	triamterene-hydrochlorothiazid...
TOSYMRA... 47	treprostinil sodium... 174	95
TOTECT... 57	TRESIBA FLEXTOUCH U-100... 78	trianex... 127
TOUJEO MAX U-300 SOLOSTAR... 78	TRESIBA FLEXTOUCH U-200... 78	triazolam... 176
TOUJEO SOLOSTAR U-300	TRESIBA U-100 INSULIN... 78	TRIBENZOR... 95
INSULIN... 78	TRETIN-X... 110	TRICARE... 117
tovet emollient... 110	tretinoin (antineoplastic)... 57	TRICOR... 95
TOVIAZ... 125	tretinoin microspheres... 110	triderm... 127
TPN ELECTROLYTES... 117	tretinoin... 110	TRIDESILON... 110
TRACLEER... 174	TREXALL... 147	trientine... 117
TRADJENTA... 78	TREXIMET... 47	trifluoperazine... 65
tramadol... 18	TREZIX... 18	trifluridine... 167
tramadol-acetaminophen... 18	tri-femynor... 137	TRIGLIDE... 95
trandolapril... 95	tri-estarrylla... 137	trihexyphenidyl... 61
trandolapril-verapamil... 95	tri-legest fe... 137	TRIJARDY XR... 78
tranexamic acid... 82	tri-linyah... 137	TRIKAFTA... 174
TRANSDERM-SCOP... 42	tri-lo-estarrylla... 137	triklo... 95
TRANXENE T-TAB... 72	tri-lo-marzia... 137	TRILEPTAL... 35
tranylcypromine... 40	tri-lo-mili... 137	TRILIPIX... 95
TRAVASOL 10 %... 117	tri-lo-sprintec... 137	trilyte with flavor packets... 121
TRAVATAN Z... 167	tri-mili... 137	trimethobenzamide... 42
travoprost... 167	TRI-NORINYL (28)... 137	trimethoprim... 30
TRAZIMERA... 57	tri-previfem (28)... 137	trimipramine... 40
trazodone... 40	tri-sprintec (28)... 137	trinatal rx 1... 117

TRINTELLIX... 40	TUKYSA... 57	ULTICARE... 161
TRIOSTAT... 138	tulana... 137	ULTIGUARD SAFE PACK... 161
TRIPTODUR... 140	TURALIO... 57	ULTILET ALCOHOL SWAB... 161
TRISENOX... 57	TWINRIX (PF)... 147	ULTILET INSULIN SYRINGE... 161
TRISTART DHA... 117	TWYNSTA... 95	ULTILET PEN NEEDLE... 161
TRIUMEQ... 70	TYBOST... 70	ULTRA CMFT INS SYR HALF UNIT... 161
triveen-duo dha... 117	tydemy... 137	ULTRA COMFORT INSULIN SYRINGE... 162
trivora (28)... 137	TYGACIL... 30	ULTRA FLO INSULIN SYRINGE... 162
TRIZIVIR... 70	TYKERB... 57	ULTRA FLO PEN NEEDLE... 162
TROGARZO... 70	TYLENOL-CODEINE #3... 18	ULTRA THIN PEN NEEDLE... 162
TROKENDI XR... 35, 36	TYLENOL-CODEINE #4... 18	ULTRA-THIN II (SHORT) INS SYR... 162
TROPHAMINE 10 %... 117	TYMLOS... 150	ULTRA-THIN II (SHORT) PEN NDL... 162
TROPHAMINE 6%... 117	TYPHIM VI... 147	ULTRA-THIN II INS PEN NEEDLES... 162
trospium... 125	TYSABRI... 101	ULTRACARE INSULIN SYRINGE... 162
TRUE COMFORT ALCOHOL PADS... 160	TYVASO INSTITUTIONAL START KIT... 174	ULTRACARE PEN NEEDLE... 162
TRUE COMFORT INSULIN SYRINGE... 160	TYVASO REFILL KIT... 174	ULTRACET... 18
TRUE COMFORT PEN NEEDLE... 160	TYVASO STARTER KIT... 174	ULTRAM... 18
TRUEPLUS INSULIN... 161	TYVASO... 174	ULTRAVATE... 110
TRUEPLUS PEN NEEDLE... 161	<b>U</b>	UNASYN... 30
TRULANCE... 121	UBRELVY... 161	UNIFINE PENTIPS MAXFLOW... 162
TRULICITY... 78	UCERIS... 148	UNIFINE PENTIPS PLUS MAXFLOW... 162
TRUMENBA... 147	UDENYCA... 82	UNIFINE PENTIPS PLUS... 162
TRUSOPT... 167	ULORIC... 45	
TRUVADA... 70	ULTICARE INSULIN SYR HALF UNIT... 161	
TRUXIMA... 57	ULTICARE INSULIN SYRINGE... 161	
TUDORZA PRESSAIR... 174	ULTICARE PEN NEEDLE... 161	

UNIFINE PENTIPS...	162	valproic acid...	36	VASOTEC...	96
UNIFINE SAFECONTROL...	163	valrubicin...	57	VAZCULEP...	96
UNITHROID...	138	valsartan...	95	vecamyl...	96
UNITUXIN...	57	valsartan-hydrochlorothiazide...	95	VECTIBIX...	57
UPTRAVI...	174	VALSTAR...	57	VECTICAL...	110
URECHOLINE...	125	VALTOCO...	36	VELCADE...	57
UROCIT-K 10...	117	VALTREX...	70	VELETRI...	174
UROCIT-K 15...	117	vanadom...	175	velivet triphasic regimen (28)...	137
UROCIT-K 5...	117	vanatol lq...	18	VELPHORO...	117
UROXATRAL...	125	vanatol s...	18	VELTASSA...	117
URSO FORTE...	121	VANCOCIN...	30	VELTIN...	110
URSO 250...	121	vancomycin in dextrose 5 %...	30	VEMLIDY...	70
ursodiol...	121	vancomycin in 0.9 % sodium chl...	30	VENCLEXTA STARTING PACK...	57
UTIBRON NEOHALER...	174	vancomycin...	30	VENCLEXTA...	57
UVADEX...	110	vancomycin-water inject (peg)...	30	venlafaxine...	40
<b>V</b>					
V-GO 20...	163	VANDAZOLE...	30	VENTAVIS...	174
V-GO 30...	163	VANISHPOINT INSULIN SYRINGE...	163	VENTOLIN HFA...	174
V-GO 40...	163	VANISHPOINT SYRINGE...	163	verapamil...	96
VABOMERE...	30	VANOS...	110	VERDESO...	110
VAGIFEM...	137	VAPRISOL IN 5 % DEXTROSE...	117	VEREGEN...	110
valacyclovir...	70	VAQTA (PF)...	147	VERELAN PM...	96
VALCHLOR...	57	VARIVAX (PF)...	147	VERELAN...	96
VALCYTE...	70	VARIZIG...	147	VERIFINE PEN NEEDLE...	163
valganciclovir...	70	VARUBI...	42	VERIPRED 20...	127
VALIUM...	72	VASCEPA...	96	VERSACLOZ...	65
valproate sodium...	36	VASERETIC...	96	VERZENIO...	57
valproic acid (as sodium salt)...	36			VESICARE...	125
				VFEND IV...	45

VFEND... 45	VIRAMUNE XR... 70	VOLTAREN... 18
VIAGRA... 177	VIRAMUNE... 70	VOLTAREN-XR... 19
VIBATIV... 30	VIRAZOLE... 163	voriconazole... 45
VIBERZI... 121	VIREAD... 70	VOSEVI... 70
VIBRAMYCIN... 30, 31	virt-c dha... 117	VOTRIENT... 58
vicodin hp... 18	virt-nate dha... 117	VP-PNV-DHA... 118
vicodin... 18	virt-pn dha... 178	VPRI... 123
VICTOZA 2-PAK... 78	VISTARIL... 174	VRAYLAR... 65
VICTOZA 3-PAK... 78	VISTOGARD... 58	vtol lq... 19
VIDAZA... 57	VITAFOL FE PLUS... 117	VUMERITY... 101
VIDEX EC... 70	VITAFOL GUMMIES... 117	VUSION... 45
VIDEX 2 GRAM PEDIATRIC... 70	VITAFOL NANO... 117	VYEPTI... 47
VIDEX 4 GRAM PEDIATRIC... 70	VITAFOL ULTRA... 117	vyfemla (28)... 137
VIEKIRA PAK... 70	VITAFOL-OB... 117	vylibra... 137
vienva... 137	VITAFOL-OB+DHA... 117	VYNDAMAX... 123
vigabatrin... 36	VITAFOL-ONE... 118	VYNDAQEL... 123
vigadrone... 36	VITAMED MD ONE RX... 118	VYONDYS-53... 123
VIGAMOX... 167	vitamin d2... 178	VYTORIN 10-10... 96
VIIBRYD... 40	vitamin k... 178	VYTORIN 10-20... 96
VIMOVO... 18	vitamin k1... 178	VYTORIN 10-40... 96
VIMPAT... 36	VITRAKVI... 58	VYTORIN 10-80... 96
vinblastine... 57	vivacaine... 20	VYVANSE... 101
vincasar pfs... 57	VIVELLE-DOT... 137	VYXEOS... 58
vincristine... 58	VIVITROL... 21	VYZULTA... 167
vinorelbine... 58	VIVLODEX... 18	<b>W</b>
VIOKACE... 123	VIZIMPRO... 58	WAKIX... 176
viorele (28)... 137	VOGELXO... 137	warfarin... 82
VIRACEPT... 70	volnea (28)... 137	water for irrigation, sterile... 163

WEBCOL...	163	XEPI...	110	YAZ (28)...	137
WELCHOL...	96	XERAVA...	31	YERVOY...	58
WELLBUTRIN SR...	40	XERESE...	70	YF-VAX (PF)...	147
WELLBUTRIN XL...	40	XERMELO...	121	YONDELIS...	58
wera (28)...	137	XGEVA...	150	YONSA...	58
WINRHO SDF...	147	XHANCE...	174	YOSPRALA...	82
wixela inhub...	174	XIFAXAN...	121	YUPELRI...	174
wymzya fe...	137	XIGDUO XR...	78	yuvafem...	138
<b>X</b>					
XADAGO...	61	XIIDRA...	167	<b>Z</b>	
XALATAN...	167	XIMINO...	31	zaflirlukast...	174
XALKORI...	58	XOFLUZA...	70	zaleplon...	176
XANAX XR...	72	XOLAIR...	147	ZALTRAP...	58
XANAX...	72	XOLEGEL...	45	ZANAFLEX...	65
XARELTO DVT-PE TREAT	30D	XOPENEX CONCENTRATE...	174	ZANOSAR...	58
START...	82	XOPENEX HFA...	174	zarah...	138
XARELTO...	82	XOPENEX...	174	ZARONTIN...	36
XATMEP...	147	XOSPATA...	58	ZARXIO...	82
XCOPRI MAINTENANCE PACK...	36	XPOVIO...	58	zatean-pn dha...	178
XCOPRI TITRATION PACK...	36	XTAMPZA ER...	19	zatean-pn plus...	178
XCOPRI...	36	XTANDI...	58	ZAVESCA...	123
XELJANZ XR...	147	xulane...	137	ZCORT...	127
XELJANZ...	147	XULTOPHY 100/3.6...	78	ZEBUTAL...	19
XELPROS...	167	XURIDEN...	123	ZEGERID...	121
XEMBIFY...	147	XYOSTED...	137	ZEJULA...	58
XENAZINE...	101	XYREM...	176	ZELAPAR...	61
XENICAL...	163	XYWAV...	176	ZELBORAF...	58
XENLETA...	31	<b>Y</b>		ZELNORM...	121
		YASMIN (28)...	137	ZEMAIRA...	124

ZEMBRACE SYMTOUCH...	47	ZINPLAVA...	121	ZONALON...	110
ZEMDRI...	31	ZIOPTAN (PF)...	167	ZONEGRAN...	36
ZEMPLAR...	150	ziprasidone hcl...	65	zonisamide...	36
zenatane...	110	ziprasidone mesylate...	65	ZONTIVITY...	82
ZENPEP...	124	ZIPSOR...	19	ZORBTIVE...	128
zenzedi...	101	ZIRABEV...	58	ZORTRESS...	147
ZEPATIER...	70	ZIRGAN...	71	ZORVOLEX...	19
ZEPOSIA STARTER KIT...	101	ZITHROMAX TRI-PAK...	31	ZOSTAVAX (PF)...	147
ZEPOSIA STARTER PACK...	101	ZITHROMAX Z-PAK...	31	ZOSYN IN DEXTROSE (ISO-OSM)...	31
ZEPOSIA...	101	ZITHROMAX...	31	ZOSYN...	31
ZEPZELCA...	58	ZOCOR...	96	zovia 1/35e (28)...	138
ZERBAXA...	31	ZOFRAN...	42	ZOVIRAX...	71
ZERIT...	70, 71	ZOHYDRO ER...	19	ZTLIDO...	20
ZERVIADE...	167	ZOLADEX...	140	ZUBSOLV...	21
ZESTORETIC...	96	zoledronic ac-mannitol-0.9nacl...		ZULRESSO...	40
ZESTRIL...	96	150		zumandimine (28)...	138
ZETIA...	96	zoledronic acid...	150	ZUPLENZ...	42
ZETONNA...	174	zoledronic acid-mannitol-water...		ZURAMPIC...	45
ZIAC...	96	150		ZYBAN...	21
ZIAGEN...	71	ZOLINZA...	58	ZYCLARA...	111
ZIANA...	110	zolmitriptan...	47	ZYDELIG...	58
zidovudine...	71	ZOLOFT...	40	ZYFLO CR...	175
ZIEXTENZO...	82	zolpidem...	176	ZYFLO...	175
zileuton...	174	ZOLPIMIST...	176	ZYKADIA...	58
ZILRETTA...	127	ZOMACTON...	128	ZYLET...	167
ZILXI...	110	ZOMETA...	150	ZYLOPRIM...	45
ZINECARD (AS HCL)...	58	ZOMIG ZMT...	47	ZYMAXID...	167
zingiber...	178	ZOMIG...	47	ZYPITAMAG...	96

ZYPREXA RELPREVV... 65

ZYPREXA ZYDIS... 65

ZYPREXA... 65

ZYTIGA... 58

ZYVOX... 31

1ST TIER UNIFINE PENTIPS PLUS...

150

1ST TIER UNIFINE PENTIPS... 150

## **Important!**

At Humana, it is important you are treated fairly.

Humana Inc. and its subsidiaries do not discriminate or exclude people because of their race, color, national origin, age, disability, sex, sexual orientation, gender identity, or religion. Discrimination is against the law. Humana and its subsidiaries comply with applicable Federal Civil Rights laws. If you believe that you have been discriminated against by Humana or its subsidiaries, there are ways to get help.

- You may file a complaint, also known as a grievance:  
Discrimination Grievances, P.O. Box 14618, Lexington, KY 40512-4618  
If you need help filing a grievance, call **1-866-396-8810** or if you use a **TTY**, call **711**.
- You can also file a civil rights complaint with the **U.S. Department of Health and Human Services**, Office for Civil Rights electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf>, or by mail or phone at **U.S. Department of Health and Human Services**, 200 Independence Avenue, SW, Room 509F, HHH Building, Washington, DC 20201, **1-800-368-1019, 800-537-7697 (TDD)**.

Complaint forms are available at <https://www.hhs.gov/ocr/office/file/index.html>.

Auxiliary aids and services, free of charge, are available to you.

**1-866-396-8810 (TTY: 711)**

Humana provides free auxiliary aids and services, such as qualified sign language interpreters, video remote interpretation, and written information in other formats to people with disabilities when such auxiliary aids and services are necessary to ensure an equal opportunity to participate.

Language assistance services, free of charge, are available to you.

**1-866-396-8810 (TTY: 711)**

**Español (Spanish):** Llame al número arriba indicado para recibir servicios gratuitos de asistencia lingüística.  
**繁體中文 (Chinese):** 撥打上面的電話號碼即可獲得免費語言援助服務。

**Tiếng Việt (Vietnamese):** Xin gọi số điện thoại trên đây để nhận được các dịch vụ hỗ trợ ngôn ngữ miễn phí.  
**한국어 (Korean):** 무료 언어 지원 서비스를 받으려면 위의 번호로 전화하십시오.

**Tagalog (Tagalog – Filipino):** Tawagan ang numero sa itaas upang makatanggap ng mga serbisyo ng tulong sa wika nang walang bayad.

**Русский (Russian):** Позвоните по номеру, указанному выше, чтобы получить бесплатные услуги перевода.

**Kreyòl Ayisyen (French Creole):** Rele nimewo ki pi wo la a, pou resevwa sèvis èd pou lang ki gratis.

**Français (French):** Appelez le numéro ci-dessus pour recevoir gratuitement des services d'aide linguistique.

**Polski (Polish):** Aby skorzystać z bezpłatnej pomocy językowej, proszę zadzwonić pod wyżej podany numer.

**Português (Portuguese):** Ligue para o número acima indicado para receber serviços linguísticos, grátis.

**Italiano (Italian):** Chiamare il numero sopra per ricevere servizi di assistenza linguistica gratuiti.

**Deutsch (German):** Wählen Sie die oben angegebene Nummer, um kostenlose sprachliche Hilfsdienstleistungen zu erhalten.

**日本語 (Japanese):** 無料の言語支援サービスをご要望の場合は、上記の番号までお電話ください。

**(Farsi)**

برای دریافت تسهیلات زبانی بصورت رایگان با شماره فوق تماس بگیرید.

**Diné Bizaad (Navajo):** Wódahí béésh bee hani’í bee wolta’ígíí bich’í’ hódíílnih éí bee t’áá jiik’eh saad bee áká’ánída’áwo’déé niká’adoowol.

**(Arabic)**

الرجاء الاتصال بالرقم المبين أعلاه للحصول على خدمات مجانية للمساعدة بلغتك

## Notes





This formulary was updated on 10/21/2020. For more recent information or other questions, please contact Humana Medicare Employer Plan at the number on the back of your membership card or, for TTY users, 711, Monday through Friday, from 8 a.m. - 9 p.m. Eastern Time. The automated phone system may answer your call on Saturdays, Sundays, and some public holidays. Please leave your name and telephone number, and we'll call you back by the end of the next business day, or visit **Humana.com**.